



YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



In the late 1800's, the discovery of high quality clay and coal deposits near Alberhill, California led industrialists to this area in pursuit of raw materials for numerous fired ceramic products. Our clay is geologically unique in that both sedimentary (Lake, stream, or ocean deposits) and metamorphic (altered in place) clays are present. This allows for the blending necessary to make many different ceramic products. There is no other deposit of clay like this in the world, for these clays are over 200 million years old! The Alberhill area has supplied clay for fine pottery, clay sewer pipe, face brick, brick pavers, roofing tile, clay pots, firebrick, lignite coal, and modeling clay. One famous pottery company that operated on Catalina Island until the 1940's, used clay from our Alberhill mines to produce pottery that is still extremely collectible today.

The Alberhill Coal and Clay Company mined low-grade lignite coal and fire clay on these premises from 1890 until 1940. Mining in underground shafts, these tunnels were hand-dug with shovels and wheelbarrows. Long before OSHA, this was a dangerous place to work due to numerous cave-ins and associated deaths! Los Angeles Brick Company, which started in 1895 here at Alberhill, produced face brick, paving brick, sewer pipe, and roofing tile. Many of the original buildings in Los Angeles were built using these products. UCLA's Royce Hall and Powell Library, both built in the 1920's, used brick from this company. During this time, Alberhill was a self-contained community with a post office, Catholic church and elementary school located right on the property. The three-room Alberhill Schoolhouse remained open until the 1960's, and today is the site for many class reunions. The Los Angeles Brick Company was purchased by Pacific Clay Products in 1963. David H. Murdock, the current owner, purchased all the Pacific Clay stock in 1973 and took the company private.

Along with our rich history of brick products, the Pacific Clay name is also known for sewer pipe. Pacific Sewer Pipe Company had several facilities in California where they produced sewer pipe for use across the country. The Hoist Pit, just two miles south of Alberhill, supplied the Terra Cotta plant its clay for sewer pipe production from 1890 until 1915. The Terra Cotta plant was closed that year and production moved to Santa Fe Springs, California where the company went public and became Pacific Clay Products. The facility at Santa Fe Springs grew to process 200,000 tons per year, which in the mid-1960's was the largest sewer pipe production facility in the world. This plant was closed in 1980 and the Pipe Division moved to Corona, closer to Alberhill and its vast clay deposits. Pacific Clay continued to produce sewer pipe in Corona until 1997.

ABOUT PACIFIC CLAY PRODUCTS











YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

Pacific Clay Products has continually expanded to meet the needs of its customers, and in 1996 completed construction of a state-of-the-art brick production facility. Our present facility is the largest in the west. The new plant can burn brick in 14 hours, compared to 35 hours in a traditional plant, and can produce 40,000,000 bricks per year. Along with many historic 'ceramic firsts' such as double-bullnose, mini-brick, ruffled-texture and others, Pacific Clay continues to meet the needs of its customers by creating innovative brick designs and colors. Pacific Clay Products remains the dominant supplier of clay products in Southern California, and on fine architectural jobs across the country.



EXAMPLES OF PROMINENT BRICK PROJECTS

Listed below is a sampling of some of the key projects constructed with Pacific Clay brick products. Photographs of individual buildings are also included:

- A majority of the University of Southern California campus has been constructed with Pacific Clay products
- The University of California, Los Angeles is a prominent user of Pacific Clay brick products
- Student Housing Buildings at the University of Washington
- Fiterman Hall in New York City
- Princeton University
- City Front Terrace, San Diego











YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



GALEN CENTER

UNIVERSITY OF SOUTHERN CALIFORNIA





Galen Center at the USC Campus includes a 3 story brick sculpture.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

FITERMAN HALL

NEW YORK CITY







Fiterman Hall was damaged in 9/11 and rebuilt in 2010. Pacific Clay Brick with special corners were used on this project.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

UNIVERSITY OF WASHINGTON

STUDENT HOUSING BUILDINGS







The University of Washington Student Housing Buildings were built with 4x4x16 Dark Iron Spot Facebrick.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

CITY FRONT TERRACE

SAN DIEGO, CA



City Front Terrace is a 13 story, 321 unit residential structure off the harbor in San Diego and was awarded the Brick Institute of California's Grand Prize.









YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

UNIVERSITY OF SOUTHERN CALIFORNIA

RONALD TUTOR CAMPUS CENTER









USC's five-story, 192,000-square-foot Ronald Tutor Campus Center is the main student union at USC, playing host to cafeteria services, the USC Alumni Association, and an art collection that includes artwork by students, faculty, staff, alumni, and emerging artists-both local and international. The Tutor Center is also home to over thirty brand new meeting and event spaces, from meeting rooms accommodating six people to a Grand Ballroom with seating for over 1,000 people. The Tutor Center is the first USC building to earn a Leadership in Energy and Environmental Design (LEED) certification.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

MUSEUM OF MODERN ART

SAN FRANCISCO, CA



The facade of the San Francisco Museum of Modern Art, designed by Mario Botta utilizes Pacific Clay Thin Brick.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663


WHEELER HIGH SCHOOL

MARIETTA, GA









Modular Thin Brick Re-Roll Blend 65% Merlot 35% Napa





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

UNIVERSITY OF PENNSYLVANIA


















YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

MOOD BAR

LOS ANGELES, CA














YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

PRIVATE RESIDENCE















YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

PRIVATE RESIDENCE

BONSALL, CA











YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

BLIND BURRO BAR

SAN DIEGO, CA





The Blind Burro Bar, located in the Gaslamp District of San Diego, uses Pacific Clay's Americana Series Bostonian Thin Brick.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

THE CROSSINGS

CORONA, CA











YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

SKIRKANICH HALL

PAVERS • FACE BRICK • THIN BRICK • GLAZED BRICK • BULLNOSE AND WALLCAPS













YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

TAPS RESTAURANT

CORONA, CA











PAVERS • FACE BRICK • THIN BRICK • GLAZED BRICK • BULLNOSE AND WALLCAPS

PACIFIC CLAY PRODUCTS 14741 LAKE STREET LAKE ELSINORE, CA 92530 951.674.2131 YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES ROCKIES SERIES FACE BRICK


























Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.



YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES MODULAR FACE BRICK




Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.

 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES








SUNSET RED

RED FLASHED

BURGUNDY







SALTILLO

MEDIUM IRON SPOT


DARK IRON SPOT

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.



PAVERS • FACE BRICK • THIN BRICK • GLAZED BRICK • BULLNOSE AND WALLCAPS

PACIFIC CLAY PRODUCTS 14741 LAKE STREET LAKE ELSINORE, CA 92530 951.674.2131 YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES MODULAR THIN BRICK




Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663




COLOR SAMPLES







SUNSET RED RED FLASHED SAN RAFAEL





BOSTONIAN CHOCOLATE


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663













BURGUNDY



SALTILLO



STERLING GREY

RED FLASHED





BROWN FLASHED





Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.


LIGHT IRON SPOT

MEDIUM IRON SPOT

DARK IRON SPOT











PUEBLO FLASHED

PUEBLO FLASHED TUMBLED

SANTA FE PUEBLO


TUMBLED








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES BEAR PATH PAVERS




Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES



Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.


 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES









RED FLASHED

CABRILLO







CHOCOLATE

MANUFACTURED USED


MFG. USED WHITE ONLY

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.






YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES







RED FLASHED



BROWN FLASHED



TUMBLED RED



TUMBLED RED FLASHED



CABRILLO



TUMBLED BROWN FLASHED


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES JUMBO AND OVERSIZED PAVERS





OVERSIZED RED


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES

PRIMERO PAVERS







BOSTONIAN CHOCOLATE SAN RAFAEL








SUNSET RED RED FLASHED DESERT SAND

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES


LOSURE THIN BRICK



SUNSET RED



RED FLASHED




SALTILLO



MANUFACTURED USED



MFG. USED WHITE ONLY



BURGUNDY



MEDIUM IRON SPOT




DARK IRON SPOT

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES SINGLE BULLNOSE



SUNSET RED





RED FLASHED








BURGUNDY







SALTILLO



MANUFACTURED USED



MFG. USED WHITE ONLY



LIGHT IRON SPOT



MEDIUM IRON SPOT



DARK IRON SPOT



PUEBLO




STERLING GREY

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES DOUBLE BULLNOSE







RED FLASHED



ROSE TAN



BURGUNDY



BROWN FLASHED



SALTILLO



MANUFACTURED USED



MFG. USED WHITE ONLY



LIGHT IRON SPOT



MEDIUM IRON SPOT



DARK IRON SPOT



PUEBLO



STERLING GREY


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES



SUNSET RED



RED FLASHED



BROWN FLASHED




 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES PRO FINISH BULLNOSE




Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.

 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



STERLING GREY

COLOR SAMPLES SAFETY GRIP BULLNOSE










YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES





SUNSET RED

RED FLASHED







MFG. USED WHITE ONLY


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.

 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES CAPELLA WALLCAPS







SUNSET RED

RED FLASHED

BURGUNDY







SALTILLO

LIGHT IRON SPOT

MEDIUM IRON SPOT




DARK IRON SPOT

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES







SUNSET RED

RED FLASHED

SALTILLO







STERLING GREY

MEDIUM IRON SPOT

DARK IRON SPOT

Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



COLOR SAMPLES









AQUA

BLUE

MARBLE

MAROON









ONYX

ORANGE

SIENNA

SLATE



TRAVERTINE


Pacific Clay's colors are produced from natural clays - color ranges are inherent in the product and should be sampled accordingly. Weights listed are averages; individual bricks may vary in dimension and weight while maintaining accordance with ASTM specifications.

 $\label{products} \mbox{Pacific Clay Products maintains the right to revise packaging and products inventoried.}$





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



PRODUCT DIMENSIONS

PAVERS

Modular Solid Paver (Solid, Wirecut)

35/8 x 21/4 x 75/8




Weight: 4.5 lbs. each


Coverage: 4.5 pcs. per sq. ft. (using 3/8" grout line)

Colors: Brown Flashed*, Burgundy, Dark Iron Spot*, Red Flashed*, Light Iron Spot*, Medium Iron Spot*, Rose Tan, Royal Saltillo*, Sterling Grey, Sunset Red, Pueblo

Meets ASTM C-902 Standards



31/2 x 23/16 x 111/2"



Weight: 6.6 lbs. each

Coverage: 3.0 pcs. per sq. ft. (using 1/2" grout line)

Colors: Red Flashed*, Sunset Red, Manufactured Used, Manufactured Used - White Only Meets ASTM C-902 Standards

Combo Paver (Solid, Wirecut, Die Skin)

3 1/2 x 2 3/16 x 7 1/2"



Weight: 4.5 lbs. each

Coverage: 4.5 pcs. per sq. ft. (using 1/2" grout line)

Colors: Burgundy, Dark Iron Spot*, Red


Flashed*, Light Iron Spot*, Medium Iron

Spot*, Sunset Red

Meets ASTM C-902 Standards

Common Split Paver

33/4 x 11/4 x 8"



Weight: 3 lbs. each

Coverage: 4.5 pcs. per sq. ft. (using 1/2" grout line)

Colors: Red Common, Red Flashed,

Manufactured Used.

Manufactured Used - White Only.
Meets ASTM C-902 Standards

Modular Split Paver (Solid, Wirecut)

35/8 x 11/4 x 75/8"



Weight: 2.8 lbs. each

Coverage: 4.5 pcs. per sq. ft.

(using 3/8" grout line)

Colors: Brown Flashed*, Burgundy, Dark Iron Spot*, Red Flashed*, Light Iron Spot*, Medium Iron Spot*, Rose Tan, Royal Saltillo*,

Sterling Grey, Sunset Red, Pueblo Meets ASTM C-902 Standards

Common Paver



Weight: 5.0 lbs. each

Coverage: 4.5 pcs. per sq. ft.

(using 1/2" grout line)

Colors: Red Common, Red Flashed,

Manufactured Used, Manufactured Used -

White Only, Chocolate

Meets ASTM C-902 Standards

Mission Paver - 21/4" (Solid, Wirecut)

4 x 2 1/4 x 8'



Weight: 5.9 lbs. each

Coverage: 4.5 pcs. per sq. ft. (sand set no grout joint)

Colors: Sunset Red, Red Flashed, Brown Flashed, Rustic Red, Rustic Red Flashed,

Rustic Cabrillo.

Meets ASTM C-902 Standards

Bear Path Paver - 21/4" (Solid, Wirecut)

4 x 2 1/4 x 8'



Weight: 5.9 lbs. each

Coverage: 4.5 pcs. per sq. ft.

(sand set no grout joint)

Colors: Sunset Red, Burgundy, Dark Iron Spot*, Red Flashed*, Light Iron Spot*, and

Medium Iron Spot*.

Also available in 2 5/8 Vehicular Rated Meets ASTM C-902 Standards





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



PRODUCT DIMENSIONS

FACE BRICK

MODULAR

7 5/8" x 3 5/8" x 2 1/4"

(Cored/Solid, Velour/Smooth Texture) Weight: Cored - 3.8 lbs. each Solid - 4.5 lbs. each

Coverage: Veneer 6.75 pcs. per sq. ft. (using 3/8" grout line)
Paving 4.5 pcs. per sq. ft. (using 3/8" grout line)

Meets ASTM C-216, FBX, SW




CLOSURE

7 5/8" x 3 5/8" x 3 5/8"

(Cored/Solid, Velour/Smooth Texture)

Weight: Cored - 6.2 lbs. each Solid - 6.6 lbs. each Coverage: 4.5 pieces per sq ft (using 3/8" joint)

Meets ASTM C-216, FBX, SW



NORMAN

11 1/2" x 3 1/2" x 2 3/16"

(Cored/Solid, Velour Texture)

Weight: Cored - 6.2 lbs. each Solid - 6.6 lbs. each

Coverage: Veneer 4.5 pcs. per sq. ft. (using 1/2" grout line)

Paving 3.0 pcs. per sq. ft. (using 1/2" grout line)

Meets ASTM C-216, FBX, SW



UTILITY

11 5/8" x 3 5/8" x 3 5/8"

(Cored/Solid, Velour/Smooth Texture)

(Custom order item)

Weight: Cored - 8 lbs. each Solid - 9.3 lbs. each

Coverage: 3 pcs. per sq. ft. (using 1/2" grout line)

Meets ASTM C-216, FBX, SW



PADRE

(Solid, Special Padre Texture/Color Only)

11 1/2" x 3" x 4"

Weight: Solid - 10 lbs. each

Coverage: 3 pcs. per sq. ft. (using 1/2" grout line)

Meets ASTM C-216, FBX, SW



COMMON

8" x 3-3/4" x 2-1/4"

Solid (1 Side & 1 End Velour - 1 Side & 1 End Smooth)

Weight: 5.2 lbs. each

Coverage: Veneer 6.2 pcs. per sq. ft.


Meets ASTM C-216, FBX, SW








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



PRODUCT DIMENSIONS

THIN BRICK

Modular



Flat

Size: 5/8" x 2-1/4" x 7-5/8" Weight: .75 lb. per piece

Coverage: 6.9 pieces per sq. ft. (3/8" grout line) Packaging: 60 pcs per box, 40 boxes per pallet

Corner


Size: 5/8" x 2-1/4" x 7-5/8" x 3-5/8" (Return)

Weight: 1.1 lb. per piece

Coverage: 4.6 pieces per sq. ft. (3/8" grout line) Packaging: 0 pcs per box, 40 boxes per pallet

Meets ASTM C-1088, TBX, SW

Closure



Flat

Size: 5/8" x 3-5/8" x 7-5/8" Weight: 1.2 lb. per piece

Coverage: 4.5 pieces per sq. ft. (3/8" grout line) Packaging: 60 pcs per box, 32 boxes per pallet

Corne


Size: 5/8" x 2-1/4" x 7-5/8 x 3-5/8" (Return)

Weight: 1.7 lb. per piece

Coverage: 3.0 pieces per sq. ft. (3/8" grout line) Packaging: 30 pcs per box, boxes per pallet

Meets ASTM C-1088, TBX, SW

Utility



Flat

Size: 5/8" x 3-5/8" x 11-5/8"

Weight: 2.6 lb. per piece

Coverage: 3.0 pieces per sq. ft. (3/8" grout line) Packaging: 30 pcs per box, 32 boxes per pallet

Corne


Size: 5/8" x 3-5/8" x 7-5/8 x 3-5/8" (Return)

Weight: 3.4 lb. per piece

Coverage: 3.0 pieces per sq. ft. (3/8" grout line) Packaging: 20 pcs per box, 32 boxes per pallet

Meets ASTM C-1088, TBX, SW

Norman



Flat

Size: 5/8" x 2-1/4" x 11-5/8"

Weight: 1.6 lb. per piece

Coverage: 4.5 pcs per sq. ft. (3/8" grout line) Packaging: 40 pcs per box, 32 boxes per pallet

Corner

Size: 5/8" x 2-1/4" x 11-5/8 x 3-5/8" (Return)

Weight: 2.1 lb. per piece


Coverage: 4.56 pcs per sq. ft. (3/8" grout line) Packaging: 20 pcs per box, 32 boxes per pallet

Meets ASTM C-1088, TBX, SW





YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



PRODUCT DIMENSIONS

10" Capella Wallcap - 10 x 2 x 105/8"

Unit Weight: 11 lbs. Pallet Weight: 1,327 lbs.

Coverage: 1.1 Units per lineal foot (using 1/2" grout line)

120 Units per pallet Meets ASTM C-902



8" Capella Wallcap -8 x 2 x 105/8"

Unit Weight: 8.5 lbs. Pallet Weight: 1,377 lbs.

Coverage: 1.1 Units per lineal foot (using 1/2" grout line)

150 Units per pallet Meets ASTM C-902



10" Plano Wallcap - 10 x 2 x 105/8"

Unit Weight: 11 lbs. Pallet Weight: 1,327 lbs.

Coverage: 1.1 Units per lineal foot (using 1/2" grout line)

120 Units per pallet Meets ASTM C-902



8" Plano Wallcap - 8 x 2 x 105/8"

Unit Weight: 8.5 lbs. Pallet Weight: 1,377 lbs.

Coverage: 1.1 Units per lineal foot (using 1/2" grout line)

150 Units per pallet Meets ASTM C-902







YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663



PRODUCT DIMENSIONS

BULLNOSE



Unit Weight: 4.8 lbs. Kord - 5.6 lbs. Solid Pallet Weight: 1,883 lbs. Kord - 2,190 lbs. Solid Coverage: 3.0 Units per lineal foot (using 1/2" grout line)

Meets ASTM C-902



Unit Weight: 4.8 lbs. Kord - 5.6 lbs. Solid Pallet Weight: 1,883 lbs. Kord - 2,190 lbs. Solid Coverage: 3.0 Units per lineal foot (using 1/2" grout line)

Meets ASTM C-902



384 Units per pallet



Unit Weight: 6.0 lbs. Kord - 7.0 lbs. Solid Pallet Weight: 1,768 lbs. Kord - 2,056 lbs. Solid Coverage: 3.0 Units per lineal foot (using 1/2" grout line)

Meets ASTM C-902



Unit Weight: 6.0 lbs. Kord - 7.0 lbs. Solid Pallet Weight: 1,768 lbs. Kord - 2,056 lbs. Solid Coverage: 3.0 Units per lineal foot

(using 1/2" grout line) Meets ASTM C-902



288 Units per pallet



Unit Weight: 5.0 lbs. Solid

Pallet Weight: 1,613 lbs. Available Colors: Brown Flashed, Burgundy, Dark Iron Spot,

Light Iron Spot, Medium Iron Spot, Red Flashed, Rose Tan, Royal Saltillo, Sterling Grey, Sunset Red, and Pueblo Coverage: 3.0 Units per lineal foot (using 3/8" grout line)

Meets ASTM C-902

Safety Grip Bullnose 35/8 x 11/4 x 12 1/2"

320 Units per pallet



Unit Weight: 5.0 lbs. Solid

Available Colors: Sunset Red, Red Flashed, Manufactured

Used*, Manufactured Used - white only*.

Coverage: 3.0 Units per lineal foot (using 3/8" grout line)

Meets ASTM C-902

Retrofit Bullnose

35/8 x 11/4 x 121/2"

400 Units per pallet



Unit Weight: 6.0 lbs. Solid

Available Colors: Sunset Red, Red Flashed, Burgundy, Medium Iron Spot, Sterling Grey, Brown Flash, Pueblo,

Manufactured Used, Manufactured Used - white only, Dark Iron Spot, Light Iron Spot

Meets ASTM C-902

Profinish Bullnose

31/2 x 23/16 x 111/2"

6 pcs per box








YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

PAVER INSTALLATION


MORTARLESS PAVING ON SAND BED


MODULAR SIZE PAVER

FULL SIZE PAVER









HOW MANY PAVERS DO YOU NEED?


PATIO SIZE _____ = ____ Sq. Ft.


———— Sq. Ft. X 4.5 = _____ #4"x8" PAVERS


__ Sq. Ft. X 5 = _____ # MODULAR PAVERS


ADD 5% FOR WASTE = _____TOTAL PAVERS


PAVER PATTERNS





























YANKEE HILL BRICK AND TILE 3705 S. CODDINGTON AVE LINCOLN, NE 68522 402.477.6663

PACIFIC CLAY BRICKYARD

MAP, DIRECTIONS, AND HOURS OF OPERATION



BRICKYARD ADDRESS:

26800 BERNARD ST. LAKE ELSINORE, CA 92530

EMAIL: SALES@PACIFICCLAY.COM HOURS: MON - FRI 7:00 - 4:00 PM

From Interstate 15:

Take Interstate 15 to the Lake street exit, go south on Lake street. Turn right on Temescal Canyon Rd. Turn left on Bernard Street, about 1/4 mile down.