

ARKSHADE

MADE IN ITALY. MADE TO EXCEL.



Since its founding in 1891, Acme Brick has continually advanced the art and science of providing affordable, sustainable, enduring, and beautiful product choices for America's homeowners, builders, contractors, institutions, and businesses.

Acme Brick Tile & Stone traces its roots back to 1964 and is a leader in providing builders, architects, designers, and contractors with a wide range of excellent products. At more than 50 locations across 13 states, Acme Brick Tile & Stone, offers distinctive products of superior quality, sourced from around the world and delivered with impeccable service - and at many locations, in-house design assistance. Our customers include builders, architects, designers, contractors, and DIY homeowners.

In ways large and small, Acme Brick associates work hard to provide building materials that are as good for the environment as it is for the people who build with it.




ARCHITECTURAL LOOK

COLOURED BODY
PORCELAIN TILES

WHITE-BODY
WALL TILES



ARKSHADE
BACKGROUND FOR ARCHITECTURE



FREEDOM TO DESIGN



FOR AN INTERIOR DESIGNER, FREEDOM OF EXPRESSION IS EVERYTHING. FOR THIS REASON ARKSHADE OFFERS TO THE DESIGN WORLD A DENSE, RICH COLORFUL SELECTION, IDEAL FOR COMPOSING SPACES THAT ARE ALWAYS NEW. THE COUNTERPOINT BETWEEN NEUTRAL TONES AND BRIGHT COLORS ADDS MINIMALIST CHARM TO ANY ENVIRONMENT, COMMERCIAL OR RESIDENTIAL.



ARKSHADE: THINK ARCHITECTURE

Sophisticated colorful backgrounds are defined by clean compositions made of neutral bases and bold hues. They suggest projects for minimal architectures and interiors, making the most of the space in every aspect.

ARKSHADE : ESSENTIALS

— Modern interpretation of interior colors

— Neutral, essential graphics

— Solid-color surfaces with light shading

NEUTRALMOOD
ARKSHADE PORCELAIN TILES

COLOR
PALETTE

One color palette, a thousand projects. Neutral surfaces for floors and wall tiles combined with glamorous colors on the wall, creating a play of shades that shift from intense hues to soft nuances.

MATTE / POLISHED GREY GRIP	MATTE / POLISHED WHITE GRIP	SOLID WHITE	CREAM	TAUPE
MATTE / POLISHED LEAD GRIP	MATTE / POLISHED CLAY GRIP	LIGHT CLAY	SAGE	SKY
MATTE / POLISHED DOVE GRIP	LIGHT DOVE	YELLOW	GEMSTONE	
	DEEP GREY	BLUE	RED	



COLORMOOD
ARKSHADE WALL TILES



ESSENTIAL STYLE

Everything suggests a simple style: the surfaces are neutral, the monochrome palette discrete, the tone-on-tone effect furnishes with simplicity.

ARKSHADE : ESSENTIALS

— Minimal graphics

— Neutral bases in five shades

— Porcelain tiles with a matte or polished finish.

— Linear geometric decors





UNEXPECTED COLORS

A neutral palette mixes and matches with an intense, rich, and modern color scale. It features full and saturated tones, as well as light colors with delicate nuances.

ARKSHADE : ESSENTIALS

— Contrasts energetic and soft colors

— Matte finish, velvet touch

— Intense points of color

— 3D decors, mixing texture and color




DECORATIVE TOUCH

Multiple colors, shapes, and three-dimensionality contour spaces, stimulating design as a precise and rigorous creative act.

ARKSHADE : ESSENTIALS


- Impeccable tone-on-tone surfaces
- Artistic shapes
- Overlays of color and 3D decorations



DECORATIVE IMPACT

The decorations are precious and unusual ornaments. Mosaics and shapes create spectacular floor and wall effects, the 3D surfaces sculpting contemporary spaces.

3DWALLTILES





The play of neutral or bright shades becomes the central core of the architectural project. Monochrome areas define and revitalize residential and commercial spaces with contemporary appeal.

ARCHITECTURAL
SOUL



NEUTRAL LOOK

Tone-on-tone shades characterize the design of the lobby. Creativity is expressed in the space with new palettes and minimalist approaches. Glossy and matte surfaces intertwine in a play that adds energy and movement to the indoor floors.

ARKSHADE : ESSENTIALS

— Glossy polished and reflective

— Natural and simple matte

— Alternating floor finishes





COMMERCIAL PROJECT HALL OFFICE BUILDING

PORCELAIN TILES

-  **Grey** Matte 75x150
-  **Lead** Linea 3D 30x60
-  **White** Matte 75x150
-  **White** Polished 75x150

WALL TILES

-  **Blue** 40x80





FEATURE&BENEFIT
Porcelain tiles

Wear resistant in high traffic areas.





MOSAICO LINEA 3D
Porcelain tiles

The choice of a 3D mosaic decoration furnishes the lobby with its clean design.







BRICK
Porcelain tiles

Porcelain brick decoration: matte and polished finishes alternate in strips of different sizes.

Arkshade Grey Brick 30x60





MOSAICO FLAG

Wall tiles

Matte finishes and metallized inserts alternate in a lively dynamic play of shapes.

WALL TILES

 **Deep Grey** Mosaico Flag 30,5x30,5

PORCELAIN TILES

 **White** Polished 75x150



TOUCH OF WELLNESS

Comfort and relaxation are an absolute must in the wellness area. Two three-dimensional walls with a strong visual impact lead into a spa area where the alternating colors of the walls, floors, and furnishings are used to create a relaxing cocoon effect.

ARKSHADE : ESSENTIALS

— Neutral and minimal graphics

— Wall tiles in dense, full colors

— Porcelain tiles with a matte finish





COMMERCIAL PROJECT SPA & WELLNESS

PORCELAIN TILES

-  **White** Matte 75x150
-  **White** Polished 75x150

WALL TILES

-  **3D Stars Light Clay** 40x80
-  **Sage** 40x80
-  **Gemstone** 40x80





FOCUS ON
Wall tiles

The new refined glaze makes the wall tiles' colors even more vibrant and intense.





FEATURE&BENEFIT
Porcelain tiles

Hygienic, therefore suitable for
use as flooring in restrooms
and SPA.







MOSAICO FLAG Wall tiles

A wall mosaic made of matte
and metallized triangular tiles.

WALL TILES

 Sage Mosaico Flag 30,5x30,5

PORCELAIN TILES

 Grey Matte 75x150



COLORFUL DESIGN

The 3D mosaic creates a bold focus wall. The dark shade of the decor is a counterpoint to the neutral surfaces of the interior floors. The designer makes the space even more expressive by using the brightest colors of the palette, red and blue.

ARKSHADE : ESSENTIALS

— Matte finish with R10 anti-slip performance

— Matte and polished shapes and abstractions

— Trendy colors for new combinations





COMMERCIAL PROJECT BISTRO & CAFE

PORCELAIN TILES

-  **Grey Matte** 75x150
-  **Lead Matte** 75x150
-  **Lead Mosaico Art 3D** 35x35

WALL TILES

-  **Red** 40x80
-  **Blue** 40x80
-  **Deep Grey** 40x80





FEATURE&BENEFIT
Porcelain tiles



The surface is suitable for public and crowded spaces as it does not absorb smoke, odor or vapour.





MOSAICO ART 3D
Porcelain tiles

The use of a 3D wall mosaic
creates spectacular effects.



MOSAICO PRISMA
Porcelain tiles

Arkshade Grey Mosaico Prisma 36x36

Porcelain tile mosaic: distinguished
by clear lines and symmetrical
geometric designs.



NEVER ENDING ELEGANCE

A large residential space plays with a tone-on-tone effect and visual continuity. In the living room with kitchen and in the bedrooms the neutral colors furnish with simplicity.

ARKSHADE : ESSENTIALS

—
Design with coordinated minimal colors

—
120x120 cm porcelain tiles

—
Wear resistant to foot traffic





RESIDENTIAL PROJECT
VILLA

PORCELAIN TILES

Clay Matte 120x120

Dove Matte 120x120





FEATURE & BENEFIT
Porcelain tiles


The ideal solution for
residential bathrooms
and kitchen flooring.





FOCUS ON
Porcelain tiles

The porcelain tile counter
guarantees resistance to stains and
high temperatures.





INNOVATIVE RELAXATION

Expressing a modern character, the project chooses the color, both for decorative shapes and refined niches. A bright hue creates a colorful counterpoint with pastel nuances and sophisticated neutrals to sculpt the space with expressive power.

ARKSHADE : ESSENTIALS

— Creative shapes and decorations

— Unexpected color combinations

— Matte wall tiles





RESIDENTIAL PROJECT DESIGN BATHROOM

PORCELAIN TILES

- Dove** Matte 60x60
- Lead** Matte 45x90

WALL TILES

- Taupe** 40x80
- Gemstone** 40x80
- Gemstone** Mosaico Sail 30,5x30,5





FOCUS ON
Porcelain tiles

Porcelain tiles: easy to clean and durable, ideal for bathroom floors.





MOSAICO SAIL
Wall tiles

Wall mosaic with long tiles in a sail shape with alternating matte and metallized surfaces.



EXPRESSIVE STYLE

Bright yellow for trendy walls. Matching neutral surfaces with a bright color reveals the designer's desire to dare: new colors create vibrant splashes with contrasting accents.

ARKSHADE : ESSENTIALS

- Creative color accents on the wall
- 3D wall tiles combine texture and color
- New color combinations





RESIDENTIAL PROJECT BATHROOM

PORCELAIN TILES

- Lead Matte 75x150
- Nid Cashmere Matte 15x90

WALL TILES

- 3D Stars Light Dove 40x80
- Light Dove 40x80
- 3D Stars Yellow 40x80
- Yellow 40x80





FEATURE&BENEFIT
Porcelain&Wall tiles

Does not contain hazardous substances and does not release volatile organic compounds (VOC).





FEATURE & BENEFIT
Wall tiles

Lightweight and easy to lay
and drill.





FEATURE & BENEFIT
Wall tiles

Ideal for walls of tremendous impact in public and commercial spaces.





INFINITE SHADES

Glossy and matte: the contrasting finishes give the commercial space a unique character. Two different ways to express style. The space takes shape through a collection of resolute personality that breathes life into the design.

ARKSHADE : ESSENTIALS

Dynamic contrast between matte and polished surfaces

Decorative shapes and color

Meets all the criteria of sustainable building





COOUTURE GALLERY



COMMERCIAL PROJECT SHOPPING MALL

PORCELAIN TILES

-  **Dove** Matte 75x150
-  **Dove** Polished 75x150
-  **Clay** Matte 75x150
-  **White** Polished 75x150

WALL TILES

-  **3D Stars Light Clay** 40x80
-  **Sky** 40x80
-  **Gemstone** 40x80
-  **Gemstone** Mosaico Flag 30,5x30,5
-  **Sage** Mosaico Sail 30,5x30,5



FEATURE&BENEFIT
Porcelain tiles

Resistant to washing by
mechanical cleaning.





CREATIVE BLENDS

The project is dominated by the strength of contrasting colors. The rigor of minimalist surfaces is broken by the unexpected color of bright red and intense blue walls. The design freshly interprets the bathroom environment, alternating neutral, lively, and dusty tones.

ARKSHADE : ESSENTIALS

— Dense, deep colors

— Smooth and velvety wall

— Porcelain tiles resistant to wear over time





COMMERCIAL PROJECT HOTEL BATHROOM

PORCELAIN TILES

- White** Matte 75x150
- Marvel Gems Terrazzo White** Matte 60x60

WALL TILES

- Sky** 40x80
- Red** 40x80
- Blue** 40x80





FEATURE & BENEFIT
Porcelain & Wall tiles

Easy to clean, does not require use of chemical and polluting agents.





FEATURE&BENEFIT
Porcelain&Wall tiles

Impermeable to water and humidity,
which makes it suitable for wellness
centres and spas.





RED MOSAICO Q
Wall tiles

Bright red wall mosaic
with iridescent
tone-on-tone tiles.

Arkshade Red Mosaico Q 30,5x30,5





THREE-DIMENSIONALITY AND COLOR

The bright blue 3D wall tiles mix with a minimalist palette: a lively splash of geometric design. Bright floors come to life thanks to the choice of polished, smooth and reflecting tiles.

ARKSHADE : ESSENTIALS

- 3D surfaces mix color and shapes
- Polished surface rich in reflections
- Easy to clean wall tiles





RESIDENTIAL PROJECT BATHROOM

PORCELAIN TILES

-  **Dove Polished 60x60**
-  **Dove Mosaico Prisma Matte 36x36**

WALL TILES

-  **3D Stars Blue 40x80**
-  **Taupe 40x80**
-  **Cream 40x80**





FOCUS ON
Wall tiles

The bathroom wall tiles are practical and easy to clean and maintain on a daily basis.



3D STARS

Wall tiles

The three-dimensional ceramic surface transforms into an elegant textured backdrop.





Porcelain tile mosaic: distinguished by clear lines and symmetrical geometric designs.

MOSAICO PRISMA
Porcelain tiles





ARKSHADE DROPS
40x80 cm / 15³/₄"x31¹/₂"

Available in:
White, Taupe



ARKSHADE TRACE
40x80 cm / 15³/₄"x31¹/₂"

Available in:
White



ESSENTIAL STYLE

ARKSHADE PORCELAIN TILES

5

NEUTRAL TONES




5

DECORATIVE MOSAICS



5

SIZES



2


XL SIZES



3

SURFACE FINISHES





4 NEUTRAL TONES

SOLID WHITE	DEEP GREY
	LIGHT CLAY
	LIGHT DOVE

4 SOFT TONES

SAGE	TAUPE
	CREAM
	SKY

4 INTENSE TONES

YELLOW	GEMSTONE
	BLUE
	RED

1 TRIDIMENSIONAL TEXTURE

3 DECORATIVE MOSAICS

2 MODERN INSPIRATIONS

ARKSHADE PORCELAIN TILES

COLOURED BODY PORCELAIN TILES - RECTIFIED MONOCALIBER

SIZES AND SURFACES

MATTE / MATT



120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	✚ 9 mm ■
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	✚ 9 mm ■
75x150 cm - 29 ¹ / ₂ "x59"	✚ 9,5 mm ●
75x75 cm - 29 ¹ / ₂ "x29 ¹ / ₂ "	✚ 9,5 mm ●
45x90 cm - 17 ³ / ₄ "x35 ³ / ₈ "	✚ 9 mm ●
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	✚ 9 mm ●
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	✚ 9 mm ●

POLISHED* / LAPPATO



75x150 cm - 29 ¹ / ₂ "x59"	✚ 9,5 mm ●
75x75 cm - 29 ¹ / ₂ "x29 ¹ / ₂ "	✚ 9,5 mm ●
45x90 cm - 17 ³ / ₄ "x35 ³ / ₈ "	✚ 9 mm ●
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	✚ 9 mm ●
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	✚ 9 mm ●

GRIP / GRIP



30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	✚ 9 mm ●
--	----------

*The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. - If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.

- Available in all colors
- Available in the following colors
White, Clay, Dove, Grey

COLOR-SHADING




V1 UNIFORM
APPEARANCE




ARKSHADE PORCELAIN TILES DECORS

Arkshade White
Mosaico Prisma
36x36 cm / 14¹/₈"x14¹/₈"



Arkshade Clay
Mosaico Prisma
36x36 cm / 14¹/₈"x14¹/₈"



Arkshade Dove
Mosaico Prisma
36x36 cm / 14¹/₈"x14¹/₈"



Arkshade Grey
Mosaico Prisma
36x36 cm / 14¹/₈"x14¹/₈"




Arkshade Lead
Mosaico Prisma
36x36 cm / 14¹/₈"x14¹/₈"



Arkshade White
Mosaico Art 3D*
35,4x35,4 cm / 14"x14"



Arkshade Clay
Mosaico Art 3D*
35,4x35,4 cm / 14"x14"



Arkshade Dove
Mosaico Art 3D*
35,4x35,4 cm / 14"x14"



Arkshade Grey
Mosaico Art 3D*
35,4x35,4 cm / 14"x14"



Arkshade Lead
Mosaico Art 3D*
35,4x35,4 cm / 14"x14"




Arkshade White Mosaico
30x30 cm / 11³/₄"x11³/₄"



Arkshade Clay Mosaico
30x30 cm / 11³/₄"x11³/₄"





Arkshade Dove Mosaico
30x30 cm / 11³/₄"x11³/₄"




Arkshade Grey Mosaico
30x30 cm / 11³/₄"x11³/₄"




Arkshade Lead Mosaico
30x30 cm / 11³/₄"x11³/₄"



A 8,9x8,9 cm / 3¹/₂"x3¹/₂"



B 12,6x8,9 cm / 5"x3¹/₂"
C 8,9x8,9 cm / 3¹/₂"x3¹/₂"



D 4,8x4,8 cm / 1⁷/₈"x1⁷/₈"

Arkshade White Mosaico Linea 3D*
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Clay Mosaico Linea 3D*
30x60 cm / 11³/₄"x23⁵/₈"




Arkshade Dove Mosaico Linea 3D*
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Grey Mosaico Linea 3D*
30x60 cm / 11³/₄"x23⁵/₈"




Arkshade Lead Mosaico Linea 3D*
30x60 cm / 11³/₄"x23⁵/₈"




* Multi-thickness mosaic, close joint installation without grouting.

ARKSHADE PORCELAIN DECORS

Arkshade White Brick
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Grey Brick
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Clay Brick
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Lead Brick
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade Dove Brick
30x60 cm / 11³/₄"x23⁵/₈"



Arkshade White Listello
8x60 cm / 3¹/₈"x23⁵/₈"



Arkshade Clay Listello
8x60 cm / 3¹/₈"x23⁵/₈"



Arkshade Dove Listello
8x60 cm / 3¹/₈"x23⁵/₈"



Arkshade Grey Listello
8x60 cm / 3¹/₈"x23⁵/₈"




Arkshade Lead Listello
8x60 cm / 3¹/₈"x23⁵/₈"



ARKSHADE PORCELAIN TRIM TILES

INDOOR TRIM TILES



- Available in all colors
- ✓ These parts are supplied to order

OUTDOOR TRIM TILES

Arkshade Elemento L Grip ● ✓
15x60 H.4 cm
5⁷/₈"x23⁵/₈" H. 1⁵/₈"



ARKSHADE WALL TILES

40x80 cm - 15³/₄"x31¹/₂" ± 8,5 mm

WHITEBODY WALL TILES - RECTIFIED MONOCALIBER

Solid White Matt
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Light Clay
40x80 cm / 15³/₄"x31¹/₂"



Spigolo 8,5 mm White Matt
0,8x20 cm / ³/₈"x7⁷/₈"

Spigolo 8,5 mm A.E.
0,8x0,8 cm / ³/₈"x³/₈"


Arkshade Light Clay Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Light Clay Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Light Dove
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Deep Grey
40x80 cm / 15³/₄"x31¹/₂"




Arkshade Light Dove Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Light Dove Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Deep Grey Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Deep Grey Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Cream
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Taupe
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Cream Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Cream Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Taupe Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Taupe Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

COLOR-SHADING



Arkshade Sage
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Gemstone
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Yellow
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Sky
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Blue
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Red
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Sage Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Sage Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Sky Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Sky Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Gemstone Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Gemstone Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Blue Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Blue Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Yellow Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Yellow Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"

Arkshade Red Spigolo
0,8x20 cm / ³/₈"x7⁷/₈"

Red Spigolo A.E.
0,8x0,8 cm / ³/₈"x³/₈"


ARKSHADE 3D WALL TILES

40x80 cm - 15³/₄"x31¹/₂" ± 10 mm 3D


Arkshade 3D Stars Light Clay
40x80 cm / 15³/₄"x31¹/₂"



Arkshade 3D Stars Light Dove
40x80 cm / 15³/₄"x31¹/₂"



Arkshade 3D Stars Yellow
40x80 cm / 15³/₄"x31¹/₂"



Arkshade 3D Stars Blue
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Light Clay Spigolo 10 mm
1x20 cm / 3³/₈"x7⁷/₈"

Arkshade Light Dove Spigolo 10 mm
1x20 cm / 3³/₈"x7⁷/₈"

Arkshade Yellow Spigolo 10 mm
1x20 cm / 3³/₈"x7⁷/₈"


Arkshade Blue Spigolo 10 mm
1x20 cm / 3³/₈"x7⁷/₈"

ARKSHADE WALL TILES DECORS

Arkshade White Drops •
40x80 cm / 15³/₄"x31¹/₂"



Arkshade White Trace •
40x80 cm / 15³/₄"x31¹/₂"



Arkshade Taupe Drops •
40x80 cm / 15³/₄"x31¹/₂"




• Gold decoration




ARKSHADE WALL TILES DECORS


Solid White
Mosaic
30,5x30,5 cm / 12"x12"





Arkshade Light Clay
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Light Dove
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Deep Grey
Mosaico Q
30,5x30,5 cm / 12"x12"





Arkshade Light Clay
Mosaico Flag
30,5x30,5 cm / 12"x12"




Arkshade Light Dove
Mosaico Flag
30,5x30,5 cm / 12"x12"




Arkshade Deep Grey
Mosaico Flag
30,5x30,5 cm / 12"x12"




Arkshade Cream
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Taupe
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Sage
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Sky
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Cream
Mosaico Flag
30,5x30,5 cm / 12"x12"



Arkshade Taupe
Mosaico Flag
30,5x30,5 cm / 12"x12"




Arkshade Sage
Mosaico Flag
30,5x30,5 cm / 12"x12"




Arkshade Gemstone
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Blue
Mosaico Q
30,5x30,5 cm / 12"x12"




Arkshade Yellow
Mosaico Q
30,5x30,5 cm / 12"x12"



Arkshade Red
Mosaico Q
30,5x30,5 cm / 12"x12"



Arkshade Sky
Mosaico Flag
30,5x30,5 cm / 12"x12"



Arkshade Gemstone
Mosaico Flag
30,5x30,5 cm / 12"x12"



Arkshade Blue
Mosaico Flag
30,5x30,5 cm / 12"x12"



Arkshade Sage
Mosaico Sail
30,5x30,5 cm / 12"x12"




Arkshade Sky
Mosaico Sail
30,5x30,5 cm / 12"x12"



Arkshade Gemstone
Mosaico Sail
30,5x30,5 cm / 12"x12"



Arkshade Blue
Mosaico Sail
30,5x30,5 cm / 12"x12"





Compliant with standards EN 14411 annex L group BIII
Compliant with standards ISO 13006 annex L group BIII

40x80 cm - 15³/₄"x31¹/₂" ± 8,5 mm
40x80 cm - 15³/₄"x31¹/₂" ± 10 mm 3D

Technical features		Test Method	Requirements for nominal size N		
			7 cm ≤ N < 15 cm	N ≥ 15 cm	
			(mm)	(%)	(mm)
Regularity Characteristics	Length and width	ISO 10545-2	± 0,75 ^(*)	± 0,5 ^(*)	± 2,0 ^(*)
	Thickness		± 0,5 ^(**)	± 10 ^(**)	± 0,5 ^(**)
	Straightness of sides		± 0,5 ^(***)	± 0,3 ^(***)	± 1,5 ^(***)
	Rectangularity		± 0,75 ^(****)	± 0,5 ^(****)	± 2,0 ^(****)
Surface Flatness	ISO 10545-2	c.c. + 0,75 - 0,50	c.c. + 0,5 - 0,3	c.c. + 2,0 - 1,5	
		e.c. + 0,75 - 0,50	e.c. + 0,5 - 0,3	e.c. + 2,0 - 1,5	
		w. ± 0,75	w. ± 0,5	w. ± 2,0	
		EN 14411 annex L (Group BIII)	ISO 13006 annex L (Group BIII)		
Structural Characteristics	Water absorption (in% by mass)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%		
Bulk Mechanical Characteristics	Breaking strength	ISO 10545-4	S ≥ 600 N		
	Modulus of rupture		R ≥ 15 N/mm ²		
Thermal and Igrometric Characteristics	Coefficient of thermal linear expansion	ISO 10545-8	Declared value	Test method available	
	Thermal shock resistance	ISO 10545-9	Declared value	Test method available	
	Moisture expansion (in mm/m)	ISO 10545-10	Declared value	Test method available	
	Crazing resistance	ISO 10545-11	Pass according to EN ISO 10545-1	Required	
Physical Properties	Bond strength/adhesion for improved cementitious adhesives	EN 1348	Declared value	-	
	Reaction to fire	-	Class A1 or A1 _s	-	
Chemical Characteristics	Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B (GB for glazed tiles)		
	Resistance to low concentrations of acids and alkalis		Declared Class	Test method available	
	Resistance to high concentrations of acids and alkalis		Declared Class	Test method available	
	Resistance to staining for glazed tiles	ISO 10545-14	Minimum Class 3		
	Release of dangerous substances: Cadmium (in mg/dm ²) and Lead (in mg/dm ²)	ISO 10545-15	Declared value	Test method available	

^(*)The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
^(**)The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
^(***)The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
^(****)The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).

c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).
 e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
 w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).



Compliant with standards EN 14411 annex G group Bla
Compliant with standards ISO 13006 annex G group Bla

120x240 cm - 47¹/₄"x94¹/₂" ± 9 mm
 120x120 cm - 47¹/₄"x47¹/₂" ± 9 mm
 75x150 cm - 29¹/₂"x59" ± 9,5 mm
 75x75 cm - 29¹/₂"x29¹/₂" ± 9,5 mm
 45x90 cm - 17³/₈"x35³/₈" ± 9 mm
 60x60 cm - 23³/₈"x23³/₈" ± 9 mm
 30x60 cm - 11³/₄"x23³/₈" ± 9 mm

Technical features		Test Method	Requirements for nominal size N		
			7 cm ≤ N < 15 cm	N ≥ 15 cm	
			(mm)	(%)	(mm)
Regularity Characteristics	Length and width	ISO 10545-2	± 0,9 ^(*)	± 0,6 ^(*)	± 2,0 ^(*)
	Thickness		± 0,5 ^(**)	± 5 ^(**)	± 0,5 ^(**)
	Straightness of sides		± 0,75 ^(***)	± 0,5 ^(***)	± 1,5 ^(***)
	Rectangularity (Measurement only on short edges when L/I ≥ 3)		± 0,75 ^(****)	± 0,5 ^(****)	± 2,0 ^(****)
Surface Flatness	ISO 10545-2	c.c. ± 0,75	c.c. ± 0,5	c.c. ± 2,0	
		e.c. ± 0,75	e.c. ± 0,5	e.c. ± 2,0	
		w. ± 0,75	w. ± 0,5	w. ± 2,0	
		EN 14411 annex G (Group Bla)	ISO 13006 annex G (Group Bla)		
Structural Characteristics	Water absorption (in% by mass)	ISO 10545-3 ASTM C373	E _v ≤ 0,5% Individual Maximum 0,6% Requirement ANSI A 137.1 Water absorption max ≤ 0,5%		
Bulk Mechanical Characteristics	Breaking strength	ISO 10545-4	S ≥ 1300 N		
	Modulus of rupture		R ≥ 35 N/mm ²		
	Impact resistance, as coefficient of restitution	ISO 10545-5	Declared value	Test method available	
Surface mechanical Characteristics	Mohs hardness	EN 101	-		
	Resistance to deep abrasion of unglazed tiles (removed volume)	ISO 10545-6	≤ 175 mm ³		
Thermal and Igrometric Characteristics	Coefficient of thermal linear expansion	ISO 10545-8	Declared value	Test method available	
	Thermal shock resistance	ISO 10545-9	Pass according to EN ISO 10545-1	Test method available	
	Moisture expansion (in mm/m)	ISO 10545-10	Declared value	Test method available	
	Frost resistance	ISO 10545-12	Pass according to EN ISO 10545-1	Required	
Physical Properties	Bond strength/adhesion for improved cementitious adhesives	EN 1348	Declared value	-	
	Reaction to fire	-	Class A1 or A1 ⁺	-	
Chemical Characteristics	Resistance to household chemicals and swimming pool salts	ISO 10545-13	Minimum Class B (UB for unglazed tiles)		
	Resistance to low concentrations of acids and alkalis		Declared Class	Manufacturer is to state classification	
	Resistance to high concentrations of acids and alkalis		Declared Class	Test method available	
	Resistance to staining	ISO 10545-14	Declared Class	Test method available	
Safety Characteristics (1)(2)	Barefoot Ramp Test	DIN 51097 (CEN/TS 16165, Annex A)	Declared value	-	
	Shod Ramp Test	DIN 51130 (CEN/TS 16165, Annex B)	Declared value	-	
	Pendulum Friction Test	UNE-ENV 12633 (CEN/TS 16165, Annex C)	Declared value	-	
Safety Characteristics (1)(2)	Coefficient of friction (COF)	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata		
	Dynamic coefficient of friction (DCOF)	ANSI A137.1-2012	ANSI A.137.1 Requires a minimum value of 0.42 for commercial areas that are likely to be wet.		
	Static coefficient of friction (SCOF)	ASTM C1028-2007	The Ceramic Tiles Institute identifies Tile Slip Resistant when SCOF ≥ 0.60		
	Pendulum Friction Test	AS/NZS 4586-2013, Appendix A (Four S rubber)	Declared Classification of the pedestrian surface materials according to the Wet Pendulum Test		

^(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).
^(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).
^(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).
^(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).
 c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).
 w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).
 (1). Anti-slip performance is guaranteed at the time of delivery of the product.
 (2). Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).
 (*). P3 class on demand.

ARKSHADE Wall design

± 0,3% ± 1,0 mm	± 0,3% ± 1,0 mm
± 10,0% ± 0,5 mm	± 10,0% ± 0,5 mm
± 0,3% ± 0,8 mm	± 0,3% ± 0,8 mm
± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm

± 0,3% ± 1,5 mm	3D Not applicable
--------------------	----------------------

10% < E _v ≤ 20 %

S ≥ 600 N

R ≥ 15 N/mm ²

≤ 7 MK ⁻¹

Resistant

≤ 0,06% (0,6mm/m)

Resistant

≥ 1,0 N/mm ² (Class C2 - EN 12004)
--

A1

GA

GLA

GHA

5

≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb

ARKSHADE Floor design

Matte	Polished	Grip
± 0,3% ± 1,0 mm	± 0,3% ± 1,0 mm	± 0,3% ± 1,0 mm
± 5,0% ± 0,5 mm	± 5,0% ± 0,5 mm	± 5,0% ± 0,5 mm
± 0,3% ± 0,8 mm	± 0,3% ± 0,8 mm	± 0,3% ± 0,8 mm
± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm	± 0,3% ± 1,5 mm
± 0,4% ± 1,8 mm	± 0,3% ± 1,5 mm	± 0,4% ± 1,8 mm

≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
≤ 0,5 %	≤ 0,5 %	≤ 0,5 %

S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N
R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²

≥ 0,55	≥ 0,55	≥ 0,55
--------	--------	--------

6	5	7
---	---	---

≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
-----------------------	-----------------------	-----------------------

≤ 7 MK ⁻¹	≤ 7 MK ⁻¹	≤ 7 MK ⁻¹
----------------------	----------------------	----------------------

Resistant	Resistant	Resistant
-----------	-----------	-----------

≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
-------------------	-------------------	-------------------

Resistant	Resistant	Resistant
-----------	-----------	-----------

≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
--	--	--

A1 - A1 _s	A1 - A1 _s	A1 - A1 _s
----------------------	----------------------	----------------------

UA	UA	UA
----	----	----

ULA	ULA	ULA
-----	-----	-----

UHA	-	UHA
-----	---	-----

5	5	5
---	---	---

A	0	A+B
---	---	-----

R10	N.C.	R11
-----	------	-----

Class 1	Class 0	Class 3
---------	---------	---------

> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato
-----------------------------------	-----------------------------------	-----------------------------------

> 0,42 Wet	< 0,42 Wet	> 0,42 Wet
------------	------------	------------

≥ 0,60 Dry ≥ 0,60 Wet	≥ 0,60 Dry 0,50-0,60 Wet	≥ 0,70 Dry ≥ 0,70 Wet
--------------------------	-----------------------------	--------------------------

(*)	Class P0	Class P3
-----	----------	----------



**ACME
BRICK**
TILE & STONE

WWW.BRICK.COM

888-265-4525