



RH PETERSON co.





Designed and manufactured by the company that brings you Fire Magic<sup>®</sup> Premium Grills, AOG<sup>®</sup> grills add style and cooking excellence to your outdoor kitchen.

Whether Built-In or Portable, you'll be delighted with the performance, longevity, and appearance of your American Outdoor Grill®

# FEATURE HIGHLIGHTS



SEAMLESS HOOD
WITH BRUSHED EDGES



DIAMOND SEAR COOKING GRIDS



304 STAINLESS STEEL



HEAVY DUTY
WARMING RACK



BUILT-IN INFRARED BACKBURNER



VAPORIZER PANELS



ANALOG THERMOMETER WITH POLISHED BEZEL



ELECTRONIC IGNITION PUSH BUTTON ("L" SERIES)



BACK-LIT KNOBS ("L" SERIES)



ON/OFF LIGHT CONTROL BUTTON
("L" SERIES)

- All 304 stainless steel construction including burners, vaporizer panels, cooking grids, and warming rack.
- Seamless oven hood and control panel with brushed edges
- → 304 stainless steel Diamond Sear cooking grids
- Back-lit, comfort touch control knobs ("L" series only)
- → Halogen interior lights ("L" series only)
- ♦ Electronic push button ignition ("L" series only)
- ↑ 120 Volt power source required for "L" series grills

- "Rapid Light" piezo ignition system, no power or batteries required ("T" series only)
- Backburner with high performance rotisserie kit (not available on -00SP models)
- Large Analog thermometer with polished bezel reads up to 1000° F
- Heavy duty warming rack included with all units
- Flush mounted brass side burner on Portable Grills 12,000 BTU's
- № 10" easy-to-use stainless steel drip tray
- LP conversion orifices included with Built-In and Post Grills
- Easy cushion lid bumpers (front and back) of oven/hood

# "L" SERIES GRILLS

The "L" series grills feature an electronic push button ignition system, interior halogen lights, and back-lit knobs (controlled by a push button located on the right side of the unit) ideal for evening grilling. Requires 120 Volt AC power.



## Model Shown: 36NBL

Primary Cooking Surface:	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner
Cut-out:	37"w x 19½"d x 8½"h





# Model Shown: 30NBL

Primary Cooking Surface:	540 sq. inches
BTU's:	45,000 Primary + 12,000 Backburner
Cut-out:	30¾"w x 19½"d x 8½"h



Built-In

Collections

Model Shown: 24NBL

Primary Cooking Surface:	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner
Cut-out:	24½"w x 19½"d x 8½"h



12V HALOGEN LIGHTS



Pictured above: 30NBL "L" Series Built-In Grill


# "T" SERIES GRILLS

The "T" series grills feature a "Rapid Light" piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill that will last a long time.



# Model Shown: 36NBT

Primary Cooking Surface:	648 sq. inches
BTU's:	50,000 Primary + 12,000 Backburner
Cut-out:	37"w x 19½"d x 8½"h





"RAPID-LIGHT"
Push-to-light piezo ignition system



# Model Shown: 24NBT

Primary Cooking Surface:	432 sq. inches
BTU's:	32,000 Primary + 10,000 Backburner
Cut-out:	24½"w x 19½"d x 8½"h



# Model Shown: 30NBT

Primary Cooking Surface:	540 sq. inches
BTU's:	45,000 Primary + 12,000 Backburner
Cut-out:	30¾"w x 19½"d x 8½"h

# "L" SERIES GRILLS

The "L" series grills feature an electronic push button ignition system, interior halogen lights, and back-lit knobs (controlled by a push button located on the right side of the unit) ideal for evening grilling. Requires 120 Volt AC power.



Model Shown: 36PCL

Primary Cooking Surface: 648 sq. inches

50,000 Primary + 12,000 Backburner BTU's:

+ 12,000 Side Burner



Primary Cooking Surface:	540 sq. inches
BTU's:	45,000 Primary + 12,000 Backburner + 12,000 Side Burner







Included with all "L" Series grills

12V HALOGEN LIGHTS

Primary Cooking Surface: 432 sq. inches

32,000 Primary + 10,000 Backburner BTU's:

+ 12.000 Side Burner



Pictured above: 30PCL "L" Series Portable Grill

# Included with all "T" series grills



"RAPID-LIGHT"
Push-to-light piezo ignition system

# Model Shown: 24PCT

Primary Cooking Surface: 432 sq. inches

32,000 Primary + 10,000 Backburner + 12,000 Side Burner "T" SERIES GRILLS

The "T" series grills feature a "Rapid Light" piezo ignition system that eliminates the need for electricity or batteries. This results in a self sufficient grill that will last a long time.



Model Shown: 36PCT

Primary Cooking Surface: 648 sq. inches

50,000 Primary + 12,000 Backburner + 12,000 Side Burner



Primary Cooking Surface: 540 sq. inches

45,000 Primary + 12,000 Backburner
+ 12,000 Side Burner


# POST MODEL COLLECTION

Designed for condos, apartments, or anywhere space is at a premium. The American Outdoor Grill® In-Ground and Patio Post Mount units pack a lot of grilling enjoyment into smaller spaces (432 square inches). The In-Ground Grill models must be cemented into the ground. Pedestal models may be bolted to a deck or concrete slab. Both feature a backburner, warming rack and dual side shelves (standard). The optional stainless steel tank shield is designed to conceal the unsightly propane tank while a safety chain keeps the tank securely in place.

Both grill versions are available as "L" series with lights and electronic ignition and "T" series with "Rapid Light" piezo ignition system.



32,000 Primary + 10,000 Backburner



32,000 Primary + 10,000 Backburner

BTU's:

BTU's:



Pictured above: IP30LB-CGD-75SM, 30" L-Series Island Bundle



Model #: DC790-CBD-108SM (with Double Drawer) GFRC Island with Café Blanco base & Polished Smoke top

Dimensions	107½"wide x 34¾"deep x 36"high
Product Requirements (sold separately)	<ul> <li>36NBL (T) grill + AD-36C adapter</li> <li>16-15-DSSD Double Drawer</li> <li>3282L (T) Double side burner + 3282-AD adapter</li> <li>16-39-SSD Front Double Access Door</li> <li>20-14-SSDR/DL (DRV/DLV) Side Door</li> <li>5520-11T, 1-Hour Stainless Steel Gas Timer Box</li> </ul>

ISLAND SYSTEMS

Constructed from durable Glass Fiber Reinforced Concrete (GFRC) and easily assembled on site, these islands are the perfect complement to your AOG grill.

30" L-Series Island Bundle Model #: IP30LB-CGD-75SM (pictured left)

76¼"wide x 34¾"deep x 36"high Dimensions

#### L-Series Bundle includes:

- GFRC Island with Concrete Grey base & Polished Smoke top
- 30NBL, 30" L-Series Built-In Grill with Backburner & Rotisserie Kit
- 16-15-DSSD, 16" x 15" Double Drawer
- 20-14-SS DLV, 20" x 14" Louvered Door with Tank Tray
- 14-20-SS DL, 14" x 20" Door
- 5520-11T, 1-Hour Stainless Steel Gas Timer Box

L-Series Island Bundle sold only as complete package with products listed above.

# 30" T-Series Island Bundle Model #: IP30T0-CGT-75SM

Dimensions 76¼"wide x 34¾"deep x 36"high

#### T-Series Bundle includes:

- GFRC Island with Concrete Grey base & Polished Smoke top
- 30NBT-00SP, 30" T-Series Built-In Grill (-00SP model)
- 20-14-SS DLV, 20" x 14" Louvered Door with Tank Tray
- 14-20-SSDL, 14" x 20" Door
- 5520-11T, 1-Hour Stainless Steel Gas Timer Box

T-Series Island Bundle sold only as complete package with products listed above.



DC790 / DC430 Islands and grill components ordered separately.

Model #: DC430-CBR-75SM (with Refrigerator)

GFRC Island with Café Blanco base & Polished Smoke top

761/4" wide x 343/4" deep x 36" high **Dimensions** • 24NBL (T) grill + AD-24C adapter Product • REF-21 Refrigerator • 14-20-SSDR/DL Front Single Access Door Requirements • 20-14-SSDR/DL (DRV/DLV) Side Door (sold separately) • 5520-11T, 1-Hour Stainless Steel Gas Timer Box

System also available with Double Drawer (16-15-DSSD) instead of

Refrigerator. Model #: DC430-CBD-755M

# ACCESSORIES



#### **AOG® REFRIGERATOR**

Model:	REF-21
Cut-out:	20"w x 22"d x 34½"h

 $4.0\,\mathrm{cubic}$  foot. Interior light and security lock and key. Reversible door hinge. When used outdoors, it must be installed in an enclosure.



#### DOUBLE SIDE BURNER ("L" Series shown)

Model:	3282T/L (P)
Cut-out:	11½"w x 22¾"d x 8½"h

Enjoy precise flame control on each burner to prepare side dishes and sauces for you meal. Choose from electronic push button (L) or push-to-light (T) ignition systems. Comes with two 12,500 BTU's burners, stainless steel rod grid, and stainless steel cover.



# INFRARED BURNER ("L" Series Only)

Mode	l:	IRB-1	8

Option for all "L" Series Grills replacing the left standard burner. It uses infrared heat to lock-up juices for tender meat and full flavor. Perfect for an amazing seared steak. (Also 10 available as a factory-installed upgrade)



#### PORTABLE GRILL COVERS

Description	Model
24" Cover for Portable Grill	CC24-D
30" Cover for Portable Grill	CC30-D
36" Cover for Portable Grill	CC36-D



### **BUILT-IN GRILL COVERS**

Description	Model
24" Cover for Built-In Grill	CB24-D
30" Cover for Built-In Grill	CB30-D
36" Cover for Built-In Grill	CB36-D



#### SINGLE SIDE BURNER

Model:	3283 (P)	
Cut-out:	8¾"w x 14¼"d	

Drops into any custom grill island. Sized for sauce and sauté pans. Cooking or reheating side dishes or sauces is quick and easy with a 15,000 BTU's burner.



ъ л	1-			_	п	4	С
11//1/	ode	, 14		G	ĸ		~
IVI	Juc	7 I e	,	u			•

The AOG® Stainless Steel Griddle features a 304, 12 gauge stainless steel construction, removable drip tray and scratch resistant surface. This unique grilling accessory heats up fast and allows you to cook all your meals in your outdoor kitchen.

Additional AOG® Accessories (not pictured)

Description	Model
Portable propane to natural gas Conversion Kit	CK-1-NAT
Insulating Liner (Specify Size)*	24-IL-C, 30-IL-C, 36-IL-C
Adapters for Grills (Required for Island Systems)	AD-24C or AD-36C
Adapter for Double Side Burner (Required for DC790 Island)	3282-AD
Rotisserie Kit	RK-24, RK-30, RK-36
Smoker Box	3561
Grill Light	3574
Grill Light Bracket (needed for -00SP models)	24-B-28

<sup>\*</sup>Grill island cut-outs change when using insulating liner

# **DOORS & DRAWERS**



# **FEATURE HIGHLIGHTS**

- Stainless steel tubular handles
- 304 stainless steel double wall construction
- Cut-out is **height x width x depth**
- Most doors can be ordered for either right or left access



SINGLE ACCESS DOOR\*

Model: 24-17-SSDR or DL

Cut-out: 25" x 171/2"



Model: 17-24-SSDR or DL

DOOR W/DOUBLE DRAWER & PLATTER STORAGE

Cut-out: 181/2" x 361/2" x 26"

Single Access Door

14-20-SSDR or DL

15" x 201/2"

Model: 18-36-SSDD

Single Access Door

20-14-SSDR or DL

21" x 141/2"

Cut-out: 18" x 241/2"



DOUBLE ACCESS DOOR \*

Model: 20-30-SSD

Cut-out: 21" x 30"



SINGLE ACCESS DOOR WITH TANK TRAY AND LOUVERS

Model: 20-14-SSDRV or DLV

Cut-out: 21" x 141/2" x 201/2"



MASONRY DRAWER

Double Access Door

16-39-SSD

16" x 39"

Model: 13-31-SSD

Cut-out: 13" x 31" x 201/2"



**DOUBLE DRAWER** 

Model: 16-15-DSSD

Cut-out: 16" x 141/2" x 201/2"



# **FEATURE HIGHLIGHTS**

- 304 stainless steel construction
- Black Slam latch handle
- Single wall construction
- Cut-out is height x width x depth
- Most doors are reversible for left or right access



Model:

Cut-out:

DOOR W/DOUBLE DRAWER

Model: 18-30-SSDD

Additional sizes

shown on page 9

(installed in island systems)

Cut-out: 181/2" x 30" x 26"

#### **DOUBLE ACCESS DOORS**

Model: 20-30-SD

Cut-out: 201/2" x 30"



SINGLE ACCESS DOOR

Model: 24-17-SD

Cut-out: 241/2" x 171/2"



SINGLE ACCESS DOOR

Model: 17-24-SD

Cut-out: 171/2" x 241/2"



SINGLE ACCESS DOOR

Model: 20-14-SD

Cut-out: 201/2" x 141/2"



SINGLE ACCESS DOOR

Model: 14-20-SD

Cut-out: 141/2" x 201/2"



SINGLE ACCESS DOOR

Model: 18-12-SD

Cut-out: 181/2" x 121/2"



SINGLE ACCESS DOOR

Model: 12-18-SD

Cut-out: 121/2" x 181/2"



SINGLE ACCESS DOOR WITH

Model: 20-14-SDV

Cut-out: 201/2" x 141/2"







Rev. 0 - 1903271620