

ISOKERN[®]

by earthcore



Maximus Linear Series

Product Details
& Specifications




ISO KERN® Gas Only

Maximus

Linear Series

Open Front & Glass Front Firebox
Smoke Dome Dimensions for
48, 72, 96, 120



APPLICATIONS:

Indoor
Natural Gas
LP (Liquid Propane)
Custom Finish
Combustible Floor Installation
Zero Clearance to Open Front
Single 12" B-Vent Chimney
Isoflames Linear Burner
Glass Media
Electronic Ignition System
Mechanical Exhaust Fan

Same pumice, sleek new design.
Introducing the **Maximus Linear Series with Open or Glass Front.**

The Maximus Linear Series is a touch of modern sophistication and a work of art, all in one. It's sleek design can be customized to fit any aesthetic. Choose an open front or glass front firebox and finish it off with your choice of colored glass media or log sets in a driftwood or birch finish.

Model sizes include 48, 72, 96 and 120. All Isokern Linear Fireplaces come with a Remote-Controlled Electronic Ignition System and Mechanical Exhaust Fan.




Open Front - 48, 72, 96 & 120

Please Note: This unit utilizes a single 12" BVent Chimney that can be terminated vertically or horizontally. All units are power vented. Zero Clearance to glass front. Models 72, 96 & 120 requires 6" x 6" x 1/2" Steel Angle cut to span firebox opening. This item is not included in the components and can be sourced locally.

Framing & Weight

Model	Minimum Framing
48	(56" w) x (64 1/2" h) x (29 1/2" d)
72	(89" w) x (64 1/2" h) x (29 1/2" d)
96	(112" w) x (64 1/2" h) x (29 1/2" d)
120	(112" w) x (64 1/2" h) x (29 1/2" d)




Front View	Model	A	B	C	D	E	F	H	I
	48	43"	50 7/16"	52 3/4"	20 5/8"	8"	18 7/8"	45 3/16"	16 3/8"
	72	76"	50 7/16"	85 13/16"	20 5/8"	8"	18 7/8"	78 1/4"	16 3/8"
	96	99 1/4"	50 7/16"	109"	20 5/8"	8"	18 7/8"	100 5/8"	16 3/8"
	120	122 1/4"	50 7/16"	132"	20 5/8"	8"	18 7/8"	124 1/8"	16 3/8"

Side View	Model	B	D	F	J	L	M	N
	48	50 7/16"	20 5/8"	18 7/8"	45 3/16"	2 3/4"	5"	25 1/4"
	72	50 7/16"	20 5/8"	18 7/8"	78 1/4"	2 3/4"	5"	25 1/4"
	96	50 7/16"	20 5/8"	18 7/8"	100 5/8"	2 3/4"	5"	25 1/4"
	120	50 7/16"	20 5/8"	18 7/8"	124 1/8"	2 3/4"	5"	25 1/4"

Plan View	Model	C	O	P	Q
	48	52 3/4"	48"	34 11/16"	28"
	72	85 13/16"	81 1/4"	67 11/16"	28"
	96	109"	103 5/8"	89 11/16"	28"
	120	132"	127 1/8"	116 11/16"	28"

Glass Front - 48, 72, 96 & 120

Please Note: Zero Clearance to glass front. Models 72, 96 & 120 requires 6" x 6" x 1/2" Steel Angle cut to span firebox opening. This item is not included in the components and can be sourced locally.



Framing & Weight

Model	Minimum Framing
48	(56" w) x (64 1/2" h) x (29 1/2" d)
72	(89" w) x (64 1/2" h) x (29 1/2" d)
96	(112" w) x (64 1/2" h) x (29 1/2" d)
120	(112" w) x (64 1/2" h) x (29 1/2" d)

Front View	Model	A	B	C	D	E	F	G	H	I
	48	43"	62 7/8"	52 3/4"	20 5/8"	8"	18 7/8"	15 3/8"	45 3/16"	15"
	72	76"	62 7/8"	85 13/16"	20 5/8"	8"	18 7/8"	15 3/8"	78 1/4"	16 5/8"
	96	99 1/4"	62 7/8"	109"	20 5/8"	8"	18 7/8"	15 3/8"	100 5/8"	16 5/8"
	120	122 1/4"	62 7/8"	132"	20 5/8"	8"	18 7/8"	15 3/8"	124 1/8"	16 5/8"

Side View	Model	B	D	F	G	J	K	L	M	N
	48	62 7/8"	20 5/8"	18 7/8"	15 3/8"	29 7/8"	12 3/8"	2 3/4"	5"	25 1/4"
	72	62 7/8"	20 5/8"	18 7/8"	15 3/8"	29 7/8"	12 3/8"	2 3/4"	5"	25 1/4"
	96	62 7/8"	20 5/8"	18 7/8"	15 3/8"	29 7/8"	12 3/8"	2 3/4"	5"	25 1/4"
	120	62 7/8"	20 5/8"	18 7/8"	15 3/8"	29 7/8"	12 3/8"	2 3/4"	5"	25 1/4"

Plan View	Model	C	O	P	Q
	48	52 3/4"	48"	34 11/16"	28"
	72	85 13/16"	81 1/4"	67 11/16"	28"
	96	109"	103 5/8"	89 11/16"	28"
	120	132"	127 1/8"	116 11/16"	28"

1.800.642.2920
EARTHCORE.CO

10 Office locations
 Over 400 Dealers.