

#### 0000000000000 **Table of Contents** 00000000000000 0001 0001 1000 Introduction, Selection & Profiles **300** Ordering 0001 1000 **Planning & Production Notes** 0001 Brick Sizes, Textures & Info **)** O O C **Brick Terms** 8 0001 )000 **Shapes** 0001 000 Flat Watertables (2 1/4" height) 12 0001 )000 Rowlock Watertables (3 5%" height) 34 0001 000 000 Window Sills 56 0001 1000 **Rowlock Wall Caps** 78 0001 **Soldiers** 100 **300** 000 ) 0 0 0 Copings 120 0001 Treads 122 **3 O O** Wall Examples 124 0001 )000 0001 000 Corners 126 **300 Shelf Angles & Radials** 134 1000 0001 142 Solids 0001 **)** O ( Arches 146 0001 ) 0 0 0 **Reading Shape Documentation** 174 0001 **3 0 0** 0000000000000 I'm Interactive! This pdf file allows you to click various buttons to navigate 0 ( between the gallery page for each section, the shapes 00000000000000 themselves, and this table of contents. 00

# Introduction

Innovative uses of brick in load-bearing brick structures and conventional brick construction has resulted in brick buildings which are often exciting expressions in architectural design. Brick shapes allow architects to design buildings with interesting angles and forms. Dramatic depth and shadows in openings can be attained by using brick shapes at corners and in deep reveals at soffits, lintels, and sills.

Acme Brick's objective is to manufacture brick shapes which will assist architects in designing more functional and aesthetically pleasing buildings at the most economical cost.

We offer a wide variety of colors and textures in special shape brick by manufacturing shapes at five brick plants:


Denton, Texas Elgin, Texas Perla in Malvern, Arkansas Montgomery, Alabama and Tulsa, Oklahoma.

# **Selection**

All shapes illustrated in this brochure are shown for common sizes, with dimensions in a chart. The drawings are marked with **FF** for the exposed finished face. Special brick shapes shown are typical, and variations of shapes for a particular use can often be manufactured. Each of the plants that create special shapes has its own unique skill set and method; accordingly, not every shape can be made at every plant.

The color and texture of special shape brick is intended to be as close as possible to that of the standard field brick, but is subject to limitations of manufacturing. Some brick shapes cannot be stacked for firing in the kiln in the same direction as the field brick. This can cause a variation in kiln atmosphere at high temperatures which may produce a slight color difference.

Shapes made by hand may show a slight texture difference than a field brick made mechanically. If textures are desired to be in a certain direction on a particular face of a shape, it will need to be noted on the Approval Drawings, otherise it will be to the discretion of the plant to best manufacture the shape.



# **Ordering**

Special shape brick are considered a custom made item. They are manufactured to order for a specific project. Manufacturing cannot begin until an order has been placed for firm quantities, and shape drawings have been approved. To eliminate errors and to facilitate estimating quantities, Acme Brick will provide drawings of each shape showing the plan, elevations, and dimensions for each shape. All exposed brick faces will be clearly identified, and the coring of the unit will be shown. Brick coursing will be indicated in the areas where shapes are used. Upon completion the architect will receive these drawings for final inspection and approval. See pages 178-180 for more information.

Pricing may vary considerably from plant to plant and from blend to blend; quantities may also affect pricing. Be aware that the difficulty in manufacturing sanded or heritage textures on special shapes will incur extra cost.


Your Acme Brick sales representative is qualified to help you with planning shapes for your next project. It is important to speak with your representative to ensure that your chosen plant can accommodate your order.

For more details check out our Pocket Guide to **Brick Construction** 

Available online here:










#### **Packing**

**Planning** 




Installation



# **Planning Notes**

Acme Brick provides drawings of each shape showing the plan, elevations, and dimensions; however, it is important for the architect to fully flesh out the individual project and uses for these shapes. As these are "special" shapes, it is important to understand their placement within a wall structure to ensure the desired look on the outside.

For example, a watertable shape, as shown here, can create an attractive division in a wall. The inclusion of the special shape means that the brick above will be stepped back to continue the face plane. This requires the architect to plan for that space behind the wall face.



# **Brick Textures**

If textures are desired to be in a certain direction on a particular face of a shape, please note it on the approval drawings, otherwise it will be up to the discretion of the plant to best manufacture the shape.



Smooth

Rustic



Velour

(aka wirecut)



**Blade Cut** 

Ruff





(aka ironspot)







Bark

Vertical

Heritage


# **Brick Sizes**


	Thickness	Height	Length
Modular (MOD)	3 5/8"	2 1/4"	7 %"
Norman (NOR)	3 %"	2 1/4"	11 %"
Queen (QSZ)	2 3/4"	2 3/4"	7
King (KSZ)	2 3/4"	2	9
Estate (EST)	2 3/4"	3 5/8"	9 5/8"
Closure (CLS) (aka Engineer Modular)	3 5/8"	3 5/8"	7
Utility (UTL)	3 5/8"	3 5/8"	11 %"


Shape Nomenclature: [Shape Type]-[Profile]-[Piece] (eg. FWT-01-1 = Flat Water Table - Sloped - Header)


When ordering include the three letter size codes: MOD - Modular, NOR - Norman, QSZ - Queen, KSZ - King, EST - Estate, CLS - Closure, UTL - Utility


Colors and sizes vary at each plant. Not all shapes can be made at every location. Be sure to check with your sales representative before making selections.






















# **Brick Position Nomenclature**



























# **Traditional Bond Patterns**









6th Course Header







Common Bond

**English Cross** 

6th Course Flemish Header

or Dutch Bond

# **Brick Terms**

**Angle Brick** - Any brick or masonry unit shaped to an oblique angle to fit a salient corner.

**Arch** - A vertically curved compressive structural member spanning openings or recesses.

**Arch Brick** - Wedge-shaped brick for special use in an arch. Also refers to the hard burned brick units found in the arch section of a scove kiln.

**Band Course** - A continuous, horizontal band of masonry marking a division in the wall elevation. Sometimes called belt course, string course, or sill course.

**Bevel** - An inclined surface of a solid object which connects two orthogonal sides.

**Bond** - (1) The arrangement of units to provide strength, stability, and pattern. (2) Adhesion between mortar or grout and masonry units or reinforcement. (3) To connect wythes or units. (4) Tying various parts of a masonry wall by lapping units one over another or with metal ties or reinforcing.

**Brick** - A solid or hollow manufactured masonry unit, usually formed into a small rectangular prism.

**Buttress** - A projecting mass of masonry set at an angle to or bonded into a wall that it strengthens or supports. A buttress decreases in its cross-sectional area from top to base.

**Cantilever -** A structural member, supported at only one end, that projects from its support.

**Capstone** - Any single stone at the top of a masonry structure.

**Ceramic** - A broad term for products made from heat-resistant, non-metallic, inorganic materials such as clay, bauxite, alumina, silica magnesia, silicone carbide, and the like which have been fired to incipient fusion.

**Chamfer -** To bevel an arris or edge.

8

**Chimney -** A shaft built to carry off smoke.

**Clay -** A natural mineral consisting essentially of hydrous aluminum silicate. It is plastic when moistened, stiff when dried, and vitrified when fired beyond maturing temperature.

**Clay Brick** - A ceramic brick of clay or shale, formed while plastic and fired in a kiln.

**Closer -** (1) The last masonry or portion of a unit laid in a course. (2) A stone course running from one window sill to another (a variety of string course).

**Closure Unit -** Supplementary or shorter length units used at corners or jambs to maintain bond patterns.

**Column -** A relatively long, slender structural compression member supporting loads along its axis.

**Common Brick** - Brick for building purposes not especially treated for texture or color.

**Corbel -** (1) The projection of successive courses of masonry out from the face of the wall to increase the wall thickness or to form a shelf or ledge. (2) A shelf or ledge formed by successive courses of masonry projecting out from the face of a wall, pier, or column.

**Core** - A hollow space within a concrete masonry unit formed by the face shells and webs. The holes in clay units.

**Cornice** - The molding or series of moldings forming the top member of a facade, door or window frame, or interior wall.

**Course** - A layer (range) of masonry units running horizontally in a wall or, much less commonly, curved over an arch.

**Durability** - The ability of a material to resist weathering action, chemical attack, abrasion, and other conditions of service.

**Edgeset** - A brick set on its narrow side instead of on its flat side, especially during drying and firing.

# **Brick Terms** (continued)

**Empirical Design -** A design based on the application of physical limitations learned from experience or observations gained through experience, without a structural analysis

**Face** - The exposed surface of a wall or masonry unit

**Facing** - Any material, forming a part of a wall, used as a finished surface.

**Facing Brick** - Brick made especially for facing, or exposure purposes, and often treated to produce special surface textures. These bricks are made of selected clays, or treated, to produce the desired color.

**Fascia** - A flat horizontal band that appears as a vertical face. The fascia is used decoratively, alone or in combination with moldings.

**Fire Brick** - Brick made of refractory ceramic material that will resist high temperatures.

**Fire Clay -** A clay that is highly resistant to heat without deforming and used for making brick.

**Foundation Wall** - Walls below the floor nearest grade serving as a support for a wall, pier, column, or other structural part of a building.

**Freeze-Thaw** - Freezing and thawing of moisture in materials and the resultant effects on these materials and on structures of which they are a part or with which they are in contact.

**Frog** - A depression in the bed surface of a brick, sometimes called a panel.

**Gauged Brick** - (1) Brick that has been ground or otherwise produced with accurate dimensions. (2) A tapered arch brick.

**Hacking** - (1) The procedure of stacking brick in a kiln or on a kiln car. (2) Laying brick with the bottom edge set in from the plane surface of the wall.

**Header -** A masonry unit that overlaps two or more adjacent wythes of masonry to tie them together. Also called a bonder.

**Header Course -** A continuous bonding course of header brick. Also called a heading course.

Jack Arch - An arch that has little or no curvature.

**Jumbo Brick** - A generic term indicating a brick larger in size than the standard. Some producers use this term to describe oversize brick of specific dimensions manufactured by them.

**Kerf** - A cut or removal of material in a unit to facilitate breaking the unit to a desired shape or length.

**Kiln** - A furnace, oven, or heated enclosure used for burning or firing brick or other clay material.

**Lap -** The distance one masonry unit extends over another.

Major Arch - Arch with span greater than six feet.

Masonry - (1) Strictly speaking, the art of building in stone. By extension, masonry has come to mean the practice of the mason's craft with brick, tile, concrete masonry units and other materials. (2) The work resulting from the practice of the mason's craft - structures built of stone, brick, or other materials set as units in patterns and amenable to assembly with mortar, whether or not mortar is actually used. (3) The type of construction made up of masonry units laid up with mortar or grout or other accepted method of jointing. (4) An assemblage of masonry units.

**Masonry Opening -** The space left open in a wall between masonry units, for example the space of an arch or window.

**Masonry Unit** - Natural or manufactured building units of burned clay, concrete, stone, glass, gypsum, etc.

**Masonry Veneer -** A non-loadbearing facing of masonry attached to its structural backing but not relied upon to strengthen the wall.

Minor Arch - Arch with a span of less than six feet.

# **Brick Terms** (continued)

**Modular Coordination** - A dimensional system affording more efficient assembly of buildings from standard building products by correlating the dimensions of a structure and the unit sizes of the materials going into it, through reference to a four inch cubical module. Efficient use eliminates extra work hours and waste of materials.

**Modular Design -** Constructed with standardized units or dimensions for flexibility and variety in use.

**Parapet -** A low wall around the perimeter of a building at roof level or around balconies.

**Partition -** An interior wall one story or less in height. It is generally non-loadbearing.

**Pier -** An isolated column of masonry, not bonded to associated masonry.

**Pierced Wall** - A masonry wall in which an ornamental pierced effect is achieved by alternating rectangular or shaped blocks with open spaces.

**Prefabricated Masonry -** Masonry fabricated in a location other than its final location in the structure. Also known as pre-assembled, panelized, and sectionalized masonry.

**Prism -** Any solid shape with only vertical and horizontal faces.

**Quoin -** (1) One of a series of masonry corner blocks, differing in size, finish, or material from the adjacent walling. (2) A wedge-shaped piece of stone. May be used in either the corner treatment described above (although most quoin stones are not wedge-shaped) or as a chock, a shim, or a device for leveling or aligning.

**Racking -** Stepping back successive courses of masonry.

**Reinforced Masonry -** (1) Masonry containing reinforcement in the grouted joints or grouted cores to resist shearing and tensile stresses. (2) Unit masonry in which reinforcement is embedded in such a manner that the component materials act together in resisting shearing and tensile forces.

**Relieving Arch** - An arch, usually blind, built into the wall above a lintel or flat arch to carry the load to walls or other supporting members.

**Roman Arch -** A semicircular arch. If built of stone, all units are wedge-shaped.

**Rowlock -** A brick laid on its face edge with the end surface visible in the wall face. Frequently spelled rolok. Always 3 5/8" high.

**Sewer Brick -** Low absorption, abrasive-resistant brick intended for use in drainage structures.

**Sill** - A flat or slightly beveled stone set horizontally at the base of an opening in a wall.

**Soffit** - The exposed lower surface of any overhead component of a building such as a lintel, vault, or cornice, or an arch or entablature.

**Solid** - A standard brick size without cores.

**Soldier -** A brick set on end with its face showing on the wall surface.

**Stack** - Any structure or part thereof that contains a flue or flues for the discharge of gases. Also called a chimney.

**Standard -** An accepted measure of comparison for a quantitative or qualitative value.

**Stretcher** - A masonry unit laid with its greatest dimension horizontal and its face parallel to the wall face.

**Texture** - The pattern or configuration apparent in an exposed surface, as in concrete and mortar, including roughness, streaking, striation, or departure from flatness.

**Trimmer Arch -** An arch, usually a low-rise arch of brick, used for supporting a fireplace hearth.

**Veneer -** A single facing wythe of masonry units or similar materials securely attached to a wall for the purpose of providing ornamentation, protection, insulation, etc., but not adding strength to the wall.

**Wall -** A vertical planar member of a structure, enclosing or dividing space.

# **Brick Terms** (continued)

**Wall, Prestressed -** Reinforced concrete or masonry walls in which internal stresses have been introduced to reduce potential tensile stresses in the wall resulting from imposed loads.

**Wall, Reinforced -** A masonry wall reinforced with embedded steel so that the two materials act together in resisting forces on the wall.

**Wall, Retaining -** A wall designed to prevent the movement of soils and structures placed on one side of it.

**Wall, Screen -** A masonry solar shading wall usually made of decorative bricks or tile.

**Wall, Serpentine -** A single-wythe wall built with curves in plan to strengthen it.

**Wall, Shear -** A wall which carries shear loads in its own plane.

**Wall, Single Wythe -** A wall of only one masonry unit in thickness.

**Wall, Spandrel -** That portion of a panel or curtain wall above the head of a window or door in one story and below the sill of the window in the story above.

**Water Table** - A projection of lower masonry on the outside of the wall slightly above the ground. Often a damp course is placed at the level of the water table to prevent upward penetration of ground water. Generally near grade and having a beveled top and a drip cut in the projecting underside to deflect water. Always 2 1/4" high.

**Workmanship** - The art or skill of a workman. Craftsmanship. Quality imparted to a masonry wall or floor in the process of building it.

**Wythe** - Each continuous vertical section of a wall, one masonry unit in thickness, and tied to its adjacent vertical section or sections by bonders, metal ties, or grout.


	Profile Icons	0 0
) O C	01 Sloped	30
	02 Bullnose	00
)01	03 Cove	30
00 C	04 Ogee	
) O ( C	05 Bullnose Ogee	30
00	06 Cove Ogee	30
	07 Crown Ogee	00
) O ( C	08 Bullnose Flat	30
000	09 Full Bullnose	
) O ( C	10 Coping	30
0000	00000	00




Click on any shape for more details.

Shape Nomenclature: [Shape Type Code]-[Profile]-[Piece]


# **Flat Watertables**




**FWT-01-1** Flat Watertable - Sloped - Header




FWT-01-2 Flat Watertable - Sloped - Outside Corner




FWT-01-3 Flat Watertable - Sloped - Inside Corner




FWT-01-4 Flat Watertable - Sloped - Stretcher




**FWT-02-1** Flat Watertable - Bullnose - Header




**FWT-02-2** Flat Watertable **FWT-02-3** Flat Watertable - Bullnose - Outside Corner




- Bullnose - Inside Corner




FWT-02-4 Flat Watertable - Bullnose - Stretcher




**FWT-03-1** Flat Watertable - Cove - Header




FWT-03-2 Flat Watertable - Cove - Outside Corner




FWT-03-3 Flat Watertable - Cove - Inside Corner




FWT-03-4 Flat Watertable - Cove - Stretcher




**FWT-04-1** Flat Watertable - Ogee - Header




FWT-04-2 Flat Watertable - Ogee - Outside Corner



FWT-04-3 Flat Watertable - Ogee - Inside Corner




FWT-04-4 Flat Watertable - Ogee - Stretcher




**FWT-05-1** Flat Watertable - Bullnose Ogee - Header



- Bullnose Ogee -**Outside Corner** 



**FWT-05-2** Flat Watertable **FWT-05-3** Flat Watertable **FWT-05-4** Flat Watertable - Bullnose Ogee -Inside Corner




- Bullnose Ogee -Stretcher

#### **Table of Contents**


Click on any shape for more details.

Shape Nomenclature: [Shape Type Code]-[Profile]-[Piece]


# Flat Watertables (Continued)




**FWT-06-1** Flat Watertable - Cove Ogee - Header




**FWT-06-2** Flat Watertable **FWT-06-3** Flat Watertable - Cove Ogee -Outside Corner



- Cove Ogee -Inside Corner



FWT-06-4 Flat Watertable - Cove Ogee - Stretcher




- Crown Ogee - Header




**FWT-07-1** Flat Watertable **FWT-07-2** Flat Watertable **FWT-07-3** Flat Watertable - Crown Ogee -Outside Corner




- Crown Ogee -**Inside Corner** 




FWT-07-4 Flat Watertable - Crown Ogee - Stretcher




**FWT-08-1** Flat Watertable - Bullnose Flat - Header




FWT-08-2 Flat Watertable - Bullnose Flat -**Outside Corner** 




FWT-08-3 Flat Watertable - Bullnose Flat -Inside Corner




FWT-08-4 Flat Watertable - Bullnose Flat - Stretcher




- Full Bullnose - Header




FWT-09-1 Flat Watertable FWT-09-2 Flat Watertable FWT-09-3 Flat Watertable FWT-09-4 Flat Watertable - Full Bullnose -**Outside Corner** 



- Full Bullnose -Inside Corner



- Full Bullnose - Stretcher




FWT-10-1 Flat Watertable FWT-10-2 Flat Watertable FWT-10-3 Flat Watertable FWT-10-4 Flat Watertable - Coping - Header



- Coping -**Outside Corner** 



- Coping -**Inside Corner** 




- Coping - Stretcher


Table of Contents

Watertable Gallery


# FWT-01-1 Header




FWT-01	<b> -20</b>	utside	Corner



## **FWT-01-3 Inside Corner**



## **FWT-01-4 Stretcher**



FWT-01-1	FI	FLAT WATERTABLE - SLOPED - HEADER							
	Α	A B C D E							
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 1/8"	3/4"				
NORMAN	2 1/4"	2 1/4" 11 5/8" 3 5/8"			3/4"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 1/8"	1 1/8"				
KING	2 5/8"	9 5/8"	2 5/8"	8 1/8"	1 1/8"				
ESTATE	3 5/8"	9 5/8"	2 5/8"	8 1/8"	2 1/8"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	2 1/8"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	2 1/8"				

FWT-01-2	FLAT WATERTABLE - SLOPED - OUTSIDE CORNER						
	Α	A B C D					
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 1/8"	1 1/8"		
KING	2 5/8"	2 5/8"	2 5/8"	1 1/8"	1 1/8"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		

FWT-01-3	FLAT	FLAT WATERTABLE - SLOPED - INSIDE CORNER							
	Α	A B C D E							
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"				
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"				
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 1/8"	1 1/8"				
KING	2 5/8"	2 5/8"	2 5/8"	1 1/8"	1 1/8"				
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"				


FWT-01-4	FLA	FLAT WATERTABLE - SLOPED - STRETCHER							
	Α	A B C D E							
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 1/8"	3/4"				
NORMAN	2 1/4"	3 5/8" 11 5/8" 2 1/8"			3/4"				
QUEEN	2 5/8"	3 5/8"	7 5/8"	2 1/8"	1 1/8"				
KING	2 5/8"	3 5/8"	9 5/8"	2 1/8"	1 1/8"				
ESTATE	3 5/8"	3 5/8"	9 5/8"	2 1/8"	2 1/8"				
CLOSURE	3 5/8"	3 5/8"	7 5/8"	2 1/8"	2 1/8"				
UTILITY	3 5/8"	3 5/8"	11 5/8"	2 1/8"	2 1/8"				



**Table of Contents** 

Watertable Gallery

# **Wall Diagram**



SIDE VIEW




# Flat Watertables - Bullnose


Table of Contents

Watertable Gallery


# FWT-02-1 Header




#### **FWT-02-2 Outside Corner**



#### **FWT-02-3 Inside Corner**



## **FWT-02-4 Stretcher**



FWT-02-1	FL	AT WATERTA	BLE - BULLN	IOSE - HEAD	ER			
	Α	A B C D E						
MODULAR	2 1/4"	7 5/8" 3 5/8"		5 5/8"	2"			
NORMAN	2 1/4"	11 5/8"	3 5/8"	9 5/8"	2"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 1/4"	2 3/8"			
KING	2 5/8"	9 5/8"	2 5/8"	7 1/4"	2 3/8"			
ESTATE	3 5/8"	9 5/8"	2 5/8"	6 13/32"	3 7/32"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 13/32"	3 7/32"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 13/32"	3 7/32"			

FWT-02-2	FLAT WATERTABLE - BULLNOSE - OUTSIDE CORNER						
	Α	В	D	Е			
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 5/8"	2"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 5/8"	2"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1/4"	2 3/8"		
KING	2 5/8"	2 5/8"	2 5/8"	1/4"	2 3/8"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		

FWT-02-3	FLAT V	FLAT WATERTABLE - BULLNOSE - INSIDE CORNER							
	Α	A B C D E							
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 5/8"	2"				
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 5/8"	2"				
QUEEN	2 5/8"	2 5/8"	2 5/8"	1/4"	2 3/8"				
KING	2 5/8"	2 5/8"	2 5/8"	1/4"	2 3/8"				
ESTATE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				

FWT-02-4	FLA	T WATERTAB	LE - BULLNC	SE - STRETC	HER				
	Α	A B C D E							
MODULAR	2 1/4"	3 5/8"	7 5/8"	1 5/8"	2"				
NORMAN	2 1/4"	3 5/8"	1 5/8"	2"					
QUEEN	2 5/8"	3 5/8"	7 5/8"	1 1/4"	2 3/8"				
KING	2 5/8"	3 5/8"	9 5/8"	1 1/4"	2 3/8"				
ESTATE	3 5/8"	3 5/8"	9 5/8"	13/32"	3 7/32"				
CLOSURE	3 5/8"	3 5/8"	7 5/8"	13/32"	3 7/32"				
UTILITY	3 5/8"	3 5/8"	11 5/8"	13/32"	3 7/32"				


# Flat Watertables - Bullnose

FRONT VIEW

**Table of Contents** 

Watertable Gallery

# **Wall Diagram**




SIDE VIEW

FWT-03-1

Table of Contents

Watertable Gallery


## FWT-03-1 Header



	Α	В	C	D	E	F
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 1/8"	3/4"	1 1/2"
NORMAN	2 1/4"	11 5/8"	3 5/8"	10 1/8"	3/4"	2 1/2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"
KING	2 5/8"	9 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"
ESTATE	3 5/8"	9 5/8"	2 5/8"	7 7/32"	1 7/32"	2 13/32"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"


FLAT WATERTABLE - COVE - HEADER

#### **FWT-03-2 Outside Corner**




FWT-03-2	FLAT WATERTABLE - COVE - OUTSIDE CORNER							
	Α	В	C	D	E	F		
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"	1 1/2"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"	1 1/2"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	7/8"	7/8"	1 3/4"		
KING	2 5/8"	2 5/8"	2 5/8"	7/8"	7/8"	1 3/4"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		

## **FWT-03-3 Inside Corner**



FWT-03-3	FLAT WATERTABLE - COVE - INSIDE CORNER								
	Α	А В С		D	E	F			
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"	1 1/2"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/8"	3/4"	1 1/2"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	7/8"	7/8"	1 3/4"			
KING	2 5/8"	2 5/8"	2 5/8"	7/8"	7/8"	1 3/4"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"			

#### **FWT-03-4 Stretcher**




FWT-03-4		FLAT WATERTABLE - COVE - STRETCHER								
	Α	В	C	D	E	F				
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 1/8"	3/4"	1 1/2"				
NORMAN	2 1/4"	3 5/8"	11 5/8"	2 1/8"	3/4"	1 1/2"				
QUEEN	2 5/8"	3 5/8"	7 5/8"	1 7/8"	7/8"	1 3/4"				
KING	2 5/8"	3 5/8"	9 5/8"	1 7/8"	7/8"	1 3/4"				
ESTATE	3 5/8"	3 5/8"	9 5/8"	1 7/32"	1 7/32"	2 13/32"				
CLOSURE	3 5/8"	3 5/8"	7 5/8"	1 7/32"	1 7/32"	2 13/32"				
UTILITY	3 5/8"	3 5/8"	11 5/8"	1 7/32"	1 7/32"	2 13/32"				



Table of Contents

Watertable Gallery

# **Wall Diagram**




SIDE VIEW


Table of Contents

Watertable Gallery


# FWT-04-1 Header




# FWT-04-2 Outside Corner



## **FWT-04-3 Inside Corner**



## **FWT-04-4 Stretcher**



FWT-04-1		FLAT WATERTABLE - OGEE - HEADER								
	Α	В	С	D	E					
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 7/32"	1 1/4"					
NORMAN	2 1/4"	11 5/8"	3 5/8"	10 7/32"	1 1/4"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	6"	1 7/16"					
KING	2 5/8"	9 5/8"	2 5/8"	8"	1 7/16"					
ESTATE	3 5/8"	9 5/8"	2 5/8"	7 3/8"	2"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 3/8"	2"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 3/8"	2"					

FWT-04-2	FLAT	FLAT WATERTABLE - OGEE - OUTSIDE CORNER								
	Α	A B C		D	E					
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 7/32"	1 1/4"					
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 7/32"	1 1/4"					
QUEEN	2 5/8"	2 5/8"	2 5/8"	1"	1 7/16"					
KING	2 5/8"	2 5/8"	2 5/8"	1"	1 7/16"					
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"					
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"					
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"					

			,		,
FWT-04-3	FLA	T WATERTAE	BLE - OGEE -	INSIDE COR	NER
	Α	В	C	D	Е
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 7/32"	1 1/4"
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 7/32"	1 1/4"
QUEEN	2 5/8"	2 5/8"	2 5/8"	1"	1 7/16"
KING	2 5/8"	2 5/8"	2 5/8"	1"	1 7/16"
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"


FWT-04-4	F	LAT WATERT	ABLE - OGEE	- STRETCHE	R
	Α	В	С	D	Е
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 7/32"	1 1/4"
NORMAN	2 1/4"	3 5/8"	11 5/8"	2 7/32"	1 1/4"
QUEEN	2 5/8"	3 5/8"	7 5/8"	2"	1 7/16"
KING	2 5/8"	3 5/8"	9 5/8"	2"	1 7/16"
ESTATE	3 5/8"	3 5/8"	9 5/8"	1 3/8"	2"
CLOSURE	3 5/8"	3 5/8"	7 5/8"	1 3/8"	2"
UTILITY	3 5/8"	3 5/8"	11 5/8"	1 3/8"	2"



Table of Contents

Watertable Gallery

# **Wall Diagram**



SIDE VIEW




# Flat Watertables - Bullnose Ogee

Table of Contents


Watertable Gallery

# FWT-05-1 Header




FWT-05-1		FLAT WATERTABLE - BULLNOSE OGEE - HEADER									
	Α	В	C	D	Е	F	G				
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 15/16"	11/16"	1 7/8"	7 1/32"				
NORMAN	2 1/4"	11 5/8"	3 5/8"	10 15/16"	11/16"	1 7/8"	11 1/32"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 13/16"	13/16"	2 3/16"	6 15/16"				
KING	2 5/8"	9 5/8"	2 5/8"	8 13/16"	13/16"	2 3/16"	8 15/16"				
ESTATE	3 5/8"	9 5/8"	2 5/8"	8 1/2"	1 1/8"	3"	8 21/32"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/2"	1 1/8"	3"	6 21/32"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/2"	1 1/8"	3"	10 21/32"				

## **FWT-05-2 Outside Corner**




FWT-05-2	FLA	FLAT WATERTABLE - BULLNOSE OGEE - OUTSIDE CORNER							
	Α	В	С	D	E	F	G		
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 15/16"	11/16"	1 7/8"	3 1/32"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 15/16"	11/16"	1 7/8"	3 1/32"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 13/16"	13/16"	2 3/16"	1 15/16"		
KING	2 5/8"	2 5/8"	2 5/8"	1 13/16"	13/16"	2 3/16"	1 15/16"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		

## **FWT-05-3 Inside Corner**



FWT-05-3	FL	FLAT WATERTABLE - BULLNOSE OGEE - INSIDE CORNER							
	A								
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 15/16"	11/16"	1 7/8"	G 3 1/32"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 15/16"	11/16"	1 7/8"	3 1/32"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 13/16"	13/16"	2 3/16"	1 15/16"		
KING	2 5/8"	2 5/8"	2 5/8"	1 13/16"	13/16"	2 3/16"	1 15/16"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		

## **FWT-05-4 Stretcher**




FWT-05-4	F	LAT WATE	RTABLE -	BULLNOSI	OGEE - S	TRETCHE	R
	Α	В	C	D	Е	F	G
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 15/16"	11/16"	1 7/8"	3 1/32"
NORMAN	2 1/4"	3 5/8"	11 5/8"	2 15/16"	11/16"	1 7/8"	3 1/32"
QUEEN	2 5/8"	3 5/8"	7 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"
KING	2 5/8"	3 5/8"	9 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"
ESTATE	3 5/8"	3 5/8"	9 5/8"	2 1/2"	1 1/8"	3"	2 21/32"
CLOSURE	3 5/8"	3 5/8"	7 5/8"	2 1/2"	1 1/8"	3"	2 21/32"
UTILITY	3 5/8"	3 5/8"	11 5/8"	2 1/2"	1 1/8"	3"	2 21/32"



Table of Contents

Watertable Gallery

# **Wall Diagram**



SIDE VIEW



# Flat Watertables - Cove Ogee

Table of Contents


Watertable Gallery

# Flat Watertables - Cove Ogee

Table of Contents


Watertable Gallery

# FWT-06-1 Header




FWT-06-1	FLAT WATERTABLE - COVE OGEE - HEADER								
	Α	В	C	D	Е	F	G		
MODULAR	2 1/4"	7 5/8"	3 5/8"	5 27/32"	15/32"	13/16"	31/32"		
NORMAN	2 1/4"	11 5/8"	3 5/8"	9 27/32"	15/32"	13/16"	31/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 9/16"	9/16"	15/16"	1 1/8"		
KING	2 5/8"	9 5/8"	2 5/8"	7 9/16"	9/16"	15/16"	1 1/8"		
ESTATE	3 5/8"	9 5/8"	2 5/8"	6 3/4"	3/4"	1 5/16"	1 9/16"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 3/4"	3/4"	1 5/16"	1 9/16"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 3/4"	3/4"	1 5/16"	1 9/16"		

#### **FWT-06-2 Outside Corner**




FWT-06-2		FLAT WATERTABLE - COVE OGEE - OUTSIDE CORNER								
	Α	В	С	D	E	F	G			
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 27/32"	15/32"	13/16"	31/32"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 27/32"	15/32"	13/16"	31/32"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	9/16"	9/16"	15/16"	1 1/8"			
KING	2 5/8"	2 5/8"	2 5/8"	9/16"	9/16"	15/16"	1 1/8"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			

## **FWT-06-3 Inside Corner**




FWT-06-3		FLAT WATERTABLE - COVE OGEE - INSIDE CORNER								
	Α	В	С	D	E	F	G			
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 27/32"	15/32"	13/16"	31/32"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 27/32"	15/32"	13/16"	31/32"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	9/16"	9/16"	15/16"	1 1/8"			
KING	2 5/8"	2 5/8"	2 5/8"	9/16"	9/16"	15/16"	1 1/8"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			


## **FWT-06-4 Stretcher**



FWT-06-4		FLAT WATERTABLE - COVE OGEE - STRETCHER							
	Α	В	С	D	E	F	G		
MODULAR	2 1/4"	3 5/8"	7 5/8"	1 27/32"	15/32"	13/16"	31/32"		
NORMAN	2 1/4"	3 5/8"	11 5/8"	1 27/32"	15/32"	13/16"	31/32"		
QUEEN	2 5/8"	3 5/8"	7 5/8"	1 9/16"	9/16"	15/16"	1 1/8"		
KING	2 5/8"	3 5/8"	9 5/8"	1 9/16"	9/16"	15/16"	1 1/8"		
ESTATE	3 5/8"	3 5/8"	9 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		
CLOSURE	3 5/8"	3 5/8"	7 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		
UTILITY	3 5/8"	3 5/8"	11 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		

# **Wall Diagram**







# Flat Watertables - Crown Ogee

Table of Contents

Watertable Gallery


# FI

# Flat Watertables - Crown Ogee

Table of Contents


Watertable Gallery

# FWT-07-1 Header




FWT-07-1		FLAT WATERTABLE - CROWN OGEE - HEADER								
	A B C D E F							Н		
MODULAR	2 1/4"	7 5/8"	3 5/8"	7 1/16"	11/32"	9/16"	1 3/16"	6"		
NORMAN	2 1/4"	11 5/8"	3 5/8"	11 1/16"	11/32"	9/16"	1 3/16"	10"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 15/16"	13/32"	11/16"	1 3/8"	5 3/4"		
KING	2 5/8"	9 5/8"	2 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"		
ESTATE	3 5/8"	9 5/8"	2 5/8"	8 11/16"	9/16"	15/16"	1 29/32"	7 1/32"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"		

## **FWT-07-2 Outside Corner**




FWT-07-2		FLAT WATERTABLE - CROWN OGEE - OUTSIDE CORNER									
	Α	A B C D E F G									
MODULAR	2 1/4"	3 5/8"	3 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 15/16"	13/32"	11/16"	1 3/8"	3/4"			
KING	2 5/8"	2 5/8"	2 5/8"	1 15/16"	13/32"	11/16"	1 3/8"	3/4"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"			

#### **FWT-07-3 Inside Corner**




FWT-07-3		FLAT WATERTABLE - CROWN OGEE - INSIDE CORNER								
	Α	A B C D E F G								
MODULAR	2 1/4"	3 5/8"	3 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 15/16"	13/32"	11/16"	1 3/8"	3/4"		
KING	2 5/8"	2 5/8"	2 5/8"	1 15/16"	13/32"	11/16"	1 3/8"	3/4"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		


#### **FWT-07-4 Stretcher**



	FWT-07-4		FLAT WATERTABLE - CROWN OGEE - STRETCHER								
		Α	A B C D E F								
F	MODULAR	2 1/4"	3 5/8"	7 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"		
	NORMAN	2 1/4"	3 5/8"	11 5/8"	3 1/16"	11/32"	9/16"	1 3/16"	2"		
	QUEEN	2 5/8"	3 5/8"	7 5/8"	2 15/16"	13/32"	11/16"	1 3/8"	1 3/4"		
	KING	2 5/8"	3 5/8"	9 5/8"	2 15/16"	13/32"	11/16"	1 3/8"	1 3/4"		
	ESTATE	3 5/8"	3 5/8"	9 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		
	CLOSURE	3 5/8"	3 5/8"	7 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		
	UTILITY	3 5/8"	3 5/8"	11 5/8"	2 11/16"	9/16"	15/16"	1 29/32"	1 1/32"		

# **Wall Diagram**








# Flat Watertables - Bullnose Flat

Table of Contents


Watertable Gallery

# FWT-08-1 Header




FWT-08-1	FL <i>A</i>	FLAT WATERTABLE - BULLNOSE FLAT - HEADER							
	Α	A B C D E							
MODULAR	2 1/4"	7 5/8"	3 5/8"	5 3/4"	3/8"	1 7/8"			
NORMAN	2 1/4"	11 5/8"	3 5/8"	9 3/4"	3/8"	1 7/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/16"	7/16"	2 3/16"			
KING	2 5/8"	9 5/8"	2 5/8"	7 7/16"	7/16"	2 3/16"			
ESTATE	3 5/8"	9 5/8"	2 5/8"	6 5/8"	5/8"	3"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 5/8"	5/8"	3"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 5/8"	5/8"	3"			

#### **FWT-08-2 Outside Corner**




FWT-08-2	FLAT WA	FLAT WATERTABLE - BULLNOSE FLAT - OUTSIDE CORNER							
	Α	В	C	D	Е	F			
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 3/4"	3/8"	1 7/8"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 3/4"	3/8"	1 7/8"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	7/16"	7/16"	2 3/16"			
KING	2 5/8"	2 5/8"	2 5/8"	7/16"	7/16"	2 3/16"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			

## **FWT-08-3 Inside Corner**



FWT-08-3	FLAI W	FLAT WATERTABLE - BULLNOSE FLAT - INSIDE CORNER							
	Α	A B C D E F							
MODULAR	2 1/4"	3 5/8"	3 5/8"	1 3/4"	3/8"	1 7/8"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	1 3/4"	3/8"	1 7/8"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	7/16"	7/16"	2 3/16"			
KING	2 5/8"	2 5/8"	2 5/8"	7/16"	7/16"	2 3/16"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"			

#### **FWT-08-4 Stretcher**




FWT-08-4	FLAT	FLAT WATERTABLE - BULLNOSE FLAT - STRETCHER							
	Α	В	С	D	E	F			
MODULAR	2 1/4"	3 5/8"	7 5/8"	1 3/4"	3/8"	1 7/8"			
NORMAN	2 1/4"	3 5/8"	11 5/8"	1 3/4"	3/8"	1 7/8"			
QUEEN	2 5/8"	3 5/8"	7 5/8"	1 7/16"	7/16"	2 3/16"			
KING	2 5/8"	3 5/8"	9 5/8"	1 7/16"	7/16"	2 3/16"			
ESTATE	3 5/8"	3 5/8"	9 5/8"	5/8"	5/8"	3"			
CLOSURE	3 5/8"	3 5/8"	7 5/8"	5/8"	5/8"	3"			
UTILITY	3 5/8"	3 5/8"	11 5/8"	5/8"	5/8"	3"			

# Flat Watertables - Bulinose Flat

Table of Contents

Watertable Gallery

# **Wall Diagram**



SIDE VIEW




# Flat Watertables - Full Bullnose

Table of Contents


Watertable Gallery

# FWT-09-1 Header




FWT-09-1		FLAT WATERTABLE - FULL BULLNOSE - HEADER								
	Α	В	С	D	E	F	G			
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 11/16"	3/8"	15/16"	6 11/16"			
NORMAN	2 1/4"	11 5/8"	3 5/8"	10 11/16"	3/8"	15/16"	10 11/16"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 17/32"	7/16"	1 3/32"	6 17/32"			
KING	2 5/8"	9 5/8"	2 5/8"	8 17/32"	7/16"	1 3/32"	8 17/32"			
ESTATE	3 5/8"	9 5/8"	2 5/8"	8 1/8"	5/8"	1 1/2"	8 1/8"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	5/8"	1 1/2"	6 1/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	5/8"	1 1/2"	10 1/8"			

#### **FWT-09-2 Outside Corner**




FWT-09-2	F	FLAT WATERTABLE - FULL BULLNOSE - OUTSIDE CORNER						
	Α	В	C	D	Е	F	G	
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 17/32"	7/16"	1 3/32"	1 17/32"	
KING	2 5/8"	2 5/8"	2 5/8"	1 17/32"	7/16"	1 3/32"	1 17/32"	
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	

## **FWT-09-3 Inside Corner**



FWT-09-3		FLAT WATERTABLE - FULL BULLNOSE - INSIDE CORNER						
	2 1/4"	3 5/8"	3 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
NORMAN	2 5/8"	2 5/8"	2 5/8"	1 17/32"	7/16"	1 3/32"	1 17/32"	
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 17/32"	7/16"	1 3/32"	1 17/32"	
KING	2 5/8"	2 5/8"	2 5/8"	1 17/32"	7/16"	1 3/32"	1 17/32"	
ESTATE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	

## **FWT-09-4 Stretcher**




FWT-09-4		FLAT WATERTABLE - FULL BULLNOSE - STRETCHER						
	Α	В	C	D	E	F	G	
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
NORMAN	2 1/4"	3 5/8"	11 5/8"	2 11/16"	3/8"	15/16"	2 11/16"	
QUEEN	2 5/8"	3 5/8"	7 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"	
KING	2 5/8"	3 5/8"	9 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"	
ESTATE	3 5/8"	3 5/8"	9 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
CLOSURE	3 5/8"	3 5/8"	7 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	
UTILITY	3 5/8"	3 5/8"	11 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"	

# Flat Watertables - Full Bulinose

Table of Contents

Watertable Gallery

# **Wall Diagram**




SIDE VIEW



Table of Contents


Watertable Gallery

# FWT-10-1 Header




FWT-10-1	F	FLAT WATERTABLE - COPING - HEADER						
	Α	В	С	D	E			
MODULAR	2 1/4"	7 5/8"	3 5/8"	6 1/2"	1 1/8"			
NORMAN	2 1/4"	11 5/8"	3 5/8"	10 1/2"	1 1/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 5/16"	1 5/16"			
KING	2 5/8"	9 5/8"	2 5/8"	8 5/16"	1 5/16"			
ESTATE	3 5/8"	9 5/8"	2 5/8"	7 13/16"	1 13/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 13/16"	1 13/16"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 13/16"	1 13/16"			

#### **FWT-10-2 Outside Corner**




FWT-10-2	FLAT WATERTABLE - COPING - OUTSIDE CORNER						
	Α	В	C	D	Е		
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/2"	1 1/8"		
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/2"	1 1/8"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 5/16"	1 5/16"		
KING	2 5/8"	2 5/8"	2 5/8"	1 5/16"	1 5/16"		
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"		

## **FWT-10-3 Inside Corner**



FWT-10-3	FLAT	FLAT WATERTABLE - COPING - INSIDE CORNER						
	Α	В	С	D	E			
MODULAR	2 1/4"	3 5/8"	3 5/8"	2 1/2"	1 1/8"			
NORMAN	2 1/4"	3 5/8"	3 5/8"	2 1/2"	1 1/8"			
QUEEN	2 5/8"	2 5/8"	2 5/8"	1 5/16"	1 5/16"			
KING	2 5/8"	2 5/8"	2 5/8"	1 5/16"	1 5/16"			
ESTATE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"			

## **FWT-10-4 Stretcher**




FWT-10-4	FL	FLAT WATERTABLE - COPING - STRETCHER						
	Α	В	С	D	Е			
MODULAR	2 1/4"	3 5/8"	7 5/8"	2 1/2"	1 1/8"			
NORMAN	2 1/4"	3 5/8"	11 5/8"	2 1/2"	1 1/8"			
QUEEN	2 5/8"	3 5/8"	7 5/8"	2 5/16"	1 5/16"			
KING	2 5/8"	3 5/8"	9 5/8"	2 5/16"	1 5/16"			
ESTATE	3 5/8"	3 5/8"	9 5/8"	1 13/16"	1 13/16"			
CLOSURE	3 5/8"	3 5/8"	7 5/8"	1 13/16"	1 13/16"			
UTILITY	3 5/8"	3 5/8"	11 5/8"	1 13/16"	1 13/16"			



Table of Contents


Watertable Gallery

# **Wall Diagram**




SIDE VIEW

# **Rowlock Watertables**




RWT-01-1 Rowlock Watertable - Sloped -Rowlock







Watertable - Bullnose -Rowlock




RWT-03-1 Rowlock Watertable - Cove -Rowlock



RWT-04-1 Rowlock Watertable - Ogee -Rowlock



RWT-05-1 Rowlock Watertable - Bullnose Ogee - Rowlock




RWT-01-2 Rowlock Watertable - Sloped -Outside Corner


RWT-02-2 Rowlock

Watertable - Bullnose -


**Outside Corner** 



RWT-01-3 Rowlock Watertable - Sloped -Inside Corner




RWT-02-3 Rowlock Watertable - Bullnose -Inside Corner




RWT-03-2 Rowlock Watertable - Cove -**Outside Corner** 




RWT-03-3 Rowlock Watertable - Cove -Inside Corner




RWT-04-2 Rowlock Watertable - Ogee -Outside Corner



RWT-04-3 Rowlock Watertable-Ogee -Inside Corner




RWT-05-2 Rowlock Watertable - Bullnose Ogee - Outside Corner




RWT-05-3 Rowlock Watertable - Bullnose Ogee - Inside Corner


# **Rowlock Watertables** (Continued)




RWT-06-1 Rowlock Watertable - Cove Ogee -Rowlock




RWT-06-2 Rowlock Watertable - Cove Ogee -**Outside Corner** 



RWT-06-3 Rowlock Watertable - Cove Ogee -Inside Corner




RWT-07-1 Rowlock




Watertable - Crown Ogee - Rowlock




RWT-07-2 Rowlock Watertable - Crown Ogee - Outside Corner




RWT-07-3 Rowlock Watertable - Crown Ogee - Inside Corner




RWT-08-1 Rowlock Watertable - Bullnose Flat - Rowlock




RWT-08-2 Rowlock Watertable - Bullnose Flat - Outside Corner




RWT-08-3 Rowlock Watertable - Bullnose Flat - Inside Corner




RWT-09-1 Rowlock Watertable - Full Bullnose - Rowlock




RWT-09-2 Rowlock Watertable - Full Bullnose - Outside Corner



RWT-09-3 Rowlock Watertable - Full Bullnose - Inside Corner



RWT-10-1 Rowlock Watertable - Coping -Rowlock



RWT-10-2 Rowlock Watertable - Coping -Outside Corner



RWT-10-3 Rowlock Watertable - Coping -Inside Corner




# **Rowlock Watertable - Sloped**


Table of Contents

Rowlock Gallery


# **RWT-01-1 Rowlock**



**RWT-01-2 Outside Corner** 



**RWT-01-3 Inside Corner** 



RWT-01-1	ROWLOCK WATERTABLE - SLOPED - ROWLOCK						
	Α	В	С	D	E		
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/8"	2 1/8"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/8"	2 1/8"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 1/8"	1 1/8"		
KING	2 5/8"	9 5/8"	2 5/8"	8 1/8"	1 1/8"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 1/8"	1 1/8"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	2 1/8"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	2 1/8"		


RWT-01-2	ROWLOCK WATERTABLE - SLOPED - OUTSIDE CORNER						
	Α	В	C	D	E		
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
KING	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		


RWT-01-3	ROWLOCK WATERTABLE - SLOPED - INSIDE CORNER						
	Α	В	C	D	E		
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
KING	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 1/8"	1 1/8"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	2 1/8"		


Table of Contents

Rowlock Gallery

# **Wall Diagram**










# **Rowlock Watertable - Bullnose**


Table of Contents

Rowlock Gallery


# **RWT-02-1 Rowlock**



**RWT-02-2 Outside Corner** 



**RWT-02-3 Inside Corner** 



RWT-02-1	ROWLOCK WATERTABLE - BULLNOSE - ROWLOCK						
	Α	В	C	D	E		
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 13/32"	3 7/32"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 13/32"	3 7/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 1/4"	2 3/8"		
KING	2 5/8"	9 5/8"	2 5/8"	7 1/4"	2 3/8"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 1/4"	2 3/8"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 13/32"	3 7/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 13/32"	3 7/32"		

RWT-02-2	ROWLOCK WATERTABLE - BULLNOSE - OUTSIDE CORNER						
	Α	В	C	D	E		
MODULAR	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"		
KING	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"		


RWT-02-3	ROWLOC	ROWLOCK WATERTABLE - BULLNOSE - INSIDE CORNER							
	Α	A B C D							
MODULAR	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				
NORMAN	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"				
KING	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"				
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 1/4"	2 3/8"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	13/32"	3 7/32"				

# **Rowlock Watertable - Bulinose**

Table of Contents

Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Cove**


Table of Contents

Rowlock Gallery


# **RWT-03-1 Rowlock**



**RWT-03-2 Outside Corner** 



**RWT-03-3 Inside Corner** 



RWT-03-1	ROWLOCK WATERTABLE - COVE - ROWLOCK								
	Α	В	С	D	E	F			
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 7/32"	1 7/32"	2 13/32"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 7/32"	1 7/32"	2 13/32"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"			
KING	2 5/8"	9 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/8"	7/8"	1 3/4"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"			


RWT-03-2	ROWLOCK WATERTABLE - COVE - OUTSIDE CORNER							
	Α	В	C	D	Е	F		
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"		
KING	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"		

RWT-03-3	ROW	ROWLOCK WATERTABLE - COVE - INSIDE CORNER								
	А	В	С	D	Е	F				
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"				
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"				
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"				
KING	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"				
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 7/8"	7/8"	1 3/4"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 7/32"	1 7/32"	2 13/32"				

Table of Contents

Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Ogee**


Table of Contents

Rowlock Gallery


# RWT-04-1 Rowlock



**RWT-04-2 Outside Corner** 



**RWT-04-3 Inside Corner** 



RWT-04-1	ROWLOCK WATERTABLE - OGEE - ROWLOCK								
	Α	В	С	D	E				
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 3/8"	2"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 3/8"	2"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	6"	1 7/16"				
KING	2 5/8"	9 5/8"	2 5/8"	8"	1 7/16"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	8"	1 7/16"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 3/8"	2"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 3/8"	2"				


RWT-04-2	ROWLOCK WATERTABLE - OGEE - OUTSIDE CORNER							
	Α	В	C	D	E			
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"			
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"			
QUEEN	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"			
KING	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"			
ESTATE	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"			

RWT-04-3	ROWL	ROWLOCK WATERTABLE - OGEE - INSIDE CORNER							
	Α	В	С	D	E				
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"				
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"				
QUEEN	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"				
KING	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"				
ESTATE	2 5/8"	3 5/8"	3 5/8"	2"	1 7/16"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 3/8"	2"				

Table of Contents

Rowlock Gallery

# **Wall Diagram**




SIDE VIEW

# Rowlock Watertable - Bullnose Ogee

Table of Contents


Rowlock Gallery

# **RWT-05-1 Rowlock**




RWT-05-1	RC	ROWLOCK WATERTABLE - BULLNOSE OGEE - ROWLOCK							
	Α	В	C	D	Е	F	G		
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/2"	1 1/8"	3"	6 21/32"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/2"	1 1/8"	3"	10 21/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 13/16"	13/16"	2 3/16"	6 15/16"		
KING	2 5/8"	9 5/8"	2 5/8"	8 13/16"	13/16"	2 3/16"	8 15/16"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 13/16"	13/16"	2 3/16"	8 15/16"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/2"	1 1/8"	3"	6 21/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/2"	1 1/8"	3"	10 21/32"		

# **RWT-05-2 Outside Corner**



RWT-05-2	ROWL	ROWLOCK WATERTABLE - BULLNOSE OGEE - OUTSIDE CORNER							
	Α	В	С	D	E	F	G		
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"		
KING	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"		

## **RWT-05-3 Inside Corner**




RWT-05-3	ROW	ROWLOCK WATERTABLE - BULLNOSE OGEE - INSIDE CORNER								
	Α	В	С	D	Е	F	G			
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"			
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"			
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"			
KING	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"			
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 13/16"	13/16"	2 3/16"	2 15/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/2"	1 1/8"	3"	2 21/32"			



Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Cove Ogee**

Table of Contents


Rowlock Gallery

# **RWT-06-1 Rowlock**




RWT-06-1		ROWLOCK WATERTABLE - COVE OGEE - ROWLOCK							
	Α	В	C	D	Е	F	G		
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 3/4"	3/4"	1 5/16"	1 9/16"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 3/4"	3/4"	1 5/16"	1 9/16"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 9/16"	9/16"	15/16"	1 1/8"		
KING	2 5/8"	9 5/8"	2 5/8"	7 9/16"	9/16"	15/16"	1 1/8"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 9/16"	9/16"	15/16"	1 1/8"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 3/4"	3/4"	1 5/16"	1 9/16"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 3/4"	3/4"	1 5/16"	1 9/16"		

## **RWT-06-2 Outside Corner**



RWT-06-2	ROV	ROWLOCK WATERTABLE - COVE OGEE - OUTSIDE CORNER							
	Α	В	C	D	Е	F	G		
MODULAR	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		
NORMAN	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"		
KING	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"		

## **RWT-06-3 Inside Corner**




RWT-06-3	RO	ROWLOCK WATERTABLE - COVE OGEE - INSIDE CORNER								
	Α	В	C	D	E	F	G			
MODULAR	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
NORMAN	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"			
KING	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"			
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 9/16"	9/16"	15/16"	1 1/8"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	3/4"	3/4"	1 5/16"	1 9/16"			

Table of Contents

Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Crown Ogee**

Table of Contents


Rowlock Gallery

# **RWT-07-1 Rowlock**




RWT-07-1		ROWLOCK WATERTABLE - CROWN OGEE - ROWLOCK									
	Α	В	C	D	E	F	G	Н			
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 11/16"	9/16"	15/16"	1 1/2"	5 5/8"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 11/16"	9/16"	15/16"	1 1/2"	9 5/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 15/16"	13/32"	11/16"	1 3/32"	6 3/16"			
KING	2 5/8"	9 5/8"	2 5/8"	8 15/16"	13/32"	11/16"	1 3/32"	8 3/16"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 15/16"	13/32"	11/16"	1 3/32"	8 3/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 11/16"	9/16"	15/16"	1 1/2"	5 5/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 11/16"	9/16"	15/16"	1 1/2"	9 5/8"			

## **RWT-07-2 Outside Corner**



RWT-07-2		ROWLOCK WATERTABLE - CROWN OGEE - OUTSIDE CORNER									
	Α	В	С	D	Е	F	G	Н			
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"			
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"			
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"			
KING	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"			
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"			

## **RWT-07-3 Inside Corner**




RWT-07-3		ROWLOCK WATERTABLE - CROWN OGEE - INSIDE CORNER										
	Α	В	С	D	Е	F	G	Н				
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"				
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"				
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"				
KING	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"				
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 15/16"	13/32"	11/16"	1 3/32"	2 3/16"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 11/16"	9/16"	15/16"	1 1/2"	1 5/8"				

**Table of Contents** 

Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Bullnose Flat**


Table of Contents

Rowlock Gallery


# **RWT-08-1 Rowlock**



**RWT-08-2 Outside Corner** 



**RWT-08-3 Inside Corner** 



RWT-08-1	ROWLC	CK WATER	RTABLE - B	ULLNOSE	FLAT - RO	WLOCK
	Α	В	C	D	E	F
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 5/8"	5/8"	3"
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 5/8"	5/8"	3"
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/16"	7/16"	2 3/16"
KING	2 5/8"	9 5/8"	2 5/8"	7 7/16"	7/16"	2 3/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/16"	7/16"	2 3/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 5/8"	5/8"	3"
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 5/8"	5/8"	3"

RWT-08-2	ROWLOC	K WATERTA	BLE - BULL	NOSE FLAT	- OUTSIDE	CORNER
	Α	В	С	D	E	F
MODULAR	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
NORMAN	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
KING	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
CLOSURE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
UTILITY	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"


RWT-08-3	ROWLO	CK WATERT	ABLE - BUL	LNOSE FLA	T - INSIDE	CORNER
	Α	В	С	D	E	F
MODULAR	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
NORMAN	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
QUEEN	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
KING	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
ESTATE	2 5/8"	3 5/8"	3 5/8"	1 7/16"	7/16"	2 3/16"
CLOSURE	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"
UTILITY	3 5/8"	3 5/8"	3 5/8"	5/8"	5/8"	3"

Table of Contents

Rowlock Gallery

# **Wall Diagram**

FRONT VIEW



SIDE VIEW




# **Rowlock Watertable - Full Bullnose**

Table of Contents


Rowlock Gallery

# **RWT-09-1 Rowlock**




RWT-09-1	RC	ROWLOCK WATERTABLE - FULL BULLNOSE - ROWLOCK								
	Α	В	C	D	Е	F	G			
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/8"	5/8"	1 1/2"	6 1/8"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/8"	5/8"	1 1/2"	10 1/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 17/32"	7/16"	1 3/32"	6 17/32"			
KING	2 5/8"	9 5/8"	2 5/8"	8 17/32"	7/16"	1 3/32"	8 17/32"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 17/32"	7/16"	1 3/32"	8 17/32"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	5/8"	1 1/2"	6 1/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	5/8"	1 1/2"	10 1/8"			

#### **RWT-09-2 Outside Corner**



RWT-09-2	ROWL	OCK WATE	RTABLE -	FULL BULI	NOSE - O	UTSIDE CO	ORNER
	Α	В	С	D	E	F	G
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"
KING	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"

## **RWT-09 3 Inside Corner**




RWT-09-3	ROW	ROWLOCK WATERTABLE - FULL BULLNOSE - INSIDE CORNER								
	Α	В	С	D	Е	F	G			
MODULAR	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"			
NORMAN	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"			
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"			
KING	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"			
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 17/32"	7/16"	1 3/32"	2 17/32"			
CLOSURE	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"			
UTILITY	3 5/8"	3 5/8"	3 5/8"	2 1/8"	5/8"	1 1/2"	2 1/8"			

**Table of Contents** 

Rowlock Gallery

# **Wall Diagram**



SIDE VIEW




# **Rowlock Watertable - Coping**


Table of Contents

Rowlock Gallery


# **RWT-10-1 Rowlock**



<b>RWT-10-2</b>	<b>Outside Corner</b>	



# **RWT-10-3 Inside Corner**



RWT-10-1	ROW	ROWLOCK WATERTABLE - COPING - ROWLOCK								
	Α	В	C	D	E					
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 13/16"	1 13/16"					
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 13/16"	1 13/16"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 5/16"	1 5/16"					
KING	2 5/8"	9 5/8"	2 5/8"	8 5/16"	1 5/16"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 5/16"	1 5/16"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 13/16"	1 13/16"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 13/16"	1 13/16"					


RWT-10-2	ROWLOCK WATERTABLE - COPING - OUTSIDE CORNER								
	Α	В	D	E					
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"				
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"				
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"				
KING	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"				
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"				
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"				
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"				

RWT-10-3	ROWLO	ROWLOCK WATERTABLE - COPING - INSIDE CORNER								
	Α	A B C D E								
MODULAR	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"					
NORMAN	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"					
QUEEN	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"					
KING	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"					
ESTATE	2 5/8"	3 5/8"	3 5/8"	2 5/16"	1 5/16"					
CLOSURE	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"					
UTILITY	3 5/8"	3 5/8"	3 5/8"	1 13/16"	1 13/16"					

**Table of Contents** 

**Rowlock Gallery** 

# **Wall Diagram**




SIDE VIEW

Click on any shape for more details. Shape Nomenclature: [Shape Type Code]-[Profile]-[Piece]


#### Table of Contents

Click on any shape for more details. Shape Nomenclature: [Shape Type Code]-[Profile]-[Piece]


# **Window Sills**




WSL-01-1 Window Sill - Sloped



WSL-01-2 Window Sill - Sloped Left Window Sill - Sloped Right



WSL-01-3









Window Sill - Bullnose Window Sill -Bullnose Left








WSL-03-1 Window Sill - Cove

WSL-03-2 Window Sill - Cove Left

WSL-03-3 Window Sill - Cove Right








Window Sill - Ogee Left

WSL-04-3 Window Sill - Ogee Right



Window Sill -

**Bullnose Ogee** 







WSL-05-2 Window Sill Bullnose Ogee Left

Window Sill -**Bullnose Ogee Right** 


# Window Sills (Continued)




WSL-06-1 Window Sill -Cove Ogee



WSL-06-2 Window Sill -Cove Ogee Left




WSL-06-3 Window Sill -Cove Ogee Right







Window Sill -Crown Ogee Left



WSL-07-3 Window Sill -Crown Ogee Right







Window Sill -Bullnose Flat Left



Window Sill -**Bullnose Flat Right** 





Full Bullnose



WSL-09-3 Window Sill -

WSL-09-2 Window Sill -Full Bullnose Left

Full Bullnose Right

WSL-10-1 Window Sill -Coping

WSL-10-2 Window Sill -

Coping Left


WSL-10-3 Window Sill -Coping Right

# **Window Sills - Sloped**

Table of Contents


Sills Gallery

# **WSL-01-1 Window Sill**




WSL-01-1	WINDOW SILL - SLOPED								
	Α	В	С	D	Е				
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 1/4"	1 1/4"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 1/4"	1 1/4"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 13/16"	13/16"				
KING	2 5/8"	9 5/8"	2 5/8"	7 13/16"	13/16"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 13/16"	13/16"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 1/4"	1 1/4"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 1/4"	1 1/4"				

## WSL-01-2 Left



WSL-01-2	WINDOW SILL - SLOPED - LEFT								
	Α	A B C D E F G							
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 1/4"	1 1/4"	5 7/8"	4 5/8"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 1/4"	1 1/4"	9 7/8"	4 5/8"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 13/16"	13/16"	6 9/32"	4 7/16"		
KING	2 5/8"	9 5/8"	2 5/8"	7 13/16"	13/16"	8 9/32"	4 7/16"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 13/16"	13/16"	8 9/32"	5 7/16"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 1/4"	1 1/4"	5 7/8"	6"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 1/4"	1 1/4"	9 7/8"	6"		

# WSL-01-3 Right




WSL-01-3		WINDOW SILL - SLOPED - RIGHT								
	Α	В	С	D	E	F	G			
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 1/4"	1 1/4"	5 7/8"	4 5/8"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 1/4"	1 1/4"	9 7/8"	4 5/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 13/16"	13/16"	6 9/32"	4 7/16"			
KING	2 5/8"	9 5/8"	2 5/8"	7 13/16"	13/16"	8 9/32"	4 7/16"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 13/16"	13/16"	8 9/32"	5 7/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 1/4"	1 1/4"	5 7/8"	6"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 1/4"	1 1/4"	9 7/8"	6"			



Table of Contents

Sills Gallery






# **Window Sills - Bullnose**

Table of Contents


Sills Gallery

# **WSL-02-1 Window Sill**




WSL-02-1		WINDOW SILL - BULLNOSE									
	Α	В	C	D	E						
MODILLAD		_		_							
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 13/32"	3 7/32"						
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 13/32"	3 7/32"						
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 1/4"	2 3/8"						
KING	2 5/8"	9 5/8"	2 5/8"	7 1/4"	2 3/8"						
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 1/4"	2 3/8"						
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 13/32"	3 7/32"						
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 13/32"	3 7/32"						

# WSL-02-2 Left



WSL-02-2		WINDOW SILL - BULLNOSE - LEFT								
	Α	A B C D E F								
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 13/32"	3 7/32"	5 1/16"	5 15/32"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 13/32"	3 7/32"	9 1/16"	5 15/32"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 1/4"	2 3/8"	5 23/32"	5"			
KING	2 5/8"	9 5/8"	2 5/8"	7 1/4"	2 3/8"	7 23/32"	5"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 1/4"	2 3/8"	7 23/32"	6"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 13/32"	3 7/32"	5 1/16"	6 27/32"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 13/32"	3 7/32"	9 1/16"	6 27/32"			

# WSL-02-3 Right



WSL-02-3		WINDOW SILL - BULLNOSE - RIGHT								
	Α	В	С	D	E	F	G			
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 13/32"	3 7/32"	5 1/16"	5 15/32"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 13/32"	3 7/32"	9 1/16"	5 15/32"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 1/4"	2 3/8"	5 23/32"	5"			
KING	2 5/8"	9 5/8"	2 5/8"	7 1/4"	2 3/8"	7 23/32"	5"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 1/4"	2 3/8"	7 23/32"	6"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 13/32"	3 7/32"	5 1/16"	6 27/32"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 13/32"	3 7/32"	9 1/16"	6 27/32"			

Table of Contents

Sills Gallery







Table of Contents


Sills Gallery

# **WSL-03-1 Window Sill**




WSL-03-1		WINDOW SILL - COVE								
	Α	В	C	D	E	F				
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 7/32"	1 7/32"	2 13/32"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 7/32"	1 7/32"	2 13/32"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"				
KING	2 5/8"	9 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/8"	7/8"	1 3/4"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"				

# WSL-03-2 Left



WSL-03-2		WINDOW SILL - COVE - LEFT								
	Α	В	C	D	Е	F	G	Н		
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 7/32"	1 7/32"	2 13/32"	5 11/32"	4 21/32"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 7/32"	1 7/32"	2 13/32"	9 11/32"	4 21/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"	5 31/32"	4 3/8"		
KING	2 5/8"	9 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"	7 31/32"	4 3/8"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/8"	7/8"	1 3/4"	7 31/32"	5 3/8"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"	5 11/32"	6 1/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"	6 1/32"	6 1/32"		

# WSL-03-3 Right



WSL-03-3		WINDOW SILL - COVE - RIGHT								
	Α	В	С	D	Е	F	G	Н		
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 7/32"	1 7/32"	2 13/32"	5 11/32"	4 21/32"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 7/32"	1 7/32"	2 13/32"	9 11/32"	4 21/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"	5 31/32"	4 3/8"		
KING	2 5/8"	9 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"	7 31/32"	4 3/8"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/8"	7/8"	1 3/4"	7 31/32"	5 3/8"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"	5 11/32"	6 1/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"	6 1/32"	6 1/32"		



**Table of Contents** 

Sills Gallery







Table of Contents


Sills Gallery

# **WSL-04-1 Window Sill**




WSL-04-1		WIND	OW SILL -	OGEE	
	Α	В	С	D	E
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 3/8"	2"
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 3/8"	2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	6"	1 7/16"
KING	2 5/8"	9 5/8"	2 5/8"	8"	1 7/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	8"	1 7/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 3/8"	2"
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 3/8"	2"

## WSL-04-2 Left



WSL-04-2		WINDOW SILL - OGEE - LEFT										
	Α	В	С	D	E	F	G					
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 3/8"	2"	5 19/32"	4 1/2"					
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 3/8"	2"	9 19/32"	4 1/2"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	6"	1 7/16"	6 5/32"	4 1/4"					
KING	2 5/8"	9 5/8"	2 5/8"	8"	1 7/16"	8 5/32"	4 1/4"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	8"	1 7/16"	8 5/32"	5 1/4"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 3/8"	2"	5 19/32"	5 7/8"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 3/8"	2"	9 19/32"	5 7/8"					

# WSL-04-3 Right




WSL-04-3			WINDOW	SILL - OGI	EE - RIGHT	-	
	Α	В	C	D	Е	F	G
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 3/8"	2"	5 19/32"	4 1/2"
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 3/8"	2"	9 19/32"	4 1/2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	6"	1 7/16"	6 5/32"	4 1/4"
KING	2 5/8"	9 5/8"	2 5/8"	8"	1 7/16"	8 5/32"	4 1/4"
ESTATE	2 5/8"	9 5/8"	3 5/8"	8"	1 7/16"	8 5/32"	5 1/4"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 3/8"	2"	5 19/32"	5 7/8"
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 3/8"	2"	9 19/32"	5 7/8"



Table of Contents

Sills Gallery






# Window Sills - Bullnose Ogee

Table of Contents


Sills Gallery

# **WSL-05-1 Window Sill**




WSL-05-1		WINDOW SILL - BULLNOSE OGEE										
	Α	A B C D E F C										
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/2"	1 1/8"	3"	6 21/32"					
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/2"	1 1/8"	3"	10 21/32"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 13/16"	13/16"	2 3/16"	6 15/16"					
KING	2 5/8"	9 5/8"	2 5/8"	8 13/16"	13/16"	2 3/16"	8 15/16"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 13/16"	13/16"	2 3/16"	8 15/16"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/2"	1 1/8"	3"	6 21/32"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/2"	1 1/8"	3"	10 21/32"					

## WSL-05-2 Left



WSL-05-2			WINDOW	/ SILL - BUI	LNOSE O	GEE - LEF	Γ	
	Α	В	C	D	Е	F	G	Н
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/2"	1 1/8"	3"	6 5/32"	4 1/2"
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/2"	1 1/8"	3"	10 5/32"	4 1/2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 13/16"	13/16"	2 3/16"	6 9/16"	4 1/4"
KING	2 5/8"	9 5/8"	2 5/8"	8 13/16"	13/16"	2 3/16"	8 9/16"	4 1/4"
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 13/16"	13/16"	2 3/16"	8 9/16"	5 1/4"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/2"	1 1/8"	3"	6 5/32"	5 7/8"
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/2"	1 1/8"	3"	10 5/32"	5 7/8"


# WSL-05-3 Right



WSL-05-3		WINDOW SILL - BULLNOSE OGEE - RIGHT									
	Α	В	C	D	E	F	G	Н			
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/2"	1 1/8"	3"	6 5/32"	4 1/2"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/2"	1 1/8"	3"	10 5/32"	4 1/2"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 13/16"	13/16"	2 3/16"	6 9/16"	4 1/4"			
KING	2 5/8"	9 5/8"	2 5/8"	8 13/16"	13/16"	2 3/16"	8 9/16"	4 1/4"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 13/16"	13/16"	2 3/16"	8 9/16"	5 1/4"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/2"	1 1/8"	3"	6 5/32"	5 7/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/2"	1 1/8"	3"	10 5/32"	5 7/8"			

**Table of Contents** 

Sills Gallery






# **Window Sills - Cove Ogee**

Table of Contents


Sills Gallery

# **WSL-06-1 Window Sill**




WSL-06-1		WINDOW SILL - COVE OGEE									
	Α	В	C	D	Е	F	G				
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 3/4"	3/4"	1 5/16"	1 9/16"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 3/4"	3/4"	1 5/16"	1 9/16"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 9/16"	9/16"	15/16"	1 1/8"				
KING	2 5/8"	9 5/8"	2 5/8"	7 9/16"	9/16"	15/16"	1 1/8"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 9/16"	9/16"	15/16"	1 1/8"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 3/4"	3/4"	1 5/16"	1 9/16"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 3/4"	3/4"	1 5/16"	1 9/16"				

## WSL-06-2 Left



	WSL-06-2			WI	NDOW SI	LL - COV	E OGEE -	LEFT		
		Α	В	С	D	Е	F	G	Н	I
	MODULAR	3 5/8"	7 5/8"	2 1/4"	4 3/4"	3/4"	1 5/16"	1 9/16"	4 29/32"	5 1/8"
	NORMAN	3 5/8"	11 5/8"	2 1/4"	8 3/4"	3/4"	1 5/16"	1 9/16"	8 29/32"	5 1/8"
	QUEEN	2 5/8"	7 5/8"	2 5/8"	5 9/16"	9/16"	15/16"	1 1/8"	5 21/32"	4 11/16"
	KING	2 5/8"	9 5/8"	2 5/8"	7 9/16"	9/16"	15/16"	1 1/8"	7 21/32"	4 11/16"
ā	ESTATE	2 5/8"	9 5/8"	3 5/8"	7 9/16"	9/16"	15/16"	1 1/8"	7 21/32"	5 11/16"
	CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 3/4"	3/4"	1 5/16"	1 9/16"	4 29/32"	6 1/2"
h.	UTILITY	3 5/8"	11 5/8"	3 5/8"	8 3/4"	3/4"	1 5/16"	1 9/16"	8 29/32"	6 1/2"


# WSL-06-3 Right



	WSL-06-3			WIN	NDOW SIL	L - COVE	OGEE - I	RIGHT		
		Α	В	C	D	Е	F	G	Н	I
	MODULAR	3 5/8"	7 5/8"	2 1/4"	4 3/4"	3/4"	1 5/16"	1 9/16"	4 29/32"	5 1/8"
	NORMAN	3 5/8"	11 5/8"	2 1/4"	8 3/4"	3/4"	1 5/16"	1 9/16"	8 29/32"	5 1/8"
	QUEEN	2 5/8"	7 5/8"	2 5/8"	5 9/16"	9/16"	15/16"	1 1/8"	5 21/32"	4 11/16"
	KING	2 5/8"	9 5/8"	2 5/8"	7 9/16"	9/16"	15/16"	1 1/8"	7 21/32"	4 11/16"
_	ESTATE	2 5/8"	9 5/8"	3 5/8"	7 9/16"	9/16"	15/16"	1 1/8"	7 21/32"	5 11/16"
	CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 3/4"	3/4"	1 5/16"	1 9/16"	4 29/32"	6 1/2"
	UTILITY	3 5/8"	11 5/8"	3 5/8"	8 3/4"	3/4"	1 5/16"	1 9/16"	8 29/32"	6 1/2"

Table of Contents

Sills Gallery





# **Window Sills - Crown Ogee**

Table of Contents


Sills Gallery

# **Window Sills - Crown Ogee**

**Table of Contents** 


Sills Gallery

## **WSL-07-1 Window Sill**




WSL-07-1			WII	NDOW SILL -	- CROWN	OGEE				
	Α	A B C D E F G								
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 15/16"	13/32"	11/16"	1 3/8"	5 3/4"		
KING	2 5/8"	9 5/8"	2 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"		

## WSL-07-2 Left




WSL-07-2		WINDOW SILL - CROWN OGEE - LEFT											
	Α	A B C D E F G H I											
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"	4 27/32"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"	4 27/32"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 15/16"	13/32"	11/16"	1 3/8"	5 3/4"	4 1/2"				
KING	2 5/8"	9 5/8"	2 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"	4 1/2"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"	5 1/2"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"	6 7/32"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"	6 7/32"				

# WSL-07-3 Right



WSL-07-3		WINDOW SILL - CROWN OGEE - RIGHT											
	Α	В	C	D	E	F	G	Н	I				
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"	4 27/32"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"	4 27/32"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 15/16"	13/32"	11/16"	1 3/8"	5 3/4"	4 1/2"				
KING	2 5/8"	9 5/8"	2 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"	4 1/2"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 15/16"	13/32"	11/16"	1 3/8"	7 3/4"	5 1/2"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 11/16"	9/16"	15/16"	1 29/32"	5 1/32"	6 7/32"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 11/16"	9/16"	15/16"	1 29/32"	9 1/32"	6 7/32"				




#### **Window Sills - Bullnose Flat**

Table of Contents


Sills Gallery

#### **WSL-08-1 Window Sill**




WSL-08-1		WINDOW SILL - BULLNOSE FLAT									
	Α	В	С	D	E	F					
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 5/8"	5/8"	3"					
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 5/8"	5/8"	3"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/16"	7/16"	2 3/16"					
KING	2 5/8"	9 5/8"	2 5/8"	7 7/16"	7/16"	2 3/16"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/16"	7/16"	2 3/16"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 5/8"	5/8"	3"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 5/8"	5/8"	3"					

#### WSL-08-2 Left



WSL-08-2		WINI	DOW SILL	- BULLNO	SE FLAT	- LEFT		
	Α	В	C	D	E	F	G	Н
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 5/8"	5/8"	3"	4 25/32"	5 1/4"
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 5/8"	5/8"	3"	8 25/32"	5 1/4"
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/16"	7/16"	2 3/16"	5 7/16"	4 13/16"
KING	2 5/8"	9 5/8"	2 5/8"	7 7/16"	7/16"	2 3/16"	7 7/16"	4 13/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/16"	7/16"	2 3/16"	7 7/16"	5 13/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 5/8"	5/8"	3"	4 25/32"	6 5/8"
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 5/8"	5/8"	3"	8 25/32"	6 5/8"

#### WSL-08-3 Right




WSL-08-3		WIND	OW SILL -	- BULLNOS	SE FLAT -	RIGHT		
	Α	В	C	D	E	F	G	Н
MODULAR	3 5/8"	7 5/8"	2 1/4"	4 5/8"	5/8"	3"	4 25/32"	5 1/4"
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 5/8"	5/8"	3"	8 25/32"	5 1/4"
QUEEN	2 5/8"	7 5/8"	2 5/8"	5 7/16"	7/16"	2 3/16"	5 7/16"	4 13/16"
KING	2 5/8"	9 5/8"	2 5/8"	7 7/16"	7/16"	2 3/16"	7 7/16"	4 13/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	7 7/16"	7/16"	2 3/16"	7 7/16"	5 13/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	4 5/8"	5/8"	3"	4 25/32"	6 5/8"
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 5/8"	5/8"	3"	8 25/32"	6 5/8"



Table of Contents

Sills Gallery

#### **Window Diagram**




#### **Window Sills - Full Bullnose**

Table of Contents


Sills Gallery

#### **WSL-09-1 Window Sill**




WSL-09-1	WINDOW SILL - FULL BULLNOSE								
	Α	В	C	D	E	F	G		
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/8"	5/8"	1 1/2"	6 1/8"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/8"	5/8"	1 1/2"	10 1/8"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 17/32"	7/16"	1 3/32"	6 17/32"		
KING	2 5/8"	9 5/8"	2 5/8"	8 17/32"	7/16"	1 3/32"	8 17/32"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 17/32"	7/16"	1 3/32"	8 17/32"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	5/8"	1 1/2"	6 1/8"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	5/8"	1 1/2"	10 1/8"		

#### WSL-09-2 Left



WSL-09-2		WINDOW SILL - FULL BULLNOSE - LEFT									
	Α	В	C	D	E	F	G	Н			
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/8"	5/8"	1 1/2"	5 5/8"	4 1/2"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/8"	5/8"	1 1/2"	9 5/8"	4 1/2"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 17/32"	7/16"	1 3/32"	6 1/32"	4 15/32"			
KING	2 5/8"	9 5/8"	2 5/8"	8 17/32"	7/16"	1 3/32"	8 1/32"	4 15/32"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 17/32"	7/16"	1 3/32"	8 1/32"	5 15/32"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	5/8"	1 1/2"	5 5/8"	5 7/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	5/8"	1 1/2"	9 5/8"	5 7/8"			

#### WSL-09-3 Right




WSL-09-3		WINDOW SILL - FULL BULLNOSE - RIGHT									
	Α	В	C	D	Е	F	G	Н			
MODULAR	3 5/8"	7 5/8"	2 1/4"	6 1/8"	5/8"	1 1/2"	5 5/8"	4 1/2"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	10 1/8"	5/8"	1 1/2"	9 5/8"	4 1/2"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 17/32"	7/16"	1 3/32"	6 1/32"	4 15/32"			
KING	2 5/8"	9 5/8"	2 5/8"	8 17/32"	7/16"	1 3/32"	8 1/32"	4 15/32"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 17/32"	7/16"	1 3/32"	8 1/32"	5 15/32"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	6 1/8"	5/8"	1 1/2"	5 5/8"	5 7/8"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	10 1/8"	5/8"	1 1/2"	9 5/8"	5 7/8"			



**Table of Contents** 

Sills Gallery

#### **Window Diagram**






#### **Window Sills - Coping**

Table of Contents


Sills Gallery

#### **WSL-10-1 Window Sill**




WSL-10-1		WINDO	W SILL - C	OPING	
	Α	В	С	D	E
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 13/16"	1 13/16"
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 13/16"	1 13/16"
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 5/16"	1 5/16"
KING	2 5/8"	9 5/8"	2 5/8"	8 5/16"	1 5/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 5/16"	1 5/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 13/16"	1 13/16"
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 13/16"	1 13/16"

#### WSL-10-2 Left



WCL 10.2	1	WINDOW SILL - COPING - LEFT								
WSL-10-2		WINDOW SILL - COPING - LEFT								
	Α	В	C	D	Е	F	G			
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 13/16"	1 13/16"	4 1/2"	4 5/8"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 13/16"	1 13/16"	4 1/2"	4 5/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 5/16"	1 5/16"	4 1/2"	4 7/16"			
KING	2 5/8"	9 5/8"	2 5/8"	8 5/16"	1 5/16"	4 1/2"	4 7/16"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 5/16"	1 5/16"	5 1/2"	5 7/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 13/16"	1 13/16"	5 7/8"	6"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 13/16"	1 13/16"	5 7/8"	6"			

#### WSL-10-3 Right




WSL-10-3		WINDOW SILL - COPING - RIGHT								
	Α	В	C	D	Е	F	G			
MODULAR	3 5/8"	7 5/8"	2 1/4"	5 13/16"	1 13/16"	4 1/2"	4 5/8"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 13/16"	1 13/16"	4 1/2"	4 5/8"			
QUEEN	2 5/8"	7 5/8"	2 5/8"	6 5/16"	1 5/16"	4 1/2"	4 7/16"			
KING	2 5/8"	9 5/8"	2 5/8"	8 5/16"	1 5/16"	4 1/2"	4 7/16"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	8 5/16"	1 5/16"	5 1/2"	5 7/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	5 13/16"	1 13/16"	5 7/8"	6"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 13/16"	1 13/16"	5 7/8"	6"			



**Table of Contents** 

Sills Gallery

#### **Window Diagram**




Click on any shape for more details.

Shape Nomenclature: [Shape Type Code]-[Profile]-[Piece]


Table of Contents

## **Rowlock Wall Caps**







**RWC-02-1** Rowlock Wall Cap -Bullnose




**RWC-03-1** Rowlock Wall Cap -Cove



**RWC-04-1** Rowlock Wall Cap -Ogee




**RWC-05-1** Rowlock Wall Cap -Bullnose Ogee




**RWC-01-2** Rowlock Wall Cap -Sloped - End




**RWC-02-2** Rowlock Wall Cap -Bullnose - End



**RWC-03-2** Rowlock Wall Cap -Cove - End




**RWC-04-2** Rowlock Wall Cap -Ogee - End




**RWC-05-2** Rowlock Wall Cap -Bullnose Ogee - End


## Rowlock Wall Caps (Continued)




**RWC-06-1** Rowlock Wall Cap -Cove Ogee




**RWC-06-2** Rowlock Wall Cap -Cove Ogee - End




**RWC-07-1** Rowlock Wall Cap -Crown Ogee




**RWC-07-2** Rowlock Wall Cap -Crown Ogee - End




**RWC-08-1** Rowlock Wall Cap -Bullnose Flat




**RWC-08-2** Rowlock Wall Cap -Bullnose Flat - End



RWC-09-1 Rowlock Wall Cap - Full Bullnose



**RWC-09-2** Rowlock Wall Cap - Full Bullnose - End



RWC-10-2 Rowlock Wall

Cap - Coping - End




#### **Rowlock Wall Caps - Sloped**

Table of Contents


Wall Cap Gallery

#### **RWC-01-1 Wall Cap**




RWC-01-1	R	OWLOCK	WALL CA	P - SLOPE	D
	Α	В	С	D	Е
MODULAR	3 5/8"	7 5/8"	2 1/4"	2 7/8"	1 1/4"
NORMAN	3 5/8"	11 5/8"	2 1/4"	6 7/8"	1 1/4"
QUEEN	2 5/8"	7 5/8"	2 5/8"	4"	13/16"
KING	2 5/8"	9 5/8"	2 5/8"	6"	13/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	6"	13/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	2 7/8"	1 1/4"
UTILITY	3 5/8"	11 5/8"	3 5/8"	6 7/8"	1 1/4"


#### **RWC-01-2 End**




RWC-01-2		ROWLOCK WALL CAP - SLOPED - END									
	Α	В	С	D	Е	F					
MODULAR	3 5/8"	7 5/8"	3 5/8"	2 7/8"	1 1/4"	1 1/4"					
NORMAN	3 5/8"	11 5/8"	3 5/8"	6 7/8"	1 1/4"	1 1/4"					
QUEEN	2 5/8"	7 5/8"	3 5/8"	4"	13/16"	1 13/16"					
KING	2 5/8"	9 5/8"	3 5/8"	6"	13/16"	1 13/16"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	6"	13/16"	1 13/16"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	2 7/8"	1 1/4"	1 1/4"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	6 7/8"	1 1/4"	1 1/4"					

#### **Sloped Wall Cap Diagram**





#### **ACME BRICK SPECIAL SHAPES Table of Contents Rowlock Wall Caps - Sloped** Wall Cap Gallery **Other Sloped Wall Cap Options (using other shapes)** RWT-01-1 Watertable Sloped **TOP VIEW** Rowlock profile only on one side **SIDE VIEW FRONT VIEW ISO VIEW** RWT-01-1 Watertable Sloped Rowlock profile on both sides with joint on top RWC-01-2 Rowlock Wall Cap **FRONT VIEW SIDE VIEW ISO VIEW** Sloped End \*Field Cut RWT-01-1 RWT-01-1 Watertable Sloped Watertable Sloped/ Rowlock Rowlock






#### **Rowlock Wall Caps - Bullnose**

Table of Contents


Wall Cap Gallery

#### RWC-02-1 Wall Cap




RWC-02-1	RC	WLOCK V	/ALL CAP	- BULLNO	SE
	Α	В	С	D	Е
MODULAR	3 5/8"	7 5/8"	2 1/4"	1 3/16"	3 7/32"
NORMAN	3 5/8"	11 5/8"	2 1/4"	5 3/16"	3 7/32"
QUEEN	2 5/8"	7 5/8"	2 5/8"	2 7/8"	2 3/8"
KING	2 5/8"	9 5/8"	2 5/8"	4 7/8"	2 3/8"
ESTATE	2 5/8"	9 5/8"	3 5/8"	4 7/8"	2 3/8"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 3/16"	3 7/32"
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 3/16"	3 7/32"


#### RWC-02-2 End



RWC-02-2	F	ROWLOCK WALL CAP - BULLNOSE - END								
	Α	В	С	D	Е	F				
MODULAR	3 5/8"	7 5/8"	2 1/4"	1 3/16"	3 7/32"	13/32"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	5 3/16"	3 7/32"	13/32"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	2 7/8"	2 3/8"	1 1/4"				
KING	2 5/8"	9 5/8"	2 5/8"	4 7/8"	2 3/8"	1 1/4"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	4 7/8"	2 3/8"	1 1/4"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 3/16"	3 7/32"	13/32"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 3/16"	3 7/32"	13/32"				

#### **Bullnose Wall Cap Diagram**







## **Rowlock Wall Caps - Bullnose**


## **Table of Contents**

Wall Cap Gallery

#### **Other Bullnose Wall Cap Options**







Wall Cap Gallery




#### **Rowlock Wall Cap - Cove**

Table of Contents


Wall Cap Gallery

#### **RWC-03-1 Wall Cap**




RWC-03-1		ROV	/LOCK W	ALL CAP -	COVE	
	Α	В	C	D	Е	F
MODULAR	3 5/8"	7 5/8"	2 1/4"	2 25/32"	1 7/32"	2 13/32"
NORMAN	3 5/8"	11 5/8"	2 1/4"	6 25/32"	1 7/32"	2 13/32"
QUEEN	2 5/8"	7 5/8"	2 5/8"	4 1/8"	7/8"	1 3/4"
KING	2 5/8"	9 5/8"	2 5/8"	6 1/8"	7/8"	1 3/4"
ESTATE	2 5/8"	9 5/8"	3 5/8"	6 1/8"	7/8"	1 3/4"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	2 25/32"	1 7/32"	2 13/32"
UTILITY	3 5/8"	11 5/8"	3 5/8"	6 25/32"	1 7/32"	2 13/32"


#### **RWC-03-2 End**



RWC-03-2	ROWLOCK WALL CAP - COVE - END									
	Α	В	C	D	Е	F	G			
MODULAR	3 5/8"	7 5/8"	3 5/8"	2 25/32"	1 7/32"	2 13/32"	1 7/32"			
NORMAN	3 5/8"	11 5/8"	3 5/8"	6 25/32"	1 7/32"	2 13/32"	1 7/32"			
QUEEN	2 5/8"	7 5/8"	3 5/8"	4 1/8"	7/8"	1 3/4"	1 7/8"			
KING	2 5/8"	9 5/8"	3 5/8"	6 1/8"	7/8"	1 3/4"	1 7/8"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	6 1/8"	7/8"	1 3/4"	1 7/8"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	2 25/32"	1 7/32"	2 13/32"	1 7/32"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	6 25/32"	1 7/32"	2 13/32"	1 7/32"			


#### **Cove Wall Cap Diagram**







# Rowlock Wall Cap - Cove

#### **Other Cove Wall Cap Options**







Wall Cap Gallery




#### **Rowlock Wall Caps - Ogee**

Table of Contents


Wall Cap Gallery

#### RWC-04-1 Wall Cap




RWC-04-1		ROWLOCI	KWALL CA	AP - OGEE	
	А В		C	D	E
MODULAR	3 5/8"	7 5/8"	2 1/4"	3 1/8"	2"
NORMAN	3 5/8"	11 5/8"	2 1/4"	7 1/8"	2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	4 3/8"	1 7/16"
KING	2 5/8"	9 5/8"	2 5/8"	6 3/8"	1 7/16"
ESTATE	2 5/8"	9 5/8"	3 5/8"	6 3/8"	1 7/16"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	3 1/8"	2"
UTILITY	3 5/8"	11 5/8"	3 5/8"	7 1/8"	2"


#### **RWC-04-2 End**



RWC-04-2	ROWLOCK WALL CAP - OGEE - END									
	Α	A B C D E								
MODULAR	3 5/8"	7 5/8"	3 5/8"	3 1/8"	2"	1 3/8"				
NORMAN	3 5/8"	11 5/8"	3 5/8"	7 1/8"	2"	1 3/8"				
QUEEN	2 5/8"	7 5/8"	3 5/8"	4 3/8"	1 7/16"	2"				
KING	2 5/8"	9 5/8"	3 5/8"	6 3/8"	1 7/16"	2"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	6 3/8"	1 7/16"	2"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	3 1/8"	2"	1 3/8"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	7 1/8"	2"	1 3/8"				


#### **Ogee Wall Cap Diagram**







## **Rowlock Wall Caps - Ogee**

#### **Other Ogee Wall Cap Options**







\*To fully cap with a single

rowlock header, a larger size needs to be ordered, eg. estate.




#### **Rowlock Wall Caps - Bullnose Ogee**

Table of Contents

Wall Cap Gallery


#### **RWC-05-1 Wall Cap**




RWC-05-1		ROWLOCK WALL CAP - BULLNOSE OGEE									
	Α	A B C D E F C									
MODULAR	3 5/8"	9 17/32"	2 1/4"	7 9/32"	1 1/8"	3"	7 5/8"				
NORMAN	3 5/8"	11 17/32"	2 1/4"	9 9/32"	1 1/8"	3"	9 5/8"				
QUEEN	2 5/8"	9"	2 5/8"	7 3/8"	13/16"	2 3/16"	7 5/8"				
KING	2 5/8"	11"	2 5/8"	9 3/8"	13/16"	2 3/16"	9 5/8"				
ESTATE	2 5/8"	11"	3 5/8"	9 3/8"	13/16"	2 3/16"	9 5/8"				
CLOSURE	3 5/8"	9 17/32"	3 5/8"	7 9/32"	1 1/8"	3"	7 5/8"				
UTILITY	3 5/8"	11 17/32"	3 5/8"	9 9/32"	1 1/8"	3"	9 5/8"				


#### **RWC-05-2 End**

RWC-05-2		ROWLOCK WALL CAP - BULLNOSE OGEE - END										
	Α	В	С	D	Е	F	G	Н	I			
MODULAR	3 5/8"	9 17/32"	3 5/8"	7 9/32"	1 1/8"	3"	7 5/8"	4 19/32"	3 15/32"			
NORMAN	3 5/8"	11 17/32"	3 5/8"	9 9/32"	1 1/8"	3"	9 5/8"	4 19/32"	3 15/32"			
QUEEN	2 5/8"	9"	3 5/8"	7 3/8"	13/16"	2 3/16"	7 5/8"	4 5/16"	3 1/2"			
KING	2 5/8"	11"	3 5/8"	9 3/8"	13/16"	2 3/16"	9 5/8"	4 5/16"	3 1/2"			
ESTATE	2 5/8"	11"	3 5/8"	9 3/8"	13/16"	2 3/16"	9 5/8"	4 5/16"	3 1/2"			
CLOSURE	3 5/8"	9 17/32"	3 5/8"	7 9/32"	1 1/8"	3"	7 5/8"	4 19/32"	3 15/32"			
UTILITY	3 5/8"	11 17/32"	3 5/8"	9 9/32"	1 1/8"	3"	9 5/8"	4 19/32"	3 15/32"			



#### **Bullnose Ogee Wall Cap Diagram**









on one side

**SIDE VIEW** 

**FRONT VIEW** 



**ISO VIEW** 






#### **Rowlock Wall Caps - Cove Ogee**

**Table of Contents** 


Wall Cap Gallery

#### **RWC-06-1 Wall Cap**




RWC-06-1		ROWLOCK WALL CAP - COVE OGEE									
	Α	В	С	D	Е	F	G				
MODULAR	3 5/8"	7 5/8"	2 1/4"	1 7/8"	3/4"	1 5/16"	1 9/16"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	5 7/8"	3/4"	1 5/16"	1 9/16"				
QUEEN	2 5/8"	7 5/8"	2 5/8"	3 1/2"	9/16"	15/16"	1 1/8"				
KING	2 5/8"	9 5/8"	2 5/8"	5 1/2"	9/16"	15/16"	1 1/8"				
ESTATE	2 5/8"	9 5/8"	3 5/8"	5 1/2"	9/16"	15/16"	1 1/8"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 7/8"	3/4"	1 5/16"	1 9/16"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 7/8"	3/4"	1 5/16"	1 9/16"				


#### RWC-06-2 End



RWC-06-2		ROWLOCK WALL CAP - COVE OGEE - END									
	Α	В	С	D	Е	F	G	Н			
MODULAR	3 5/8"	7 5/8"	3 5/8"	1 7/8"	3/4"	1 5/16"	1 9/16"	3/4"			
NORMAN	3 5/8"	11 5/8"	3 5/8"	5 7/8"	3/4"	1 5/16"	1 9/16"	3/4"			
QUEEN	2 5/8"	7 5/8"	3 5/8"	3 1/2"	9/16"	15/16"	1 1/8"	1 9/16"			
KING	2 5/8"	9 5/8"	3 5/8"	5 1/2"	9/16"	15/16"	1 1/8"	1 9/16"			
ESTATE	2 5/8"	9 5/8"	3 5/8"	5 1/2"	9/16"	15/16"	1 1/8"	1 9/16"			
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 7/8"	3/4"	1 5/16"	1 9/16"	3/4"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 7/8"	3/4"	1 5/16"	1 9/16"	3/4"			

#### **Cove Ogee Wall Cap Diagram**







## **Rowlock Wall Caps - Cove Ogee**


**Table of Contents** 

Wall Cap Gallery

## **Other Cove Ogee Wall Cap Options**










#### **Rowlock Wall Caps - Crown Ogee**

Table of Contents

Wall Cap Gallery


#### **RWC-07-1 Wall Cap**




RWC-07-1		ROWLOCK WALL CAP - CROWN OGEE										
	Α	В	С	D	Е	F	G	Н				
MODULAR	3 5/8"	11 5/8"	2 1/4"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"				
NORMAN	3 5/8"	11 5/8"	2 1/4"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"				
QUEEN	2 5/8"	11 13/16"	2 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"				
KING	2 5/8"	11 13/16"	2 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"				
ESTATE	2 5/8"	11 13/16"	3 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"				
CLOSURE	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"				


#### **RWC-07-2 End**


RWC-07-2		ROWLOCK WALL CAP - CROWN OGEE - END										
	Α	В	С	D	E	F	G	Н	I	J		
MODULAR	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"	5 5/8"	4 11/16"		
NORMAN	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"	5 5/8"	4 11/16"		
QUEEN	2 5/8"	11 13/16"	3 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"	5 1/2"	4 27/32"		
KING	2 5/8"	11 13/16"	3 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"	5 1/2"	4 27/32"		
ESTATE	2 5/8"	11 13/16"	3 5/8"	10 1/16"	13/32"	11/16"	1 3/8"	7 5/8"	5 1/2"	4 27/32"		
CLOSURE	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"	5 5/8"	4 11/16"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	9 25/32"	9/16"	15/16"	1 1/2"	7 5/8"	5 5/8"	4 11/16"		



#### **Crown Ogee Wall Cap Diagram**







**ISO VIEW** 

**FRONT VIEW** 

**SIDE VIEW** 




#### **Rowlock Wall Caps - Bullnose Flat**

Table of Contents


Wall Cap Gallery

#### RWC-08-1 Wall Cap




RWC-08-1	RC	ROWLOCK WALL CAP - BULLNOSE FLAT									
	Α	В	C	D	Е	F					
MODULAR	3 5/8"	7 5/8"	2 1/4"	1 5/8"	5/8"	3"					
NORMAN	3 5/8"	11 5/8"	2 1/4"	5 5/8"	5/8"	3"					
QUEEN	2 5/8"	7 5/8"	2 5/8"	3 9/32"	7/16"	2 3/16"					
KING	2 5/8"	9 5/8"	2 5/8"	5 9/32"	7/16"	2 3/16"					
ESTATE	2 5/8"	9 5/8"	3 5/8"	5 9/32"	7/16"	2 3/16"					
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 5/8"	5/8"	3"					
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 5/8"	5/8"	3"					


#### RWC-08-2 End



RWC-08-2	R	ROWLOCK WALL CAP - BULLNOSE FLAT - END							
	Α	A B C D E					G		
MODULAR	3 5/8"	7 5/8"	2 1/4"	1 5/8"	5/8"	3"	5/8"		
NORMAN	3 5/8"	11 5/8"	2 1/4"	5 5/8"	5/8"	3"	5/8"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	3 9/32"	7/16"	2 3/16"	7/16"		
KING	2 5/8"	9 5/8"	2 5/8"	5 9/32"	7/16"	2 3/16"	7/16"		
ESTATE	2 5/8"	9 5/8"	3 5/8"	5 9/32"	7/16"	2 3/16"	7/16"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	1 5/8"	5/8"	3"	5/8"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	5 5/8"	5/8"	3"	5/8"		

#### **Bullnose Flat Wall Cap Diagram**







## **Rowlock Wall Caps - Bullnose Flat**


Table of Contents

Wall Cap Gallery

#### **Other Bullnose Flat Wall Cap Options**










#### **Rowlock Wall Caps - Full Bulinose**

Table of Contents

Wall Cap Gallery


#### RWC-09-1 Wall Cap




RWC-09-1	R	ROWLOCK WALL CAP - FULL BULLNOSE							
	Α	В	С	D	Е	F			
MODULAR	3 5/8"	10 21/32"	2 1/4"	7 5/8"	5/8"	1 1/2"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	8 19/32"	5/8"	1 1/2"			
QUEEN	2 5/8"	9 13/16"	2 5/8"	7 5/8"	7/16"	1 3/32"			
KING	2 5/8"	11 5/8"	2 5/8"	9 7/16"	7/16"	1 3/32"			
ESTATE	2 5/8"	11 5/8"	3 5/8"	9 7/16"	7/16"	1 3/32"			
CLOSURE	3 5/8"	10 21/32"	3 5/8"	7 5/8"	5/8"	1 1/2"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 19/32"	5/8"	1 1/2"			


#### **RWC-09-2 End**


RWC-09-2		ROWLOCK WALL CAP - FULL BULLNOSE - END								
	Α	В	С	D	Е	F	G	Н		
MODULAR	3 5/8"	10 21/32"	3 5/8"	7 5/8"	5/8"	1 1/2"	5 1/8"	3 5/8"		
NORMAN	3 5/8"	11 5/8"	3 5/8"	8 19/32"	5/8"	1 1/2"	5 1/8"	3 5/8"		
QUEEN	2 5/8"	9 13/16"	3 5/8"	7 5/8"	7/16"	1 3/32"	4 23/32"	3 5/8"		
KING	2 5/8"	11 5/8"	3 5/8"	9 7/16"	7/16"	1 3/32"	4 23/32"	3 5/8"		
ESTATE	2 5/8"	11 5/8"	3 5/8"	9 7/16"	7/16"	1 3/32"	4 23/32"	3 5/8"		
CLOSURE	3 5/8"	10 21/32"	3 5/8"	7 5/8"	5/8"	1 1/2"	5 1/8"	3 5/8"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	8 19/32"	5/8"	1 1/2"	5 1/8"	3 5/8"		



#### Full Bullnose Wall Cap Diagram







**ISO VIEW** 

**SIDE VIEW** 

**FRONT VIEW** 




#### **Rowlock Wall Caps - Coping**

Table of Contents


Wall Cap Gallery

#### **RWC-10-1 Wall Cap**




RWC-10-1	ROWLOCK WALL CAP - COPING							
	Α	В	С	D	E			
MODULAR	3 5/8"	11 5/8"	2 1/4"	8"	1 13/16"			
NORMAN	3 5/8"	11 5/8"	2 1/4"	8"	1 13/16"			
QUEEN	2 5/8"	11 5/8"	2 5/8"	9"	1 5/16"			
KING	2 5/8"	11 5/8"	2 5/8"	9"	1 5/16"			
ESTATE	2 5/8"	11 5/8"	3 5/8"	9"	1 5/16"			
CLOSURE	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"			
UTILITY	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"			


#### **RWC-10-2 End**




	RWC-10-2		ROWLOCK WALL CAP - COPING - END						
		Α	В	C	D	Е	F		
	MODULAR	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"	5 7/16"		
	NORMAN	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"	5 7/16"		
ŧ	QUEEN	2 5/8"	11 5/8"	3 5/8"	9"	1 5/16"	4 15/16"		
	KING	2 5/8"	11 5/8"	3 5/8"	9"	1 5/16"	4 15/16"		
	ESTATE	2 5/8"	11 5/8"	3 5/8"	9"	1 5/16"	4 15/16"		
	CLOSURE	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"	5 7/16"		
	UTILITY	3 5/8"	11 5/8"	3 5/8"	8"	1 13/16"	5 7/16"		

#### **Sloped Wall Cap Diagram**







**SIDE VIEW** 

**FRONT VIEW** 


**ISO VIEW** 

## **Soldiers**


Table of Contents



SDR-01-1 Soldier - Sloped



SDR-01-2 Soldier - Sloped -**Outside Corner** 



SDR-01-3 Soldier - Sloped -Inside Corner




SDR-02-1 Soldier - Bullnose



SDR-02-2 Soldier - Bullnose -**Outside Corner** 




SDR-02-3 Soldier - Bullnose -Inside Corner




**SDR-03-1** Soldier - Cove




SDR-03-2 Soldier - Cove -**Outside Corner** 



SDR-03-3 Soldier - Cove -Inside Corner



SDR-04-1 Soldier - Ogee



SDR-04-2 Soldier - Ogee -Outside Corner




Soldier - Ogee -Inside Corner



SDR-05-1 Soldier - Bullnose Ogee



SDR-05-2 Soldier - Bullnose Ogee -**Outside Corner** 



SDR-05-3 Soldier - Bullnose Ogee -Inside Corner

## **Soldiers**


**Table of Contents** 



SDR-06-1 Soldier - Cove Ogee



SDR-06-2 Soldier - Cove Ogee -**Outside Corner** 



SDR-06-3 Soldier - Cove Ogee -Inside Corner



SDR-07-1 Soldier - Crown Ogee




**SDR-07-2** Soldier - Crown Ogee -Outside Corner




**SDR-07-3** Soldier - Crown Ogee -Inside Corner



**SDR-08-1** Soldier - Bullnose Flat



SDR-08-2 Soldier - Bullnose Flat -**Outside Corner** 



**SDR-08-3** Soldier - Bullnose Flat -Inside Corner



SDR-09-1 Soldier - Full Bullnose



SDR-09-2 Soldier - Full Bullnose -**Outside Corner** 



SDR-09-3 Soldier - Full Bullnose -Inside Corner

SDR-09 Full Bullnose soldiers can be used to match Profile 10 Coping shapes.




Soldier Gallery

## Soldiers - Sloped


Table of Contents

Soldier Gallery


#### **SDR-01-1 Soldier**



## SDR-01-2 Outside Corner



**SDR-01-3 Inside Corner** 




SDR-01-1	SOLDIER - SLOPED						
	Α	В	C	D	Е		
MODULAR	7 5/8"	3 5/8"	2 1/4"	5 1/4"	1 1/4"		
NORMAN	11 5/8"	3 5/8"	2 1/4"	9 1/4"	1 1/4"		
QUEEN	7 5/8"	2 5/8"	2 5/8"	5 13/16"	13/16"		
KING	9 5/8"	2 5/8"	2 5/8"	7 13/16"	13/16"		
ESTATE	9 5/8"	2 5/8"	3 5/8"	7 13/16"	13/16"		
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 1/4"	1 1/4"		
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 1/4"	1 1/4"		

SDR-01-2	SOLI	SOLDIER - SLOPED - OUTSIDE CORNER						
	Α	В	С	D	Е			
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 1/4"	1 1/4"			
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 1/4"	1 1/4"			
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 13/16"	1 13/16"			
KING	9 5/8"	3 5/8"	3 5/8"	7 13/16"	1 13/16"			
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 13/16"	1 13/16"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 1/4"	1 1/4"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 1/4"	1 1/4"			

SDR-01-3	SOI	SOLDIER - SLOPED - INSIDE CORNER						
	Α	A B C D E						
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 1/4"	1 1/4"			
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 1/4"	1 1/4"			
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 13/16"	1 13/16"			
KING	9 5/8"	3 5/8"	3 5/8"	7 13/16"	1 13/16"			
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 13/16"	1 13/16"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 1/4"	1 1/4"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 1/4"	1 1/4"			

## **Soldier Course Diagram**



FRONT VIEW

**ISO VIEW** 




Soldier Gallery

## Soldiers - Bullnose

Table of Contents


Soldier Gallery

#### SDR-02-1 Soldier





SDR-02-1	SOLDIER - BULLNOSE							
	Α	В	С	D	E			
MODULAR	7 5/8"	3 5/8"	2 1/4"	4 13/32"	3 7/32"			
NORMAN	11 5/8"	3 5/8"	2 1/4"	8 13/32"	3 7/32"			
QUEEN	7 5/8"	2 5/8"	2 5/8"	5 1/4"	2 3/8"			
KING	9 5/8"	2 5/8"	2 5/8"	7 1/4"	2 3/8"			
ESTATE	9 5/8"	2 5/8"	3 5/8"	7 1/4"	2 3/8"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 13/32"	3 7/32"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 13/32"	3 7/32"			

## Soldier Course Diagram




**TOP VIEW** 






**SDR-02-2 Outside Corner** 



SDR-02-2	11 5/8"     3 5/8"     3 5/8"     8 13/32"     3 7/3       7 5/8"     3 5/8"     3 5/8"     5 1/4"     2 3/8       9 5/8"     3 5/8"     7 1/4"     2 3/8			RNER	
	Α	В	C	D	Е
MODULAR	7 5/8"	3 5/8"	3 5/8"	4 13/32"	3 7/32"
NORMAN	11 5/8"	3 5/8"	3 5/8"	8 13/32"	3 7/32"
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 1/4"	2 3/8"
KING	9 5/8"	3 5/8"	3 5/8"	7 1/4"	2 3/8"
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 1/4"	2 3/8"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 13/32"	3 7/32"
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 13/32"	3 7/32"

**SDR-02-3 Inside Corner** 



SDR-02-3	SOLDIER - BULLNOSE - INSIDE CORNER						
	Α	В	C	D	Е		
MODULAR	7 5/8"	3 5/8"	3 5/8"	4 13/32"	3 7/32"		
NORMAN	11 5/8"	3 5/8"	3 5/8"	8 13/32"	3 7/32"		
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 1/4"	2 3/8"		
KING	9 5/8"	3 5/8"	3 5/8"	7 1/4"	2 3/8"		
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 1/4"	2 3/8"		
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 13/32"	3 7/32"		
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 13/32"	3 7/32"		




FRONT VIEW

**ISO VIEW** 




Soldier Gallery


#### SDR-03-1 Soldier



#### **SDR-03-2 Outside Corner**



#### **SDR-03-3 Inside Corner**




SDR-03-1		SOLDIER - COVE							
	Α	A B C D E							
MODULAR	7 5/8"	3 5/8"	2 1/4"	5 7/32"	1 7/32"	2 13/32"			
NORMAN	11 5/8"	3 5/8"	2 1/4"	9 7/32"	1 7/32"	2 13/32"			
QUEEN	7 5/8"	2 5/8"	2 5/8"	5 7/8"	7/8"	1 3/4"			
KING	9 5/8"	2 5/8"	2 5/8"	7 7/8"	7/8"	1 3/4"			
ESTATE	9 5/8"	2 5/8"	3 5/8"	7 7/8"	7/8"	1 3/4"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"			

SDR-03-2		SOLDIE	R - COVE -	OUTSIDE	CORNER	
	Α	E	F			
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 7/8"	1 7/8"	1 3/4"
KING	9 5/8"	3 5/8"	3 5/8"	7 7/8"	1 7/8"	1 3/4"
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 7/8"	1 7/8"	1 3/4"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"

SDR-03-3		SOLDIE	R - COVE	- INSIDE C	ORNER	
	Α	A B C D				
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 7/8"	1 7/8"	1 3/4"
KING	9 5/8"	3 5/8"	3 5/8"	7 7/8"	1 7/8"	1 3/4"
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 7/8"	1 7/8"	1 3/4"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 7/32"	1 7/32"	2 13/32"
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 7/32"	1 7/32"	2 13/32"

Table of Contents


Soldier Gallery






Soldier Gallery

#### SDR-04-1 Soldier




SDR-04-1		SO	LDIER - OC	SEE	
	Α	В	C	D	Е
MODULAR	7 5/8"	3 5/8"	2 1/4"	5 3/8"	2"
NORMAN	11 5/8"	3 5/8"	2 1/4"	9 3/8"	2"
QUEEN	7 5/8"	2 5/8"	2 5/8"	6"	1 7/16"
KING	9 5/8"	2 5/8"	2 5/8"	8"	1 7/16"
ESTATE	9 5/8"	2 5/8"	3 5/8"	8"	1 7/16"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 3/8"	2"
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 3/8"	2"

#### **SDR-04-2 Outside Corner**



SDR-04-2	SO	SOLDIER - OGEE - OUTSIDE CORNER									
	Α	В	D	Е							
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 3/8"	2"						
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 3/8"	2"						
QUEEN	7 5/8"	3 5/8"	3 5/8"	6"	1 7/16"						
KING	9 5/8"	3 5/8"	3 5/8"	8"	1 7/16"						
ESTATE	9 5/8"	3 5/8"	3 5/8"	8"	1 7/16"						
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 3/8"	2"						
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 3/8"	2"						

#### **SDR-04-3 Inside Corner**




SDR-04-3	SC	SOLDIER - OGEE - INSIDE CORNER								
	Α	В	С	D	E					
MODULAR	7 5/8"	3 5/8"	3 5/8"	5 3/8"	2"					
NORMAN	11 5/8"	3 5/8"	3 5/8"	9 3/8"	2"					
QUEEN	7 5/8"	3 5/8"	3 5/8"	6"	1 7/16"					
KING	9 5/8"	3 5/8"	3 5/8"	8"	1 7/16"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	8"	1 7/16"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	5 3/8"	2"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	9 3/8"	2"					



Table of Contents

Soldier Gallery






## Soldiers - Bullnose Ogee


Table of Contents

Soldier Gallery


#### SDR-05-1 Soldier



#### **SDR-05-2 Outside Corner**



#### **SDR-05-3 Inside Corner**



SDR-05-1	SOLDIER - BULLNOSE OGEE										
	Α	В	С	D	E	F	G				
MODULAR	7 5/8"	3 5/8"	2 1/4"	4"	1 1/8"	3"	2 21/32"				
NORMAN	11 5/8"	3 5/8"	2 1/4"	8"	1 1/8"	3"	2 21/32"				
QUEEN	7 5/8"	2 5/8"	2 5/8"	5"	13/16"	2 3/16"	1 15/16"				
KING	9 5/8"	2 5/8"	2 5/8"	7"	13/16"	2 3/16"	1 15/16"				
ESTATE	9 5/8"	2 5/8"	3 5/8"	7"	13/16"	2 3/16"	1 15/16"				
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	1 1/8"	3"	2 21/32"				
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	1 1/8"	3"	2 21/32"				


SDR-05-2	9	SOLDIER - BULLNOSE OGEE - OUTSIDE CORNER										
	Α	В	С	D	E	F	G					
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	1 1/8"	3"	2 21/32"					
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	1 1/8"	3"	2 21/32"					
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	13/16"	2 3/16"	2 15/16"					
KING	9 5/8"	3 5/8"	3 5/8"	7"	13/16"	2 3/16"	2 15/16"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	13/16"	2 3/16"	2 15/16"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	1 1/8"	3"	2 21/32"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	1 1/8"	3"	2 21/32"					

SDR-05-3		SOLDIER - BULLNOSE OGEE - INSIDE CORNER										
	Α	A B C D E F G										
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	1 1/8"	3"	2 21/32"					
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	1 1/8"	3"	2 21/32"					
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	13/16"	2 3/16"	2 15/16"					
KING	9 5/8"	3 5/8"	3 5/8"	7"	13/16"	2 3/16"	2 15/16"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	13/16"	2 3/16"	2 15/16"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	1 1/8"	3"	2 21/32"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	1 1/8"	3"	2 21/32"					



**Table of Contents** 


Soldier Gallery






Soldier Gallery

#### SDR-06-1 Soldier




SDR-06-1		SOLDIER - COVE OGEE										
	Α	В	С	D	E	F	G	Н				
MODULAR	7 5/8"	3 5/8"	2 1/4"	4"	3/4"	1 5/16"	1 9/16"	3/4"				
NORMAN	11 5/8"	3 5/8"	2 1/4"	8"	3/4"	1 5/16"	1 9/16"	3/4"				
QUEEN	7 5/8"	2 5/8"	2 5/8"	5"	9/16"	15/16"	1 1/8"	9/16"				
KING	9 5/8"	2 5/8"	2 5/8"	7"	9/16"	15/16"	1 1/8"	9/16"				
ESTATE	9 5/8"	2 5/8"	3 5/8"	7"	9/16"	15/16"	1 1/8"	9/16"				
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	3/4"	1 5/16"	1 9/16"	3/4"				
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	3/4"	1 5/16"	1 9/16"	3/4"				

#### **SDR-06-2 Outside Corner**



SDR-06-2		SOLDIER - COVE OGEE - OUTSIDE CORNER									
	Α	A B C D E F G									
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	3/4"	1 5/16"	1 9/16"	3/4"			
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	3/4"	1 5/16"	1 9/16"	3/4"			
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	9/16"	15/16"	1 1/8"	1 9/16"			
KING	9 5/8"	3 5/8"	3 5/8"	7"	9/16"	15/16"	1 1/8"	1 9/16"			
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	9/16"	15/16"	1 1/8"	1 9/16"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	3/4"	1 5/16"	1 9/16"	3/4"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	3/4"	1 5/16"	1 9/16"	3/4"			

#### **SDR-06-3 Inside Corner**




	1									
SDR-06-3		SOLDIER - COVE OGEE - INSIDE CORNER								
	Α	В	С	D	E	F	G	Н		
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	3/4"	1 5/16"	1 9/16"	3/4"		
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	3/4"	1 5/16"	1 9/16"	3/4"		
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	9/16"	15/16"	1 1/8"	1 9/16"		
KING	9 5/8"	3 5/8"	3 5/8"	7"	9/16"	15/16"	1 1/8"	1 9/16"		
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	9/16"	15/16"	1 1/8"	1 9/16"		
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	3/4"	1 5/16"	1 9/16"	3/4"		
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	3/4"	1 5/16"	1 9/16"	3/4"		



**Table of Contents** 

Soldier Gallery






#### **Soldiers - Crown Ogee**

Table of Contents


Soldier Gallery

#### **SDR-07-1 Soldier**




SDR-07-1		SOLDIER - CROWN OGEE									
	Α	В	С	D	E	F	G	Н			
MODULAR	7 5/8"	3 5/8"	2 1/4"	4"	9/16"	15/16"	1 1/2"	1 5/8"			
NORMAN	11 5/8"	3 5/8"	2 1/4"	8"	9/16"	15/16"	1 1/2"	1 5/8"			
QUEEN	7 5/8"	3 5/8"	2 5/8"	5"	13/32"	11/16"	1 3/32"	2 3/16"			
KING	9 5/8"	3 5/8"	2 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"			
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"			
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	9/16"	15/16"	1 1/2"	1 5/8"			
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	9/16"	15/16"	1 1/2"	1 5/8"			

#### **SDR-07-2 Outside Corner**



SDR-07-2	SOLD	IER - CRC	WN OGE	E - OU	TSIDE CC	RNER		
	Α	В	С	D	E	F	G	Н
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	9/16"	15/16"	1 1/2"	1 5/8"
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	9/16"	15/16"	1 1/2"	1 5/8"
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	13/32"	11/16"	1 3/32"	2 3/16"
KING	9 5/8"	3 5/8"	3 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	9/16"	15/16"	1 1/2"	1 5/8"
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	9/16"	15/16"	1 1/2"	1 5/8"

#### **SDR-07-3 Inside Corner**




SDR-07-3	SOLI	DIER - CR	OWN OG	EE - IN	SIDE COF	RNER		
	Α	В	С	D	E	F	G	Н
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	9/16"	15/16"	1 1/2"	1 5/8"
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	9/16"	15/16"	1 1/2"	1 5/8"
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	13/32"	11/16"	1 3/32"	2 3/16"
KING	9 5/8"	3 5/8"	3 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	13/32"	11/16"	1 3/32"	2 3/16"
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	9/16"	15/16"	1 1/2"	1 5/8"
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	9/16"	15/16"	1 1/2"	1 5/8"



Table of Contents

Soldier Gallery






## **Soldiers - Bullnose Flat**


Table of Contents

Soldier Gallery


#### SDR-08-1 Soldier



#### **SDR-08-2 Outside Corner**



**SDR-08-3 Inside Corner** 



SDR-08-1		SOLDIER - BULLNOSE FLAT									
	Α	В	С	D	Е	F	G				
MODULAR	7 5/8"	3 5/8"	2 1/4"	4"	5/8"	3"	5/8"				
NORMAN	11 5/8"	3 5/8"	2 1/4"	8"	5/8"	3"	5/8"				
QUEEN	7 5/8"	2 5/8"	2 5/8"	5"	7/16"	2 3/16"	7/16"				
KING	9 5/8"	2 5/8"	2 5/8"	7"	7/16"	2 3/16"	7/16"				
ESTATE	9 5/8"	2 5/8"	3 5/8"	7"	7/16"	2 3/16"	7/16"				
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	5/8"	3"	5/8"				
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	5/8"	3"	5/8"				


SDR-08-2	!	SOLDIER - BULLNOSE FLAT - OUTSIDE CORNER									
	Α	В	С	D	Е	F	G				
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	5/8"	3"	5/8"				
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	5/8"	3"	5/8"				
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	7/16"	2 3/16"	1 7/16"				
KING	9 5/8"	3 5/8"	3 5/8"	7"	7/16"	2 3/16"	1 7/16"				
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	7/16"	2 3/16"	1 7/16"				
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	5/8"	3"	5/8"				
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	5/8"	3"	5/8"				

SDR-08-3		SOLDIER - BULLNOSE FLAT - INSIDE CORNER									
	Α	В	С	D	Е	F	G				
MODULAR	7 5/8"	3 5/8"	3 5/8"	4"	5/8"	3"	5/8"				
NORMAN	11 5/8"	3 5/8"	3 5/8"	8"	5/8"	3"	5/8"				
QUEEN	7 5/8"	3 5/8"	3 5/8"	5"	7/16"	2 3/16"	1 7/16"				
KING	9 5/8"	3 5/8"	3 5/8"	7"	7/16"	2 3/16"	1 7/16"				
ESTATE	9 5/8"	3 5/8"	3 5/8"	7"	7/16"	2 3/16"	1 7/16"				
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4"	5/8"	3"	5/8"				
UTILITY	11 5/8"	3 5/8"	3 5/8"	8"	5/8"	3"	5/8"				



**Table of Contents** 


Soldier Gallery






Soldier Gallery


#### SDR-09-1 Soldier



## SDR-09-2 Outside Corner



#### **SDR-09-3 Inside Corner**




SDR-09-1		SOLDIER - FULL BULLNOSE									
	Α	В	С	D	E	F					
MODULAR	7 5/8"	3 5/8"	2 1/4"	4 5/8"	1 1/2"	2 1/8"					
NORMAN	11 5/8"	3 5/8"	2 1/4"	8 5/8"	1 1/2"	2 1/8"					
QUEEN	7 5/8"	3 5/8"	2 5/8"	5 7/16"	1 3/32"	2 17/32"					
KING	9 5/8"	3 5/8"	2 5/8"	5 7/16"	1 3/32"	2 17/32"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	5 7/16"	1 3/32"	2 17/32"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 5/8"	1 1/2"	2 1/8"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 5/8"	1 1/2"	2 1/8"					

SDR-09-2	SOL	SOLDIER - FULL BULLNOSE - OUTSIDE CORNER									
	Α	В	С	D	E	F					
MODULAR	7 5/8"	3 5/8"	3 5/8"	4 5/8"	1 1/2"	2 1/8"					
NORMAN	11 5/8"	3 5/8"	3 5/8"	8 5/8"	1 1/2"	2 1/8"					
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 7/16"	1 3/32"	2 17/32"					
KING	9 5/8"	3 5/8"	3 5/8"	7 7/16"	1 3/32"	2 17/32"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 7/16"	1 3/32"	2 17/32"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 5/8"	1 1/2"	2 1/8"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 5/8"	1 1/2"	2 1/8"					

SDR-09-3	SC	SOLDIER - FULL BULLNOSE - INSIDE CORNER									
	Α	В	С	D	E	F					
MODULAR	7 5/8"	3 5/8"	3 5/8"	4 5/8"	1 1/2"	2 1/8"					
NORMAN	11 5/8"	3 5/8"	3 5/8"	8 5/8"	1 1/2"	2 1/8"					
QUEEN	7 5/8"	3 5/8"	3 5/8"	5 7/16"	1 3/32"	2 17/32"					
KING	9 5/8"	3 5/8"	3 5/8"	7 7/16"	1 3/32"	2 17/32"					
ESTATE	9 5/8"	3 5/8"	3 5/8"	7 7/16"	1 3/32"	2 17/32"					
CLOSURE	7 5/8"	3 5/8"	3 5/8"	4 5/8"	1 1/2"	2 1/8"					
UTILITY	11 5/8"	3 5/8"	3 5/8"	8 5/8"	1 1/2"	2 1/8"					

Table of Contents

Soldier Gallery




Copings


Table of Contents


Rowlock and watertable shapes are identical to the shapes sometimes referred to as "pool coping". Rather than list these shapes again with different ordering numbers, we instead present diagrams here, as examples of how to shapes in these applications. Simply order more of the desired shape for any coping use.


## **Coping Diagrams**

\*Corner treatment as desired













#### \*Corner treatment as desired





\*Corner treatment as desired








#### **Treads**


Watertable shapes are identical to the shapes classified as stair treads. Rather than list these shapes again with different ordering numbers, we instead present diagrams of how to use the watertable shapes as treads. Simply order more of the desired watertable shape for any tread use. Please note that building codes may require certain parameters for stairs. Be sure to follow all local codes.

Tread Diagrams










#### **Example Wall Diagram**

Table of Contents

#### **Example Wall Diagram**


**Table of Contents** 

#### **Same Profile**



#### **Different Profiles**


Here is an example of what it looks like when when you use multiple profiles and shapes, in this case Profiles:




#### **Corners - External Short**




## **Corners**




CNR-01-1 Corner -**External Short** 




CNR-01-2 Corner -External Long



CNR-01-3 Corner - Internal



CNR-01-4 Corner - Hinge Brick



CNR-02-1 Corner - Soldier



CNR-02-2 Corner - External Soldier



CNR-02-3 Corner - Internal Soldier


#### external corners



hinge brick as 90° corner




#### **CNR-01-1 Corner - External Short**



CNR-01-1			CORNER	- EXTERN	AL SHORT	Γ
	Α	В	С	D	E	F
MODULAR	2 1/4"	Varies	3 5/8"	6"	2"	Degree of Corner
NORMAN	2 1/4"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner
QUEEN	2 5/8"	Varies	2 5/8"	6"	2"	Degree of Corner
KING	2 5/8"	Varies	2 5/8"	5 7/8"	2 3/4"	Degree of Corner
ESTATE	3 5/8"	Varies	2 5/8"	5 7/8"	2 3/4"	Degree of Corner
CLOSURE	3 5/8"	Varies	3 5/8"	6"	2"	Degree of Corner
UTILITY	3 5/8"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner

If the Dimension "B" is over 11 5/8" then the two leg Dimension "D" & "E" will have to be shortened. Dimension "F" is rounded to the nearest whole degree.



**ISO VIEW** 

#### **Corners - External Long**

Table of Contents


Corner Gallery

#### **Corners - Internal**

**Table of Contents** 


**Corner Gallery** 

#### **CNR-01-2 Corner - External Long**



CNR-01-2		(	CORNER	- EXTERI	NAL LON	G
	Α	В	С	D	Е	F
MODULAR	2 1/4"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner
NORMAN	2 1/4"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner
QUEEN	2 5/8"	Varies	2 5/8"	6 3/4"	2 3/4"	Degree of Corner
KING	2 5/8"	Varies	2 5/8"	9 5/8"	2 3/4"	Degree of Corner
ESTATE	3 5/8"	Varies	2 5/8"	9 5/8"	2 3/4"	Degree of Corner
CLOSURE	3 5/8"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner
UTILITY	3 5/8"	Varies	3 5/8"	7 5/8"	3 5/8"	Degree of Corner


If the Dimension "B" is over 11 5/8" then the two leg Dimension "D" & "E" will have to be shortened. Dimension "F" is rounded to the nearest whole degree.




**CNR-01-3 Corner - Internal** 

CNR-01-3		CORNER - INTERNAL									
	Α	В	С	D	E	F					
MODULAR	2 1/4"	Varies	3 5/8"	6"	2"	Degree of Corner					
NORMAN	2 1/4"	Varies	3 5/8"	6"	2"	Degree of Corner					
QUEEN	2 5/8"	Varies	2 5/8"	6"	2"	Degree of Corner					
KING	2 5/8"	Varies	2 5/8"	5 7/8"	2 3/4"	Degree of Corner					
ESTATE	3 5/8"	Varies	2 5/8"	5 7/8"	2 3/4"	Degree of Corner					
CLOSURE	3 5/8"	Varies	3 5/8"	6"	2"	Degree of Corner					
UTILITY	3 5/8"	Varies	3 5/8"	6"	2"	Degree of Corner					


If the Dimension "B" is over 11 5/8" then the two leg Dimension "D" & "E" will have to be shortened. Dimension "F" is rounded to the nearest whole degree.



**FRONT VIEW** 



**ISO VIEW** 




**ISO VIEW** 

#### **Corners - Hinge Brick**


Table of Contents


**Corner Gallery** 

#### **CNR-01-4 Corner - Hinge Brick**




CNR-01-4	CORNERS - HINGE BRICK									
	Α	В	С	D	Е	F				
MODULAR	2 1/4"	7 5/8"	3 5/8"	3 5/8"	3 5/8"	1 13/16"				
NORMAN	2 1/4"	11 5/8"	3 5/8"	7 5/8"	3 5/8"	1 13/16"				
QUEEN	2 5/8"	6 5/8"	2 5/8"	3 5/8"	2 5/8"	1 5/16"				
KING	2 5/8"	9 1/2"	2 5/8"	6 1/2"	2 5/8"	1 5/16"				
ESTATE	3 5/8"	9 1/2"	2 5/8"	6 1/2"	2 5/8"	1 5/16"				
CLOSURE	3 5/8"	7 5/8"	3 5/8"	3 5/8"	3 5/8"	1 13/16"				
UTILITY	3 5/8"	11 5/8"	3 5/8"	7 5/8"	3 5/8"	1 13/16"				





**FRONT VIEW** 




#### **Corners - Hinge Brick**

Table of Contents

Corner Gallery

#### **Other Hinge Brick Diagrams**




#### **Corners - Soldiers**

Table of Contents


Corner Gallery

#### **CNR-02-1 Corner - Soldier**



CNR-02-1	CORNERS - SOLDIER				
	Α	В	С		
MODULAR	7 5/8"	2 1/4"	2 1/4"		
NORMAN	11 5/8"	2 1/4"	2 1/4"		
QUEEN	7 5/8"	2 5/8"	2 5/8"		
KING	9 5/8"	2 5/8"	2 5/8"		
ESTATE	9 5/8"	3 5/8"	3 5/8"		
CLOSURE	7 5/8"	3 5/8"	3 5/8"		
UTILITY	11 5/8"	3 5/8"	3 5/8"		
UTILITY	11 5/8"	3 5/8"	3 5/8		


#### **CNR-02-2 Corner - External Soldier**



CNR-02-2	CORNERS - EXTERNAL SOLDIER						
	Α	В	С	D	E		
MODULAR	7 5/8"	3 5/8"	Varies	2 1/4"	Degree of Corner		
NORMAN	11 5/8"	3 5/8"	Varies	2 1/4"	Degree of Corner		
QUEEN	7 5/8"	2 5/8"	Varies	2 5/8"	Degree of Corner		
KING	9 5/8"	2 5/8"	Varies	2 5/8"	Degree of Corner		
ESTATE	9 5/8"	2 5/8"	Varies	3 5/8"	Degree of Corner		
CLOSURE	7 5/8"	3 5/8"	Varies	3 5/8"	Degree of Corner		
UTILITY	11 5/8"	3 5/8"	Varies	3 5/8"	Degree of Corner		

Dimension "E" is rounded to the nearest whole degree.

#### **CNR-02-3 Corner - Internal Soldier**



CNR-02-3		CORNERS - INTERNAL SOLDIER					
	Α	В	С	D	E		
MODULAR	7 5/8"	2 1/4"	3 5/8"	Varies	Degree of Corner		
NORMAN	11 5/8"	2 1/4"	3 5/8"	Varies	Degree of Corner		
QUEEN	7 5/8"	2 5/8"	2 5/8"	Varies	Degree of Corner		
KING	9 5/8"	2 5/8"	2 5/8"	Varies	Degree of Corner		
ESTATE	9 5/8"	3 5/8"	2 5/8"	Varies	Degree of Corner		
CLOSURE	7 5/8"	3 5/8"	3 5/8"	Varies	Degree of Corner		
UTILITY	11 5/8"	3 5/8"	3 5/8"	Varies	Degree of Corner		


Dimension "E" is rounded to the nearest whole degree.

#### **Corners - Soldiers**

Table of Contents

Corner Gallery


#### **Soldier Corner Diagrams**





TOPVIEW


**FRONT VIEW** 

Two corner options shown here. On the left it is one corner shape with two field cut face brick. On the right three corners shapes are used with no field cuts needed.









#### **Shelf Angles**

Shelf Angle Gallery

## **Shelf Angles**



**SHA-01-1** Shelf Angle - Stretcher



**SHA-01-2** Shelf Angle - Stretcher - Corner Left




**SHA-01-3** Shelf Angle - Stretcher - Corner Right



indicates bottom of shape




**SHA-02-1** Shelf Angle - Soldier



**SHA-02-2** Shelf Angle - Soldier - Corner




**SHA-03-1** Shelf Angle - Rowlock




**SHA-03-2** Shelf Angle - Rowlock - Corner


## **Radial Brick**




**RAD-01-1** Outside Radial Stretcher




**RAD-01-2** Outside Radial Starter



**RAD-02-1** Inside Radial Stretcher




**RAD-02-2** Inside Radial Starter




radial brick columns

#### SHA-01-1 Shelf Angle - Stretcher




SHA-01-1		SHELF ANGLE - STRETCHER					
	А	В	D	E			
MODULAR	2 1/4"	7 5/8"	3 5/8"	3/4"	1/2"		
NORMAN	2 1/4"	11 5/8"	3 5/8"	3/4"	1/2"		
QUEEN	2 5/8"	7 5/8"	2 5/8"	3/4"	1/2"		
KING	2 5/8"	9 5/8"	2 5/8"	3/4"	1/2"		
ESTATE	3 5/8"	9 5/8"	2 5/8"	3/4"	1/2"		
CLOSURE	3 5/8"	7 5/8"	3 5/8"	3/4"	1/2"		
UTILITY	3 5/8"	11 5/8"	3 5/8"	3/4"	1/2"		

#### **SHA-01-2 Shelf Angle - Stretcher - Corner Left**



	1				
SHA-01-2	SHI	ELF ANGLE -	STRETCHER	- CORNER L	EFT
	Α	В	С	D	E
MODULAR	2 1/4"	7 5/8"	3 5/8"	3/4"	1/2"
NORMAN	2 1/4"	11 5/8"	3 5/8"	3/4"	1/2"
QUEEN	2 5/8"	7 5/8"	2 5/8"	3/4"	1/2"
KING	2 5/8"	9 5/8"	2 5/8"	3/4"	1/2"
ESTATE	3 5/8"	9 5/8"	2 5/8"	3/4"	1/2"
CLOSURE	3 5/8"	7 5/8"	3 5/8"	3/4"	1/2"
UTILITY	3 5/8"	11 5/8"	3 5/8"	3/4"	1/2"

#### SHA-01-3 Shelf Angle - Stretcher - Corner Right




SHELF ANGLE - STRETCHER - CORNER RIGHT					
Α	В	C	D	Е	
2 1/4"	7 5/8"	3 5/8"	3/4"	1/2"	
2 1/4"	11 5/8"	3 5/8"	3/4"	1/2"	
2 5/8"	7 5/8"	2 5/8"	3/4"	1/2"	
2 5/8"	9 5/8"	2 5/8"	3/4"	1/2"	
3 5/8"	9 5/8"	2 5/8"	3/4"	1/2"	
3 5/8"	7 5/8"	3 5/8"	3/4"	1/2"	
3 5/8"	11 5/8"	3 5/8"	3/4"	1/2"	
	SHE A 2 1/4" 2 1/4" 2 5/8" 2 5/8" 3 5/8" 3 5/8"	SHELF ANGLE - :  A B  2 1/4" 7 5/8"  2 1/4" 11 5/8"  2 5/8" 7 5/8"  2 5/8" 9 5/8"  3 5/8" 9 5/8"  3 5/8" 7 5/8"	SHELF ANGLE - STRETCHER -  A B C  2 1/4" 7 5/8" 3 5/8"  2 1/4" 11 5/8" 3 5/8"  2 5/8" 7 5/8" 2 5/8"  2 5/8" 9 5/8" 2 5/8"  3 5/8" 9 5/8" 2 5/8"  3 5/8" 7 5/8" 3 5/8"	SHELF ANGLE - STRETCHER - CORNER RI  A B C D  2 1/4" 7 5/8" 3 5/8" 3/4"  2 1/4" 11 5/8" 3 5/8" 3/4"  2 5/8" 7 5/8" 2 5/8" 3/4"  2 5/8" 9 5/8" 2 5/8" 3/4"  3 5/8" 9 5/8" 2 5/8" 3/4"  3 5/8" 7 5/8" 3 5/8" 3/4"	

#### **Shelf Angles**

Table of Contents


Shelf Angle Gallery

## SHA-02-1 Shelf Angle - Soldier




SHA-02-1	SHELF ANGLE - SOLDIER					
	Α	В	С	D	Е	
MODULAR	7 5/8"	2 1/4"	3 5/8"	3/4"	1/2"	
NORMAN	11 5/8"	2 1/4"	3 5/8"	3/4"	1/2"	
QUEEN	7 5/8"	2 5/8"	2 5/8"	3/4"	1/2"	
KING	9 5/8"	2 5/8"	2 5/8"	3/4"	1/2"	
ESTATE	9 5/8"	3 5/8"	2 5/8"	3/4"	1/2"	
CLOSURE	7 5/8"	3 5/8"	3 5/8"	3/4"	1/2"	
UTILITY	11 5/8"	3 5/8"	3 5/8"	3/4"	1/2"	

#### SHA-02-2 Shelf Angle - Soldier - Corner




SHA-02-2	SHELF ANGLE - SOLDIER - CORNER						
	Α	В	С	D	Е		
MODULAR	7 5/8"	2 1/4"	2 1/4"	3/4"	1/2"		
NORMAN	11 5/8"	2 1/4"	2 1/4"	3/4"	1/2"		
QUEEN	7 5/8"	2 5/8"	2 5/8"	3/4"	1/2"		
KING	9 5/8"	2 5/8"	2 5/8"	3/4"	1/2"		
ESTATE	9 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		
CLOSURE	7 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		
UTILITY	11 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		

#### SHA-03-1 Shelf Angle - Rowlock



SHA-03-1	SHELF ANGLE - ROWLOCK					
	Α	В	С	D	E	
MODULAR	7 5/8"	2 1/4"	3 5/8"	3/4"	1/2"	
NORMAN	11 5/8"	2 1/4"	3 5/8"	3/4"	1/2"	
QUEEN	7 5/8"	2 5/8"	2 5/8"	3/4"	1/2"	
KING	9 5/8"	2 5/8"	2 5/8"	3/4"	1/2"	
ESTATE	9 5/8"	3 5/8"	2 5/8"	3/4"	1/2"	
CLOSURE	7 5/8"	3 5/8"	3 5/8"	3/4"	1/2"	
UTILITY	11 5/8"	3 5/8"	3 5/8"	3/4"	1/2"	

#### SHA-03-2 Shelf Angle - Rowlock - Corner




SHA-03-2	SHELF ANGLE - ROWLOCK - CORNER						
	Α	A B C D					
MODULAR	3 5/8"	2 1/4"	2 1/4"	3/4"	1/2"		
NORMAN	3 5/8"	2 1/4"	2 1/4"	3/4"	1/2"		
QUEEN	2 5/8"	2 5/8"	2 5/8"	3/4"	1/2"		
KING	2 5/8"	2 5/8"	2 5/8"	3/4"	1/2"		
ESTATE	2 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		
CLOSURE	3 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		
UTILITY	3 5/8"	3 5/8"	3 5/8"	3/4"	1/2"		

## **Shelf Angles**

Table of Contents

Shelf Angle Gallery

## **Shelf Angle Diagram**




#### **Radial Brick**

Table of Contents


#### Radial Gallery

#### **RAD-01-1 Radial Outside Stretcher**



RAD-01-1	RADIAL OUTSIDE STRETCHER						
	Α	В	C	D			
MODULAR	2 1/4"	~7 5/8"	3 5/8"	Radius			
NORMAN	2 1/4"	~11 5/8"	3 5/8"	Radius			
QUEEN	2 5/8"	~7 5/8"	2 5/8"	Radius			
KING	2 5/8"	~9 5/8"	2 5/8"	Radius			
ESTATE	3 5/8"	~9 5/8"	2 5/8"	Radius			
CLOSURE	3 5/8"	~7 5/8"	3 5/8"	Radius			
UTILITY	3 5/8"	~11 5/8"	3 5/8"	Radius			

#### **RAD-01-2 Radial Outside Starter**



RAD-01-2	RADIAL OUTSIDE STARTER						
	Α	A B C D					
MODULAR	2 1/4"	~7 5/8"	3 5/8"	Radius			
NORMAN	2 1/4"	~11 5/8"	3 5/8"	Radius			
QUEEN	2 5/8"	~7 5/8"	2 5/8"	Radius			
KING	2 5/8"	~9 5/8"	2 5/8"	Radius			
ESTATE	3 5/8"	~9 5/8"	2 5/8"	Radius			
CLOSURE	3 5/8"	~7 5/8"	3 5/8"	Radius			
UTILITY	3 5/8"	~11 5/8"	3 5/8"	Radius			

Please note: For curved walls, if the radius is less than below, a special shape radial brick is required. If the radius is equal to or larger than dimensions below, a standard field brick may be used.


Modular Brick: Radius 8'0" or larger King Size & Estate Size Brick: Radius 10'0" or larger Utility & Norman Brick: Radius 12'0" or larger


#### **Radial Brick**

**Table of Contents** 

**Radial Gallery** 

#### **Radial Outside Brick Diagrams**





**ISO VIEW** 

**RAD-01-1** 


**FRONT VIEW** 

#### **Radial Brick**

Table of Contents


Radial Gallery

#### **RAD-02-1 Radial Inside Stretcher**



RADIAL INSIDE STRETCHER			
Α	В	C	D
2 1/4"	~7 5/8"	3 5/8"	Radius
2 1/4"	~11 5/8"	3 5/8"	Radius
2 5/8"	~7 5/8"	2 5/8"	Radius
2 5/8"	~9 5/8"	2 5/8"	Radius
3 5/8"	~9 5/8"	2 5/8"	Radius
3 5/8"	~7 5/8"	3 5/8"	Radius
3 5/8"	~11 5/8"	3 5/8"	Radius
	A 2 1/4" 2 1/4" 2 5/8" 2 5/8" 3 5/8" 3 5/8"	A B 2 1/4" ~7 5/8" 2 1/4" ~11 5/8" 2 5/8" ~7 5/8" 2 5/8" ~9 5/8" 3 5/8" ~9 5/8" 3 5/8" ~7 5/8"	A B C 2 1/4" ~7 5/8" 3 5/8" 2 1/4" ~11 5/8" 3 5/8" 2 5/8" ~7 5/8" 2 5/8" 2 5/8" ~9 5/8" 2 5/8" 3 5/8" ~9 5/8" 2 5/8" 3 5/8" ~7 5/8" 3 5/8"

#### **RAD-02-2 Radial Inside Starter**



RAD-02-2	RADIAL INSIDE STARTER			
	Α	В	С	D
MODULAR	2 1/4"	~7 5/8"	3 5/8"	Radius
NORMAN	2 1/4"	~11 5/8"	3 5/8"	Radius
QUEEN	2 5/8"	~7 5/8"	2 5/8"	Radius
KING	2 5/8"	~9 5/8"	2 5/8"	Radius
ESTATE	3 5/8"	~9 5/8"	2 5/8"	Radius
CLOSURE	3 5/8"	~7 5/8"	3 5/8"	Radius
UTILITY	3 5/8"	~11 5/8"	3 5/8"	Radius

Please note: For curved walls, if the radius is less than below, a special shape radial brick is required. If the radius is equal to or larger than dimensions below, a standard field brick may be used.


> Modular Brick: Radius 8'0" or larger King Size & Estate Size Brick: Radius 10'0" or larger Utility & Norman Brick: Radius 12'0" or larger


#### **Radial Brick**


**Table of Contents** 

**Radial Gallery** 

#### **Inside Radial Brick Diagram**









A solid brick shape can be finished out on any number of sides to suit various placement in a wall. Keep in mind that the finish, texture, and final wall placement of your order will change what kind of solid to order. Pieces are wire cut, which will match a Velour brick texture, but will need to be finished out on more sides for a texture like Bark or Ruff (see page 6 for images).

As these require more hand work, a minimum number must be ordered to warrant production. As with all shapes, ability to create them varies between plants, so be sure to ask your Acme Brick representative.




SLD	SOLID SHAPE			
	Α	В	C	
MODULAR	2 1/4"	7 5/8"	3 5/8"	
NORMAN	2 1/4"	11 5/8"	3 5/8"	
QUEEN	2 3/4"	7 5/8"	2 3/4"	
KING	2 5/8"	9 5/8"	2 3/4"	
ESTATE	3 5/8"	9 5/8"	2 3/4"	
CLOSURE	3 5/8"	7 5/8"	3 5/8"	
UTILITY	3 5/8"	11 5/8"	3 5/8"	


Nomenclature note: SLD-0**X**-1, X is the number of finished faces.




SLD-03-1 Solid Three Faces Finished Use SLD-03-1 if the texture on the Stretchers and Headers are Velour.



SLD-04-1 Solid Four Faces Finished Use SLD-04-1 if the texture on the Stretchers and Headers are anything other than Velour.




SLD-05-1 Solid Five Faces Finished Use SLD-05-1 if the texture on the Stretchers and Headers are anything other than Velour.





SLD-06-1 Solid Six Faces Finished Use SLD-06-1 if the texture on the Stretchers and Headers are anything other than Velour.


#### **Three or Four Finished Faces Solid Brick Use Diagrams**

For examples on this page, use **SLD-03-1** if the finished face texture is Velour, as it is similar to the wire cut side. Order **SLD-04-1** if the finished face is anything other than Velour, because one side will need to match the stretchers and headers.










#### Solids

Table of Contents


Solids

Table of Contents


#### **Three or Four Finished Faces Solid Brick Use Diagram**




## **Five Finished Faces Solid Brick Use Diagram**



#### **Six Finished Faces Solid Brick Use Diagrams**



#### popped out brick



Click on any shape for more details.

Table of Contents


## **Arches**



ARC-01-1 Jack Arch

3 Course One Piece

Jack Arch 4 Course



4 Course One Piece

Note: The maximum manufacturing for pieces is 11 5/8" in length, restricting the size of one piece arches.

ARC-02-1 Jack Arch

#### Jack Arch 5+ Course

Jack Arches 5 courses and over are not feasible because a single piece over 11 5/8" cannot be produced.

Roman




ARC-04-1 Roman Arch One Piece

Circular



**ARC-05-1** Circular Arch

**Segmental** 




ARC-06-1 Segmental

**Elliptical** 

Jill Arch

This arch type takes advange of a single shape to create the arch and requires a keystone.




One Piece Arch One Piece


ARC-07-1 Elliptical Arch

One Piece


ARC-01-2 Jack Arch 3 Course Multi Piece



ARC-02-2 Jack Arch 4 Course Multi Piece




ARC-03-2 Jack Arch 5+ Course Multi Piece



ARC-04-2 Roman Arch Multi Piece



**ARC-05-2** Circular Arch Multi Piece




**ARC-06-2** Segmental Arch Multi Piece




**ARC-07-2** Elliptical Arch Multi Piece

This arch type takes advange of a single shape to create the arch and requires a keystone.



ARC-01-3 Jack Arch 3 Course One Piece with Keystone



ARC-02-3 Jack Arch 4 Course One Piece with Keystone


Jack Arches with keystones, 5 courses and over are not feasible because a single piece over 11 5/8" cannot be produced.




ARC-04-3 Roman Arch One Piece with Keystone




ARC-05-3 Circular Arch One Piece with Keystone



**ARC-06-3** Segmental Arch One Piece with Keystone




**ARC-07-3** Elliptical Arch One Piece with Keystone




Jill Arch One Piece with Keystone


Note: The maximum manufacturing for pieces is 11 5/8" in length, restricting the size of one piece arches.




ARC-01-4 Jack Arch 3 Course Multi Piece with Keystone



ARC-02-4 Jack Arch 4 Course Multi Piece with Keystone




ARC-03-4 Jack Arch 5+ Course Multi Piece with Keystone




ARC-04-4 Roman Arch Multi Piece with Keystone




ARC-05-4 Circular Arch Multi Piece with Keystone



**ARC-06-4** Segmental Arch Multi Piece with Keystone



**ARC-07-4** Elliptical Arch Multi Piece with Keystone



**ARC-08-4** Jill Arch Multi Piece with Keystone

# **Helpful Arch Information**

When requesting an Approval Drawing for an Arch, please provide the information denoted as "ARCH DRAWING NOTATIONS" listed as variables A through K accordingly on each page for that type Arch. All Arches may or may not use all Notations, but they are the same throughout all arches.

The field brick size determines the bed depth of the Arch Pieces and they are typically cored.


All joints to be a consistent 3/8."

ARCH DRAWING NOTATIONS		
Α	Arch Type	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces	
E	Brick Size	
F	Key Height	
G	Кеу Тор	
Н	Key Bottom	
I	Radius 1	
J	Rise	
K	Radius 2	

- "A" Arch Type pick the type of arch: Jack Arch, Roman, Circular, Segmental, Elliptical
- "B" Masonry Opening span of opening to be crossed, rounded down to the nearest 1/2 inch
- "C" Height of Arch The height of Jack Arches are given in number of courses. The height of Roman, Circular, Segmental and Elliptical arches can be given in number of courses or inches.
- "D" Number of Pieces When ordering Multi Piece Arches, you will need to specify the desired number of pieces the height of the arch is divided into. This decision is purely aesthetic. See examples below.
- "E" Brick Size width of field brick dictate the appropriate size, for Modular and Norman ~2 1/4", Queen and King ~2 5/8", Estate, Closure and Utility ~3 5/8"
- "F", "G", "H" Key Height, Top, or Bottom keystone dimensions
- "I" Radius 1 radius of the arch
- "J" Rise the vertical distance from the spring line to the bottom of the Arch, in inches
- "K" Radius 2 in Elliptical arches only, the second radius of the arch



**Jack Arch Number of Pieces Examples** 




**Segmental Arch Number of Pieces Examples** 

#### Table of Contents

#### **Radial Arch Notes**

For most Radial Arches (arches with an associated radius) the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening for radial arches gets larger, a field brick may be the best option, because the taper of the arch piece or the mortar joint is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.



arch pieces with 3/8" mortar joint

arch made with face brick and tapered mortar joints



Table of Contents


Arch Gallery

#### **3 Course Jack Arch**

Table of Contents


Arch Gallery

#### **ARC-01-1 Three Course Jack Arch One Piece**




ARCH DRAWING NOTATIONS	
Α	Arch Type - Jack Arch
В	Masonry Opening
С	Height of Arch in Courses - Three
D	Number of Pieces - One
E	Brick Size

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening and brick size chosen. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.




Height of Arch	3 COURSE
MODULAR	7 1/2"
NORMAN	7 1/2"
QUEEN	9"
KING	9"
ESTATE	11 5/8"
CLOSURE	11 5/8"
UTILITY	11 5/8"

#### **ARC-01-2 Three Course Jack Arch Multi Piece**




ARCH DRAWING NOTATIONS		
Α	Arch Type - Jack Arch	
В	Masonry Opening	
C	Height of Arch in Courses - Three	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
Е	Brick Size	

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening in inches and brick size chosen. The field brick size determines the bed depth of the Arch Pieces and they are typically cored. Example "D" number of pieces shown is 2P.



**ACME BRICK SPECIAL SHAPES** 

#### **ARC-01-3 Three Course Jack Arch One Piece with Keystone**




ARCH DRAWING NOTATIONS	
Α	Arch Type - Jack Arch
В	Masonry Opening
С	Height of Arch in Courses - Three
D	Number of Pieces - One
Е	Brick Size
F	Key Height - in inches or courses
G	Кеу Тор
Н	Key Bottom

Provide this arch number when ordering.


To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen, as well as the dimensions of your chosen keystone.

The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



Height of Arch	3 COURSE
MODULAR	7 1/2"
NORMAN	7 1/2"
QUEEN	9"
KING	9"
ESTATE	11 5/8"
CLOSURE	11 5/8"
UTILITY	11 5/8"

#### **ARC-01-4 Three Course Jack Arch Multi Piece with Keystone**



ARCH DRAWING NOTATIONS		
Α	Arch Type - Jack Arch	
В	Masonry Opening	
C	Height of Arch in Courses - Three	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
E	Brick Size	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen, as well as the dimensions of your chosen keystone. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.




Table of Contents

**Arch Gallery** 


## 4 Course Jack Arch

**ARC-02-2 Four Course Jack Arch Multi Piece** 

Table of Contents

Arch Gallery

#### **ARC-02-1 Four Course Jack Arch One Piece**



ARCH DRAWING NOTATIONS		
Α	Arch Type - Jack Arch	
В	Masonry Opening	
C	Height of Arch in Courses - Four	
D	Number of Pieces - One	
E	Brick Size	

Provide this arch number when ordering.

To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen.

The field brick size determines the bed depth of the Arch Pieces and they are typically cored.


ARCH DRAWING NOTATIONS			
Α	Arch Type - Jack Arch		
В	Masonry Opening		
С	Height of Arch in Courses - Four		
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)		
E	Brick Size		

Provide this arch number when ordering.

To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen.

Example "D" number of pieces shown is 2P.

The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



Height of Arch	4 COURSE
MODULAR	10 1/8"
NORMAN	10 1/8"
QUEEN	12 1/8"
KING	12 1/8"
ESTATE	15 5/8"
CLOSURE	15 5/8"
UTILITY	15 5/8"





Table of Contents


**Arch Gallery** 

#### **ARC-02-3 Four Course Jack Arch One Piece with Keystone**



ARCH	ARCH DRAWING NOTATIONS		
Α	Arch Type - Jack Arch		
В	Masonry Opening		
С	Height of Arch in Courses - Four		
D	Number of Pieces - One		
Е	Brick Size		
F	Key Height - in inches or courses		
G	Кеу Тор		
Н	Key Bottom		

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen, as well as the dimensions of your chosen keystone. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



(1/2 JACK ARCH)


Height of Arch 4 COURSE **MODULAR** 10 1/8" NORMAN 10 1/8" QUEEN 12 1/8" KING 12 1/8" **ESTATE** 15 5/8" **CLOSURE** 15 5/8" UTILITY 15 5/8"

#### **4 Course Jack Arch**

**Table of Contents** 


**Arch Gallery** 

## **ARC-02-4 Four Course Jack Arch Multi Piece with Keystone**




ARCH DRAWING NOTATIONS	
Α	Arch Type - Jack Arch
В	Masonry Opening
C	Height of Arch in Courses - Four
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)
Е	Brick Size
F	Key Height - in inches or courses
G	Кеу Тор
Н	Key Bottom

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen, as well as the dimensions of your chosen keystone. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



**ACME BRICK SPECIAL SHAPES** 

#### **ARC-03-2 Five+ Course Jack Arch Multi Piece**




ARCH DRAWING NOTATIONS	
Α	Arch Type - Jack Arch
В	Masonry Opening
С	Height of Arch in Courses - Five+
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)
Е	Brick Size

Provide this arch number when ordering.

To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen.

Example "D" number of pieces shown is 2&3P.


The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



Note: A five course arch from a single piece is not feasible, so there are no drawings for ARC-03-1 and ARC-03-3. Jack Arches over 5 courses require special attention. Your Acme representative will know to code it "CSS" when ordering for Custom Special Shape.


	5 COURSE	6 COURSE	7 COURSE
MODULAR	12 3/4"	15 3/8"	18"
NORMAN	12 3/4"	15 3/8"	18"
QUEEN	15 1/4"	18 3/8"	21 1/2"
KING	15 1/4"	18 3/8"	21 1/2"
ESTATE	19 5/8"	23 5/8"	27 5/8"
CLOSURE	19 5/8"	23 5/8"	27 5/8"
UTILITY	19 5/8"	23 5/8"	27 5/8"

#### ARC-03-4 Five + Course Jack Arch Multi Piece with Keystone




ARCH	ARCH DRAWING NOTATIONS	
Α	Arch Type - Jack Arch	
В	Masonry Opening	
С	Height of Arch in Courses - Five+	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
E	Brick Size	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen, as well as the dimensions of your chosen keystone. Example "D" number of pieces shown is 2&3P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



Arch Gallery


#### **ARC-04-1 Roman Arch One Piece**



Provide this arch number when ordering.

To draw your arch diagram we will need the width of the masonry opening, the height, radius, and brick size chosen.

The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



For Roman Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


#### **Roman Arch**

Table of Contents

**ACME BRICK SPECIAL SHAPES** 

Arch Gallery


#### **ARC-04-2 Roman Arch Multi Piece**



For Roman Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


**ACME BRICK SPECIAL SHAPES** 

#### **ARC-04-3 Roman Arch One Piece with Keystone**



For Roman Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

#### **ARC-04-4 Roman Arch Multi Piece with Keystone**



For Roman Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

#### **Circular Arch**


**Table of Contents** 

Arch Gallery

#### **ARC-05-1 Circular Arch One Piece**

ARCH DRAWING NOTATIONS	
Α	Arch Type - Circular
В	Masonry Opening
C	Height of Arch in inches
D	Number of Pieces - One
E	Brick Size
I	Radius

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, and brick size chosen. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.






For Circular Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

#### **Circular Arch**

Table of Contents

Arch Gallery

#### **ARC-05-2 Circular Arch Multi Piece**



ARCH DRAWING NOTATIONS		
Α	Arch Type - Circular	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
Е	Brick Size	
I	Radius	

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, and brick size chosen. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and BRICK they are typically cored.



For Circular Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

MASONRY OPENING


"B" MASONRY OPENING

"A" - ARCH TYPE (1/2 CIRCULAR ARCH)


Table of Contents

#### **ARC-05-3 Circular Arch One Piece with Keystones**





All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, and brick size chosen. As well as the dimensions of your keystone. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



For Circular Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


#### **Circular Arch**

Table of Contents

**ACME BRICK SPECIAL SHAPES** 


Arch Gallery

#### **ARC-05-4 Circular Arch Multi Piece with Keystones**



ARCH	ARCH DRAWING NOTATIONS		
Α	Arch Type - Circular		
В	Masonry Opening		
С	Height of Arch in inches		
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)		
E	Brick Size		
F	Key Height - in inches or courses		
G	Кеу Тор		
Н	Key Bottom		
I	Radius		

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, and brick size chosen. As well as the dimensions of your keystone. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



For Circular Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


"F"
KEY K.B.O.
HEIGHT (KEYBY

#### **Segmental Arch**

Table of Contents

Arch Gallery


#### **ARC-06-1 Segmental Arch One Piece**



ARCH	ARCH DRAWING NOTATIONS	
Α	Arch Type - Segmental	
В	Masonry Opening	
C	Height of Arch in inches	
D	Number of Pieces - One	
E	Brick Size	
I	Radius	
J	Rise	

Provide this arch number when ordering.

To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.




For Segmental Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

#### **Segmental Arch**

Table of Contents


Arch Gallery

#### **ARC-06-2 Segmental Arch Multi Piece**



ARCH	ARCH DRAWING NOTATIONS	
Α	Arch Type - Segmental	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
E	Brick Size	
I	Radius	
J	Rise	

Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



For Segmental Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


Arch Gallery

## **Segmental Arch**

**ACME BRICK SPECIAL SHAPES** 


Arch Gallery

#### **ARC-06-3 Segmental Arch One Piece with Keystone**



ARCH	ARCH DRAWING NOTATIONS	
Α	Arch Type - Segmental	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - One	
E	Brick Size	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	
I	Radius	
J	Rise	


Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. As well as the dimensions of your keystone. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



For Segmental Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


(1/2 SEGMENTAL ARCH)

#### **ARC-06-4 Segmental Arch Multi Piece with Keystone**



ARCH DRAWING NOTATIONS	
Α	Arch Type - Segmental
В	Masonry Opening
С	Height of Arch in inches
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)
E	Brick Size
F	Key Height - in inches or courses
G	Кеу Тор
Н	Key Bottom
I	Radius
J	Rise


Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. As well as the dimensions of your keystone. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch Pieces and they are typically cored. - ALL JOINTS TO BE A CONSISTENT 3/8"



For Segmental Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


**Arch Gallery** 

#### **ARC-07-1 Elliptical Arch One Piece**



ARCH DRAWING NOTATIONS	
Α	Arch Type - Elliptical
В	Masonry Opening
С	Height of Arch in inches
D	Number of Pieces - One
E	Brick Size
1	Radius 1
J	Rise
K	Radius 2

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.



"A" - ARCH TYPE (1/2 ELLIPTICAL ARCH)

For Elliptical Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


#### **Elliptical Arch**

Table of Contents

**ACME BRICK SPECIAL SHAPES** 


**Arch Gallery** 

#### **ARC-07-2 Elliptical Arch Multi Piece**



ARCH	ARCH DRAWING NOTATIONS	
Α	Arch Type - Elliptical	
В	Masonry Opening	
C	Height of Arch in inches	
D	Number of Pieces - (2P, 2PS, 2&3P, or 3PS)	
E	Brick Size	
I	Radius 1	
J	Rise	
K	Radius 2	

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, radius, rise, and brick size chosen. Example "D" number of pieces shown is 2P. The field brick size determines the bed depth of the Arch




For Elliptical Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

(1/2 ELLIPTICAL ARCH)

Arch Gallery

#### **ARC-07-3 Elliptical Arch One Piece with Keystone**



For Elliptical Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.


## **Elliptical Arch**

Table of Contents

**ACME BRICK SPECIAL SHAPES** 

Arch Gallery

#### **ARC-07-4 Elliptical Arch Multi Piece with Keystone**





For Elliptical Arches, the arch pieces need to be tapered to maintain a consistent width mortar joint. If the pieces are not tapered, then the mortar joint will need to be tapered, which is less desirable. As the masonry opening gets larger, a field brick may be the best option, because the taper of the arch piece is less discernible. Send us your arch details and let us determine what is needed for the best application in these situations.

#### **Jill Arch Keystones**

Table of Contents

**Arch Gallery** 







#### **Jill Arch Keystones**

Table of Contents

Arch Gallery





**Arch Gallery** 


Jill Arch

**ACME BRICK SPECIAL SHAPES** 

Arch Gallery

#### **ARC-08 Jill Arch Keystone Dimensions**


Keystones for Jill arches are required to have an angle of 74.8°. All keys utilize the same overall dimensions regardless of face detail. Ask your representative to order Cast Stone Keystones. Flat, Chamfered and Recessed faces are available. Please note, that even though these are labelled as Jill Arch keystones, these can also be used with custom Jack Arches as well.



JILL ARCH KEYSTONE DIMENSIONS							
CODE	# OF COURSES	SIZE	F Height	G Top	H Bottom	Depth	Angle
CKF-03-1 CKC-03-1 CKR-03-1 BKF-03-1	3 Course	MODULAR / NORMAN	7 1/2"	7 13/16"	3 3/4"	3 5/8"	74.8°
CKF-04-1 CKC-04-1 CKR-04-1 BKF-04-1	4 Course	MODULAR / NORMAN	10 1/8"	9 1/4"	3 3/4"	3 5/8"	74.8°
CKF-05-1 CKC-05-1 CKR-05-1 BKF-05-1	5 Course	MODULAR / NORMAN	1' 3/4"	10 11/26"	3 3/4"	3 5/8"	74.8°
CKF-03-2 CKC-03-2 CKR-03-2 BKF-03-2	3 Course	QUEEN/ KING	9"	8 5/8"	3 3/4"	3"	74.8°
CKF-04-2 CKC-04-2 CKR-04-2 BKF-04-2	4 Course	QUEEN/ KING	1' 1/8"	10 11/32"	3 3/4"	3"	74.8°
CKF-05-2 CKC-05-2 CKR-05-2 BKF-05-2	5 Course	QUEEN/ KING	1' 3 1/4"	1' 1/32"	3 3/4"	3"	74.8°
CKF-03-3 CKC-03-3 CKR-03-3 BKF-03-3	3 Course	ESTATE / CLOSURE/ UTILITY	11 5/8"	10 1/16"	3 3/4"	3 5/8"	74.8°
CKF-04-3 CKC-04-3 CKR-04-3 BKF-04-3	4 Course	ESTATE / CLOSURE/ UTILITY	1' 3 5/8"	1' 1/4"	3 3/4"	3 5/8"	74.8°
CKF-05-3 CKC-05-3 CKR-05-3 BKF-05-3	5 Course	ESTATE / CLOSURE/ UTILITY	1' 7 5/8"	1' 2 13/32"	3 3/4"	3 5/8"	74.8°

#### **ARC-08 Jack Arch vs Jill Arch Diagram**

Jill Arches require a righthand and lefthand piece for either side of the keystone to ensure that any colors, textures, or coatings match the surrounding wall of face brick. Arches up to 5 courses tall can be created from slanted pieces which correspond to the size of the face brick. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.




**Arch Gallery** 


#### Jill Arch - MOD/NOR


**ACME BRICK SPECIAL SHAPES** 

**Arch Gallery** 


#### **ARC-08-3 Jill Arch One Piece with Keystone - Modular & Norman Sizes**







**Three Course Keystone with** Three Course One Piece Jill Arch - MOD/NOR




Four Course Keystone with Three Course One Piece Jill Arch - MOD/NOR


ARCH DRAWING NOTATIONS			
Α	Arch Type - Jill		
В	Masonry Opening		
C	Height of Arch in inches		
D	Number of Pieces - One		
Е	Brick Size - Modular/Norman		
F	Key Height - in inches or courses		
G	Кеу Тор		
Н	Key Bottom		

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.

The plant will produce both a left "L1" and right "R1" pieces with finished faces on the stretcher and top and bottom header sides to match the field brick.





Four Course Keystone with Four Course One Piece Jill Arch - MOD/NOR




**Five Course Keystone with** Four Course One Piece Jill Arch - MOD/NOR


# **ARC-08-4 Jill Arch Multi Piece with Keystone - Modular & Norman Sizes**







**Three Course Keystone with** Three Course Multi Piece Jill Arch - MOD/NOR



Four Course Keystone with Three Course Multi Piece Jill Arch - MOD/NOR

ARCH DRAWING NOTATIONS		
Α	Arch Type - Jill	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - (2PS, 3PS)	
E	Brick Size - Modular/Norman	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	


All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. Example "D" number of pieces shown is 2PS. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.

Multi Piece Jill Arches use the same single pieces "R1 and L1" as produced for One Piece Jill Arches. Multi Piece Jill Arches require "R1 and L1" to be \*Field Cut on site to create A, B and C pieces.




**Four Course Keystone with** 

Four Course Multi Piece Jill Arch - MOD/NOR



**Five Course Keystone with** Four Course Multi Piece Jill Arch - MOD/NOR




**Five Course Keystone with** Five Course Multi Piece Jill Arch - MOD/NOR

Note: A Jill arch is specifically designed to work around a keystone, therefore there are no drawings for ARC-08-1 and ARC-08-2. See page 158 for the specific dimensions based on brick size.

**Arch Gallery** 


#### ARC-08-3 Jill Arch One Piece with Keystone - King & Queen Sizes




ARCH DRAWING NOTATIONS		
Α	Arch Type - Jill	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - One	
E	Brick Size - King/Queen	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.

The plant will produce both a left "L1" and right "R1" pieces with finished faces on the stretcher and top and bottom header sides to match the field brick.



**Three Course Keystone with** Three Course One Piece Jill Arch - KSZ/QSZ



Four Course Keystone with Three Course One Piece Jill Arch - KSZ/QSZ


Jill Arch - KSZ/QSZ


Table of Contents

**ACME BRICK SPECIAL SHAPES** 

**Arch Gallery** 

#### ARC-08-4 Jill Arch Multi Piece with Keystone - King & Queen Sizes







ARCH DRAWING NOTATIONS Arch Type - Jill

ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. Example "D" number of pieces shown is 2PS. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.

Multi Piece Jill Arches use the same single pieces "R1 and L1" as produced for One Piece Jill Arches. Multi Piece Jill Arches require "R1 and L1" to be \*Field Cut on site to create A, B and C pieces.





1 MASONRY OPENING



**Three Course Keystone with** Three Course Multi Piece Jill Arch - KSZ/QSZ


**Four Course Keystone with** Four Course Multi Piece Jill Arch - KSZ/QSZ





Four Course Keystone with Three Course Multi Piece Jill Arch - KSZ/QSZ

**Five Course Keystone with** Four Course Multi Piece Jill Arch - KSZ/QSZ






Note: A Jill arch is specifically designed to work around a keystone, therefore there are no drawings for ARC-08-1 and ARC-08-2. See page 158 for the specific dimensions based on brick size.

#### **Arch Gallery**


#### ARC-08-3 Jill Arch One Piece with Keystone - Estate, Closure & Utility Sizes




ARCH DRAWING NOTATIONS		
Α	Arch Type - Jill	
В	Masonry Opening	
С	Height of Arch in inches	
D	Number of Pieces - One	
Е	Brick Size - Estate/Closure/Utility	
F	Key Height - in inches or courses	
G	Кеу Тор	
Н	Key Bottom	

All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. The field brick size determines the bed depth of the Arch Pieces and they are typically cored. Cores are typically 1/2" back from the finished face.

The plant will produce both a left "L1" and right "R1" pieces with finished faces on the stretcher and top and bottom header sides to match the field brick.



**Three Course Keystone with** Three Course One Piece Jill Arch - EST/CLO/UTL



**Four Course Keystone with** Three Course One Piece Jill Arch - EST/CLO/UTL

Note: A Jill arch is specifically designed to work around a keystone, therefore there are no drawings for ARC-08-1 and ARC-08-2. See page 158 for the specific dimensions based on brick size.


#### Jill Arch - EST/CLO/UTL

Table of Contents

**ACME BRICK SPECIAL SHAPES** 


**Arch Gallery** 

#### ARC-08-4 Jill Arch Multi Piece with Keystone - Estate, Closure & Utility Sizes






**Three Course Keystone with** Three Course Multi Piece Jill Arch - EST/CLO/UTL




**Four Course Keystone with** Three Course Multi Piece Jill Arch - EST/CLO/UTL




All joints to be a consistent 3/8." Provide this arch number when ordering. To draw your arch diagram we will need the width of the masonry opening, the height, and brick size chosen. A keystone is required to create this arch. Example "D" number of pieces shown is 2PS. The field brick size determines the bed depth of the Arch Pieces and they are typically cored.


Multi Piece Jill Arches use the same single pieces "R1 and L1" as produced for One Piece Jill Arches. Multi Piece Jill Arches require "R1 and L1" to be \*Field Cut on site to create A, B and C pieces.



**Four Course Keystone with** Four Course Multi Piece Jill Arch - EST/CLO/UTL



**Five Course Keystone with** Four Course Multi Piece Jill Arch - EST/CLO/UTL



Five Course Multi Piece Jill Arch - EST/CLO/UTL


# **Reading Shape Documentation**

Once you are ready to order shapes, it is time for the plants, architects and our engineering department to communicate clearly what each shape looks like and funtions as. Included in the approval drawings is a "Letter of Transmittal."


This document has a list of ALL shapes needed to complete a job. An example here is laid out for you.

Each shape may have:


#### An approval drawing (#)




#### An in wall use drawing (#u)



#### A green brick drawing (#g)



After these are approved by the customer, they are sent to the plant for manufacturing.



Sales person requesting shape approval drawing.

Required for customer approval.

Other associates who will receive this document.

# **Reading Shape Documentation**

Here are examples of an approval drawing (#), a usage drawing (#u), and a green brick drawing (#g) which shows the before firing size accounting for shrinkage. Information across the bottom of the drawings will be common to all drawings. Information needed is as follows (with examples).

Customer: Architect, Contractor or Mason Name

Job Name: Brownsville International Airport

Job Location: Brownsville, Tx

Plant to Manufacture: PEP (Perla Eastgate Plant)

Blend (Number, Name, Texture, Size): PEP167 Slate Gray, Velour, Utility Size


Cored or Solid: Cored

Usage Drawing, Finished Faces (FF): Provide an architectural drawing, in pdf format,


showing the shapes in use.

Quantity: 1500

#### **Approval Drawing (shape number)**




#### Usage Drawing (shape number + "u")



# architect or Acme's

#### **Green Drawing (shape number + "g")**



Notes		
		—
	-	



Acme Brick Company (817) 332-4101 3024 Acme Brick Plaza Fort Worth, TX 76109





See it all come together in stunning design.

