


## Lap Siding 155



### Product Description

Bellara Steel Lap Siding is an ideal choice for both residential and commercial projects. With its beautiful embossed finish, our lap siding offers the natural appeal of real wood, elevating your project to new heights. Engineered from steel, it is designed to last a lifetime.

### Dimensions

Fastening System	<b>Hidden</b>
Application	<b>Wall</b>
Panel Width	<b>6.18" (157.3mm)</b>
Profile Depth	<b>0.74" (18.8mm)</b>
Panel Length	<b>12'</b> (Victoriaville)
Screw Holes	Width: <b>0.63" (16.0mm)</b> Height: <b>0.187" (4.76mm)</b>
Screw Holes Spacing	<b>2.0" (50.8mm)</b> center to center

### Available Gauges

Gauge	Weight - LB/FEET
<b>26GA</b>	<b>0.610</b>

\*Weight-LB per linear feet may differ per paint finish, gauge and profile covered width. Please contact your sales representative for further assistance.


### Installation Direction

Installation Orientation	<b>Horizontal</b>
--------------------------	-------------------

### Lead Times


Standard Regional	<b>3-4 weeks</b>
Nonstandard	<b>Upon customer request</b>

### Hidden Fastening System



### Lap Siding 155

#### Signature Matte – SMP Coated metal



Ebony 9822 26GA	Graphite 9821 26GA	Regent Grey 10939 26GA	Greek Villa 11168 26GA
-----------------------	--------------------------	------------------------------	------------------------------

#### Colour Availability



Please scan the QR code or [click here](#) to confirm colour availability for Bellara Lap Siding 155 by region.

#### Warranty

[Weather XL](#)



#### Paint System

##### Signature Matte – SMP Coated metal

Our Signature Matte colours incorporate a resin specifically designed to create a textured surface, scattering light and eliminating the steel's glossy appearance.

##### Galvanized Steel Construction

Galvanized Steel Construction - Because Bellara panels are made from galvanized steel, they offer long-term protection against rust. Unlike painted siding, Bellara panels won't peel or flake due to UV exposure.

#### Principal Characteristics

- Realistic architectural profile
- Perfectly suited to both accent wall and full envelope projects
- Durable locking system
- Embossed finish with a natural appeal of real wood
- Galvanized steel to protect from rust and UV exposure
- Longer lasting than traditional wood siding
- Hidden fastener system
- Pre-punched holes
- Complete system of colour-matched trims
- Sidelap design eliminates the need for clips or unsightly butt joints


#### Engineering & Environmental Documents

- [CSSBI EPD](#)
- [XCarb EPD](#)
- [Bellara EPD](#)
- [Install Guide](#)
- [Bellara Negative Wind Load - ASD](#)
- [Bellara Negative Wind Load - LSD](#)

#### Testing Data

Fire Resistance (Canada)		
Test Type	Test Standard	Result
FIRE: Non-Combustibility	ULC S135	Pass

Testing (Canada & US)		
Test Type	Test Standard	Result
Wind Load	ASTM E1592	Pass
Mechanical Testing (Tensile)	ASTM A370	Pass



Lap Siding 155, Greek Villa



Lap Siding 155, Greek Villa



Lap Siding 155, Graphite

## Lap Siding 155

### Matching Trim System



Inside Corner  
TM01-401



Outside Corner  
TM04-404



Conversion Moulding  
TM15-415



Partition Moulding  
TM21-421



J-Trim  
TMMLD-413




A & B 2-Piece J-Trim  
TMMLD-450A  
TMMLD-450B



Drip Edge  
TM22-422



Z-58 Support Trim  
TMMLD-Z34



Universal Starter  
TMMLD-USTART



Starter Strip  
TMMLD-352



Perforated Anti-Rodent  
Starter Strip  
TMMLD-351

### ProKut Kit (UKUT8)




### Description

While cutting Bellara Steel Siding can be done using traditional tools, we've developed a custom cutter to make installation even easier.

- Cut all Bellara profiles including Plank 90, 135, and 200, Board & Batten 140 and 260, and Lap Siding 155
- Kit includes 4 different blades
- Assembly required
- Available nationally



Lap Siding 155, Creek Villa



Lap Siding 155, Graphite



Lap Siding 155, Regent Grey



Vicwest Inc. reserves the right to amend product specifications without prior notice. Product specification, thicknesses and colours shown in this document should not be taken as being available in all regions, and reference should be made to Vicwest's colour chart, or advice should be sought from Vicwest's Customer Service Department. Recommendations for the uses described herein should be verified for suitability and compliance with actual requirements of any local building codes, applicable laws and regulations.

Colours shown in this document are representative only. Final colour selection should be made from actual colour samples which are available through our Sample Store. To ensure you are viewing the most recent and accurate product information, please scan the QR code or [click here](#).

[vicwest-bellara-ls-data-sheet-en-ca-us](#)  
MKG-DS-EN-V1